

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

Chedabucto Bay

686.5	Chedabucto Bay light buoy CF	45 23 54.3 61 03 00.6	Mo(A) W	6s	Red and white vertical stripes, marked "CF".	Year round. Chart:4307 Edn 03/11 (G11-025)
686.7	Chedabucto Bay light buoy C2	45 25 38.1 61 06 17.3	Q R	1s	Red, marked "C2".	Year round. Chart:4308 Edn 03/11 (G11-026)
686.8	Chedabucto Bay light buoy CGB	45 28 24.3 61 10 23.7	Mo(A) W	6s	Red and white vertical stripes, marked "CGB".	Year round. Chart:4307 Edn 03/11 (G11-027)

Strait of Canso

687.1	Argos Shoal light buoy CS1	45 29 11.3 61 12 16.6	Q G	1s	Green, marked "CS1".	Year round. Chart:4307 Edn 03/11 (G11-028)
687.2	Chedabucto Bay light and bell buoy C7	45 28 07.2 61 10 49.8	FI G	4s	Green, marked "C7".	Year round. Chart:4307 Edn 03/11 (G11-029)
687.3	Chedabucto Bay light and bell buoy C8	45 28 42.3 61 09 55.6	FI R	4s	Red, marked "C8".	Year round. Chart:4307 Edn 03/11 (G11-030)
687.4	Chedabucto Bay light buoy C10	45 30 40.3 61 12 18.6	FI R	4s	Red, marked "C10".	Year round. Chart:4302 Edn 03/11 (G11-031) Edn 05/13 (G13-009)
687.5	Chedabucto Bay light and bell buoy C11	45 31 48.3 61 14 17.6	FI G	4s	Green, marked "C11".	Year round. Chart:4302 Edn 03/11 (G11-032) Edn 05/13 (G13-009)
687.7	Chedabucto Bay light buoy C13	45 32 17.8 61 15 28.6	Q G	1s	Green, marked "C13".	Year round. Chart:4302 Edn 03/11 (G11-033) Edn 05/13 (G13-009)
687.8	Chedabucto Bay light buoy C14	45 32 37.3 61 15 45.6	FI R	4s	Red, marked "C14".	Year round. Chart:4302 Edn 03/11 (G11-034) Edn 05/13 (G13-009)
688	Chedabucto Bay light buoy C16	45 32 31.3 61 17 30.6	Q R	1s	Red, marked "C16".	Year round. Chart:4302 Edn 03/11 (G11-035) Edn 05/13 (G13-009)
688.1	Chedabucto Bay light buoy C17	45 32 39.3 61 18 27.6	FI G	4s	Green, marked "C17".	Year round. Chart:4302 Edn 07/12 (G12-123) Edn 05/13 (G13-009)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

688.2	Chedabucto Bay light buoy C18	45 33 29.3 61 19 17.6	Fl R	4s	Red, marked "C18".	Year round.	Chart:4302 Edn 07/12 (G12-124) Edn 05/13 (G13-009)
688.4	Chedabucto Bay light buoy C20	45 33 44.3 61 19 57.6	Q R	1s	Red, marked "C20".	Year round.	Chart:4302 Edn 03/11 (G11-036) Edn 05/13 (G13-009)
688.5	Chedabucto Bay light buoy C21	45 34 58.8 61 22 01.6	Fl G	4s	Green, marked "C21".	Year round.	Chart:4302 Edn 07/12 (G12-125) Edn 05/13 (G13-009)
689.1	Eddy Point Cautionary light buoy CY	45 31 27.7 61 14 37.5	Fl Y	4s	Yellow spar, marked "CY".	Year round.	Chart:4302 Edn 09/11 (G11-244) Edn 05/13 (G13-009)
689.3 H3421	Eddy Point range	SE. entrance, Strait of Canso. 45 31 12.2 061 15 07.4	Oc Y	11s	11.9	15	Triangular skeleton tower, white daymark, red vertical stripe. 12.3	Flash 10 s; eclipse 1 s. Visible in line of range. Operates 24hrs. Year round.	
689.4 H3421.1		124°51' 361m from front.	F Y	26.1	15	Triangular skeleton tower, white daymark, red vertical stripe. 19.0	Visible in line of range. Year round.	Chart:4302 Edn 05/13 (G13-009) Edn 01/17 (G16-159) Edn 04/17 (G17-012)
689.7 H3419	Port Malcolm range	Seacoal Bay Entrance. 45 34 32.7 61 17 16.9	F W	19.7	25	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	In operation 24hrs. Visible in line of range. Year round.	
689.8 H3419.1		319°50' 790.7m from front.	F W	46.6	25	Triangular skeleton tower, white daymark, red vertical stripe. 19.1	In operation 24hrs. Visible in line of range. Year round.	Chart:4302 Edn 04/10 (G10-015, 016) Edn 05/13 (G13-009) Edn 04/15 (G15-015, 016)
690 H3422	Bear Head Direction	SE. end. 45 32 53.8 61 17 17.6	Fl W	4s	14.6	6	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.7	Increased intensity on a bearing of 297°. Operates at night only. Year round.	Chart:4302 Edn 05/13 (G13-009)

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

690.3 <i>H3425</i>	Middle Melford range	45 32 21.7 61 18 53.2	F Y FI W 4s	13.7 14.2	15	Triangular skeleton tower, white daymark, red vertical stripe. 7.8	Visible in line of range. Year round.
690.4 <i>H3425.1</i>		268°05' 92.4m from front.	F Y FI W 4s	20.7 21.2	15	Triangular skeleton tower, white daymark, red vertical stripe. 13.8	Visible in line of range. Year round.
Chart:4302 Edn 05/13 (G13-009)								
692 <i>H3426</i>	Park Point range	On point, W. side of Strait. 45 32 35.8 61 19 16	F Y FI W 4s	12.3 13.2	15	Triangular skeleton tower, white daymark, red vertical stripe. 11.0	Visible in line of range. Year round. White flashing locator light on site. In operation 24h.
693 <i>H3426.1</i>		146°18' 316.9m from front.	F Y FI W 4s	25.1 25.6	15	Triangular skeleton tower, white daymark, red vertical stripe. 19.3	Visible in line of range. Year round. White flashing locator light on site. In operation 24h.
Chart:4302 Edn 03/16 (G16-023)								
694.4 <i>H34 27</i>	Cahil Rock range	S. of rock. 45 34 13.2 61 21 17.5	F Y FI W 4s	12.9 13.5	18	Triangular skeleton tower, white daymark, red vertical stripe. 12.7	Visible in line of range. Year round.
694.5 <i>H3427.1</i>		304°46' 176.1m from front.	Oc Y FI W	11s 4s	27.5 28.1	18	Triangular skeleton tower, white daymark, red vertical stripe. 12.3	Flash 10 s; eclipse 1 s. Visible in line of range. Year round.
Chart:4302 Edn 05/13 (G13-009)								
695	<i>Point Tupper light buoy C26</i>	45 36 20.8 61 22 33.1	FI R	4s	<i>Red, marked "C26".</i>	Year round.
Chart:4302 Edn 07/12 (G12-126) Edn 05/13 (G13-009)								
696 <i>H3430</i>	Point Tupper	On small shed on Gypsum loading pier. 45 36 27.4 61 22 27	F R	29.6	Mast on small shed.	Privately operated. Operates at night only. Year round.
Chart:4302 Edn 05/13 (G13-009)								
696.5	<i>Premier Shoal light buoy CL4</i>	45 36 47.3 61 22 10.6	FI R	4s	<i>Red spar, marked "CL4".</i>	Year round.
Chart:4302 Edn 07/12 (G12-128) Edn 05/13 (G13-009)								
697 <i>H3434</i>	Cape Porcupine range	S. side of Canso Causeway. 45 38 41.9 61 25 05.8	F G	9.9	18	Triangular skeleton tower, white trapezoidal daymark, red vertical stripe. 6.1	Visible in line of range. Operates at night only. Seasonal.
698 <i>H3434.1</i>		144°06' 1583.3m from front.	F G	21.8	18	Triangular skeleton tower, white trapezoidal daymark, red vertical stripe. 13.8	Visible in line of range. Operates at night only. Seasonal.
Chart:4302 Edn 09/11 (G11-061) Edn 05/13 (G13-009)								

Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

NOVA SCOTIA AND CAPE BRETON ISLAND

699	Dixon Rock light buoy C28	45 38 31.3 61 24 11.6	Fl R	4s	Red, marked "C28".	Year round.	Chart:4302 Edn 07/12 (G12-127) Edn 05/13 (G13-009)
700 H3432	Canso Canal SE. mooring dock	45 38 46.6 61 24 32	Fl Y	4s	4.8	Mast.	Privately operated. Operates at night only. Year round.	Chart:4302 Edn 05/13 (G13-009)
700.5 H3432.5	Canso Causeway	On swing bridge. 45 38 50.8 61 24 45.6	Fl R F R F W	4s	16.2	Preparing to open bridge. FR - Bridge completely closed. FW - Bridge completely open. Year round.	Chart:4302 Edn 05/13 (G13-009)
701 H3436	Balache Point range	N. end of Canso Lock. 45 38 57.7 61 24 59.4	Oc Y	11s	6.0	16	Square skeleton tower, white trapezoidal daymark, red vertical stripe. 3.5	Flash 10 s; eclipse 1 s. Visible in line of range. Seasonal.	Chart:4302 Edn 01/12 (G11-330) Edn 01/12 (G11-331) Edn 05/13 (G13-009)
702 H3436.1		131°30' 219.84m from front.	Oc Y	11s	13.0	16	White square tower, red upper portion, red vertical stripe. 7.5	Flash 10 s; eclipse 1 s. Visible in line of range. Seasonal.	
703 H3433	Canso Canal NE. mooring berth	At outer end of NW. mooring dock. 45 39 11.3 61 25 12.6	Fl Y	4s	5.5	Mast.	Privately operated. Operates at night only. Year round.	Chart:4302 Edn 05/13 (G13-009)
704 H3423	Janvrin Island range	At Thomas Head. 45 32 31.3 61 12 01.6	F Y Fl W 4s	12.5 13.1	15	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Operates at night only. Year round.	Chart:4302 Edn 05/13 (G13-009)
704.1 H3423.1		088°10' 300.2m from front.	F Y Fl W 4s	25.0 25.5	15	Triangular skeleton tower, white daymark, red vertical stripe. 15.1	Visible in line of range. Operates at night only. Year round.	