

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>CAPE BRETON ISLAND, N.S.</b>								
<b>Isle Madame</b>								
704.85	Hautfond Shoal light buoy CK2	45 28 00.3 61 03 21.6	Q R	1s	.....	Red spar, marked "CK2".	Year round.  Chart:4308 Edn 06/11(G11-158)	
704.86	Picard Reef light buoy CM1	45 29 58.4 61 05 38.2	Fl G	4s	.....	Green spar, marked "CM1".	Year round.  Chart:4307 Edn 06/11(G11-153)	
704.861	Jerseyman Shoal light buoy CM2	45 29 33.4 61 04 43.4	Fl R	4s	.....	Red spar, marked "CM2".	Year round.  Chart:4308 Edn 06/11(G11-149)	
704.864	Crid Passage light buoy CM5	45 30 16.3 61 03 46.4	Fl G	4s	.....	Green spar, marked "CM5".	Year round.  Chart:4308 Edn 06/11(G11-151)	
704.9	Crichton Island light buoy CN2	45 30 03.3 61 07 21.6	Fl R	4s	.....	Red spar, marked "CN2".	Year round.  Chart:4308 Edn 09/11(G11-243)	
704.93	Crichton Head light buoy CN5	45 30 53.2 61 06 40.6	Fl G	4s	.....	Green, marked "CN5".	Year round.  Chart:4308 Edn 06/11(G11-154)	
704.94	Crichton Head light buoy CN6	45 30 53.5 61 06 22.1	Fl R	4s	.....	Red, marked "CN6".	Year round.  Chart:4308 Edn 06/11(G11-156)	
706 H3416	West Arichat Wharf	On outer end of wharf. 45 30 50.7 61 04 59.2	Fl W	4s	3.9	2	Pipe swing pole. 3.6	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  Chart:4307 Edn 01/12(G11-333)
707 H3406	Jerseyman Island	On Beach Point, Arichat Harbour. 45 30 13.3 61 03 19.9	Fl R	4s	7.6	5	White square tower, red upper portion. 7.8	Operates at night only. Seasonal.  Chart:4307
708 H3404	Marache Point	Marache Point, S. entrance to Arichat Harbour. 45 28 50.3 61 02 04.6	F W	.....	10.2	13	White square tower, red upper portion. 7.9	Visible from 338° through N., E. and S. to 224°. Operates at night only. Year round.  Chart:4307
709	Cerberus Rock light and whistle buoy CH4	S. of rock. 45 27 37 61 06 15	Fl R	4s	.....	.....	Red, marked "CH4".	Year round.  Chart:4307 Edn 03/11(G11-037)
710	Petit-de-Grat light and whistle buoy CJ	45 28 18.3 60 58 15.6	Mo(A) W	6s	.....	.....	Red and white vertical stripes, marked "CJ".	Year round.  Chart:4308 Edn 03/11(G11-038)

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>CAPE BRETON ISLAND, N.S.</b>							
711	Petit-de-Grat light and bell buoy CJ1	45 28 59.4 60 58 26.9	Fl G	4s	.....	Green, marked "CJ1".	Year round.  Chart:4308 Edn 03/11(G11-039)
712	Arrow Point light buoy CJ2	SW. of Big Arrow Rock. 45 29 05.2 060 58 15.9	Fl R	4s	.....	Red, marked "CJ2".	Seasonal (in place year round).  Chart:4308 Edn 03/17 (G17-007)
712.09	Petit-de-Grat Light Buoy NR10	45 31 10 60 57 13	Fl R	4s	.....	Red, marked "NR10".	Seasonal.  Chart:4308 Edn 12/13(G13-167)
713 H3398	Petit-de-Grat Outer range	W. of Petit-de-Grat Inlet. 45 29 47.2 60 58 23.7	F W	.....	8.3	19 Square keleton tower, white daymark, red vertical stripe. 3.4	Visible in line of range. Operates at night only. Year round.
714 H3398.1		356°01' 59.9m from front.	F W	.....	14.8	19 Square skeleton tower, white daymark, red vertical stripe. 9.5	Visible in line of range. Operates at night only. Year round.
716	Mouse Island light buoy CJ5	45 29 46.4 60 57 49.8	Q G	1s	.....	Green spar, marked "CJ5".	Winter spar. Seasonal.  Chart:4308
716.1	Mouse Island light buoy CJ6	45 29 46.3 60 57 46.6	Q R	1s	.....	Red spar, marked "CJ6".	Winter spar. Seasonal.  Chart:4308
717	Petit-de-Grat Harbour light buoy CJ9	45 29 55.2 60 57 40.5	Fl G	4s	.....	Green spar, marked "CJ9".	Winter spar. Seasonal.  Chart:4308
718 H3399	Petit-de-Grat Inner range	E. side of island. 45 30 03.6 60 57 31.5	F Y	.....	12.0	16 Square skeleton tower, white daymark, red vertical stripe. 3.7	Visible in line of range. Operates at night only. Year round.
719 H3399.1		033°56' 64.1m from front.	F Y	.....	15.4	16 Square skeleton tower, white daymark, red vertical stripe. 3.4	Visible in line of range. Operates at night only. Year round.
719.1 H3401	Cowley Point Breakwater	W. side of inlet, on end of breakwater. 45 30 06.3 060 57 47.5	Fl G	4s	4.9	3 Cylindrical mast, 2 green and white square daymarks, one facing 011° and one facing 154°. 3.8	Operates at night only.  Chart:4308 Edn 11/11(G11-295) Edn 05/15(G15-023)

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>CAPE BRETON ISLAND, N.S.</b>							
720	Marchant Ledge light buoy CJ18	45 30 12.1 060 57 40.8	Fl R 4s	.....	.....	Red spar, marked "CJ18".	Winter spar. Seasonal.  <b>Chart:4308</b> <b>Edn 10/12 (G12-183)</b> <b>Edn 09/14 (G14-068)</b> <b>Edn 05/17 (G17-009)</b>
721 H3396	Petit-de-Grat Breakwater	On outer end of breakwater at N. entrance to Petit-de- Grat Inlet. 45 31 04.5 60 57 02.9	Fl G 4s	.....	4	Square skeleton tower, 2 green and white rectangular daymarks.	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  <b>Chart:4308</b> <b>Edn 08/12(G12-145,146)</b> <b>Edn 10/12</b>
722 H3376	Green Island	Summit of island. 45 28 41.3 60 53 57.6	Fl(2) W 20s	34.1	10	White cylindrical tower, red upper portion. 11.5	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 14 s. Emergency light. Operates at night only. Year round.  <b>Chart:4308</b>
723	Orpheus Rock light and bell buoy NQ1	E. side of Rock. 45 28 41.3 60 51 00.6	Fl G 4s	.....	.....	Green, marked "NQ1".	Year round.  <b>Chart:4308</b> <b>Edn 03/11(G11-040)</b>
724	Petite Anse light and bell buoy NS1	45 29 39.3 60 54 55.3	Fl G 4s	.....	.....	Green, marked "NS1".	Year round.  <b>Chart:4308</b> <b>Edn 03/11(G11-041)</b>
<b>Lennox Passage</b>							
727	Beak Point Shoal (Petit Nez) light and whistle buoy NQ3	Off E. side of shoal. 45 33 08.9 60 50 59.6	Fl G 4s	.....	.....	Green, marked "NQ3".	Year round.  <b>Chart:4308</b> <b>Edn 03/11(G11-042)</b>
728.5	Cape Ronde light buoy NT1	45 34 46.1 60 52 57.8	Fl G 4s	.....	.....	Green spar, marked "NT1".	Year round.  <b>Chart:4275</b>
729 H3392	Grandique Point	On beach. 45 35 36.6 61 01 20.3	LFl G 6s	9.2	7	White square tower, red upper portion. 9.5	Flash 2 s; eclipse 4 s Operates at night only. Seasonal.  <b>Chart:4308</b> <b>Edn 04/10(G10-026)</b> <b>Edn 12/11(G11-326)</b>
730 H3388	Hawk Island	Entrance to Poulamon Bay. 45 35 40.3 60 59 42.3	Fl G 4s	12.9	4	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 9.7	Visible from 240°30' to 265°30'. Operates at night only. Seasonal.  <b>Chart:4308</b>
730.5	Goillon Reef light buoy NT12	45 36 03.3 60 59 00.6	Fl R 4s	.....	.....	Red spar, marked "NT12".	Seasonal.  <b>Chart:4308</b>

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position		Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.							Height in meters above ground	Fog Signals	
<b>CAPE BRETON ISLAND, N.S.</b>												
731 H3384	Ouetique Island	On S. point. 45 36 35.2 060 57 26.3	Fl	R	4s	23.5	5	Square skeleton tower, red and white rectangular daymark. 8.6	Seasonal.			Chart:4308 Edn 07/16(G16-077)
732 H3386	River Bourgeois	On point, E. side of entrance. 45 37 32.8 60 56 51.1	F	R	.....	7.1	8	Square tower, red and white rectangular daymark. 7.7	Privately maintained. Operates at night only. Seasonal.			Chart:4308
733	Saint Peters Bay light buoy NQ12	W. side of channel at S. entrance to bay. 45 37 07.2 060 53 18.4	Fl	R	4s	.....	.....	Red spar, marked "NQ12".	Seasonal (in place year round).			Chart:4275 Edn 03/17 (G17-007)
734 H3380	Jerome Point	Near canal entrance. 45 38 53.9 60 52 21.8	F	R	.....	15.5	10	White square tower, red upper portion. 10.9	Operates at night only. Seasonal.			Chart:4275
735	Haddock Rock light and bell buoy NP2	W. of rock. 45 35 50.2 60 49 37.4	Fl	R	4s	.....	.....	Red, marked "NP2".	Year round.			Chart:4275 Edn 03/11(G11-043)
736	Lower L'Ardoise light and whistle buoy NM	N. of Red Point. 45 34 49.2 60 45 52.4	Mo(A)	W	6s	.....	.....	Red and white vertical stripes, marked "NM".	Year round.			Chart:4275 Edn 03/11(G11-044)
737 H3372	Little Harbour Wharf	45 34 59.3 60 44 27.5	F	R	.....	4.9	8	Cylindrical mast. 4.4	Operates at night only. Seasonal.			Chart:4275
737.05	Lower L'Ardoise light buoy NN5	45 35 51.2 60 46 15.4	Fl	G	4s	.....	.....	Green spar, marked "NN5".	Seasonal.			Chart:4275
738	Michaud Ledges light and whistle buoy N18	45 32 48.9 60 44 03.8	Fl	R	4s	.....	.....	Red, marked "N18".	Seasonal.			Chart:4335
739	Black Breaker Rock South Cardinal light buoy NHA	45 35 24.9 60 34 48.2	Q(6) +LFI	W	15s	.....	.....	Yellow and black spar, marked "NHA".	Seasonal. (In place Year round.)			Chart:4374 Edn 12/09(G09-161)
741	L'Archevêque light buoy NH	45 36 57.1 060 34 01.0	Mo(A)	R-W	6s	.....	.....	Red and white, marked "NH".	Seasonal. (In place Year round.)			Chart:4374 Edn 07/16 (G16-086)
741.01	L'Archevêque light buoy NH3	45 37 12.1 60 34 21.4	Fl	G	4s	.....	.....	Green spar, marked "NH3".	Seasonal. (In place Year round.)			Chart:4374 Edn 12/09(G09-162)

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>CAPE BRETON ISLAND, N.S.</b>							
741.03	L'Archevêque light buoy NH4	45 37 16.0 060 34 26.3	Fl R 4s	.....	.....	Red spar, marked "NH4".	Seasonal. (In place Year round.)  Chart:4374 Edn 12/09(G09-163) Edn 07/16 (G16-084) Edn 08/16 (G16-118)
741.04	L'Archevêque light buoy NH8	45 37 21.9 060 34 36.8	Q R 1s	.....	.....	Red spar, marked "NH8".	Seasonal. (In place Year round.)  Chart:4374 Edn 07/16 (G16-087)
741.05	L'Archevêque light buoy NH10	45 37 27.6 60 34 32.2	Q R 1s	.....	.....	Red spar, marked "NH10".	Seasonal. (In place Year round.)  Chart:4374 Edn 12/09(G09-164)
742	St. Esprit light buoy N16	SE. of Bad Neighbour Shoal. 45 35 12.2 60 30 25.6	Fl R 4s	.....	.....	Red, marked "N16".	Seasonal.  Chart:4374
743 H3368	St. Esprit Island	E. end of island. 45 37 19.2 060 29 17.6	LFl W 6s	23.8	7	Square skeleton tower, red and white rectangular daymark. 9.9	Flash 2 s; eclipse 4 s. Operates at night only. Year round.  Chart:4374 Edn 02/16 (G15-163)
745	Fourchu light and whistle buoy N14	S. of Fourchu Head. 45 42 00.2 60 12 45.6	Fl R 4s	.....	.....	Red, marked "N14".	Winter spar. Seasonal.  Chart:4374
746	Fourchu light and bell buoy NC2	W. entrance to Fourchu Harbour. 45 42 57.2 60 13 07.6	Q R 1s	.....	.....	Red, marked "NC2".	Seasonal.  Chart:4374
746.1	Fourchu light buoy NC3	45 43 04.2 60 13 26.4	Fl G 4s	.....	.....	Green spar, marked "NC3".	Seasonal. (In place Year round.)  Chart:4374 Edn 10/09(G09-138)
746.2	Fourchu light buoy NC4	45 43 06.6 60 13 25.2	Fl R 4s	.....	.....	Red spar, marked "NC4".	Seasonal. (In place Year round.)  Chart:4374 Edn 10/09(G09-139)
747 H3362	Fourchu Head	Near E. extremity of head. 45 43 02.8 060 13 46.4	LFl W 6s	18.9	12	Square skeleton tower, three red rectangular daymarks, white band. 9.0	Flash 2 s; eclipse 4 s. Visible from 096° through S., W. and N. to 065°. Operates 24hrs. Year round.  Chart:4374 Edn 01/15 (G14-197) Edn 04/15 (G15-010) Edn 03/17 (G16-140)
747.3	North Fourchu light buoy NC24	45 43 12 60 14 21	Fl R 4s	.....	.....	Red, marked "NC24".	Seasonal.  Chart:N/A

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

**CAPE BRETON ISLAND, N.S.**

748 H3364	<b>Fourchu Harbour range</b>	On pier, NE. of Butter Island. 45 43 09.6 60 14 42	F Y	.....	3.0	18	Triangular skeleton tower, white daymark, red vertical stripe. 2.8	Visible in line of range. Operates at night only. Seasonal.	
749 H3364.1		On pier, 255°10' 225.7m from front.	F Y	.....	8.3	18	Triangular skeleton mast, white daymark, red vertical stripe. 7.4	Visible in line of range. Operates at night only. Seasonal.	
								<b>Chart:4374</b>	
750 H3360	<b>Guyon Island</b>	On island. 45 45 57.3 060 06 45.7	Fl W	20s	16.2	17	White octagonal tower, red upper portion. 12.8	Flash 1 s; eclipse 19 s. Emergency light. Year round.	
								<b>Chart:4375 Edn 08/16 (G16-117)</b>	
751	<i>Guyon Island light and whistle buoy J12</i>	<i>E. of island. 45 46 03.2 60 02 41.6</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "J12".</i>	<i>Seasonal.</i>	
								<b>Chart:4374</b>	
752	<i>Green Rock light and bell buoy JX3</i>	<i>NE. of rock. 45 49 23.3 60 03 11.7</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JX3".</i>	<i>Seasonal.</i>	
								<b>Chart:4375</b>	
752.6 H3359	Rouse Point	45 50 35 060 07 56.8	LFl Y	6s	9.0	12	Square skeleton tower, red with white band.	Seasonal.	
								<b>Chart:4375 Edn 02/13 (G13-001) Edn 07/15(G15-024)</b>	
752.7	<i>Gabarus light buoy JX10</i>	<i>45 50 32.3 60 08 15.7</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "JX10".</i>	<i>Seasonal.</i>	
								<b>Chart:4375</b>	
753 H3358	Gabarus	On Harbour Point, S. shore of bay. 45 50 35.2 60 08 50.3	F R	.....	16.5	8	White hexagonal tower, red upper portion. 9.5	Operates at night only. Seasonal.	
								<b>Chart:4375</b>	
<b>Louisbourg Harbour</b>									
754	<i>Louisbourg light and whistle buoy JT</i>	<i>Off entrance to Louisbourg. 45 52 33.3 59 54 05.7</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JT".</i>	<i>Seasonal.</i>	
								<b>Chart:4375</b>	
755	<i>Louisbourg light and bell buoy JT1</i>	<i>E. of Harbour Shoal. 45 53 56.4 59 56 51.2</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JT1".</i>	<i>Winter spar. Seasonal.</i>	
								<b>Chart:4376</b>	
756 H3344	Louisbourg	On Lighthouse Point, N. side of entrance to harbour. 45 54 24.0 059 57 30.5	LFl W	6s	31.9	13	White octagonal tower, red at top. 15.4	Flash 2 s; eclipse 4 s. Visible from 100° through 250°. Year round.	
								<b>Chart:4376 Edn 11/09 (G09-146) Edn 06/16 (G16-052) Edn 03/17 (G16-158)</b>	
756.5	<i>Nag Rock bifurcation light buoy JTA</i>	<i>45 54 11.4 059 58 19.2</i>	<i>Fl R (2+1)</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red, green and red spar, marked "JTA".</i>	<i>Seasonal (in place year round).</i>	
								<b>Chart:4376 Edn 03/17 (G17-007)</b>	

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>CAPE BRETON ISLAND, N.S.</b>							
757 H3348	Louisbourg range	On W. side of harbour. 45 54 05.8 59 59 23.1	F Y .....	7.0	14	Square skeleton tower, white daymark, red vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
758 H3348.1		267°56' 165.8m from front.	F Y .....	12.7	14	Square skeleton tower, white daymark, red vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
							<b>Chart:4376</b> <b>Edn 03/10(G10-022)</b> <b>Edn 04/10(G10-020)</b>
758.5	Nag Rock Red Spar JU4	Louisbourg. 45 54 17.4 059 58 03.9	Fl R 4s			Red spar, marked "JU4".	Operates 24hrs. Year round.
							<b>Chart:4376</b> <b>Edn 05/16 (G16-039)</b> <b>Edn 05/17 (G17-002)</b>
759	Russell Point West Cardinal light buoy JTB	45 54 24.3 059 58 14.6	Q(9) W 15s .....			Yellow, black and yellow, marked "JTB".	Seasonal (in place year round).
							<b>Chart:4376</b> <b>Edn 03/17 (G17-007)</b>
760	Battery Shoal light buoy JT11	45 54 30.4 59 58 21.7	Fl G 4s .....			Green spar, marked "JT11".	Winter spar. Seasonal.
							<b>Chart:4376</b>
761 H3342	Little Lorraine (Lorembec)	Extremity of W. headland at entrance to harbour. 45 56 56.5 59 51 34.2	F G .....	10.7	7	White cylindrical tower, red upper portion. 4.6	Operates at night only. Seasonal.
							The operation of the fog signal will be made remotely on channel 65A (156,275 MHz). Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second interval on channel 65A. The signal will be in operation for 30 minutes. After this delay, the same operation must be repeated.
							<b>Horn - Blast 2 s; sil. 18 s.</b>
							<b>Chart:4375</b> <b>Edn 11/15(G15-149)</b>
762	Baleine Cove light and bell buoy JM2	S. of East Head. 45 56 20.3 59 50 45.7	Fl R 4s .....			Red, marked "JM2".	Seasonal.
							<b>Chart:4375</b>
763	Portnova light and whistle buoy J10	SE. of Portnova Island. 45 55 38.2 59 46 10.5	Fl R 4s .....			Red, marked "J10".	Seasonal.
							<b>Chart:4377</b>
764	Bar Reef light and bell buoy JJ3	E. of Helen Rock. 45 59 10.4 59 46 50.2	Fl G 4s .....			Green, marked "JJ3".	Seasonal.
							<b>Chart:4377</b> <b>Edn 06/13(G13-020)</b>

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position			Light Characteristics			Focal Height in m. above water	Nominal Range	Description		Remarks	
		Latitude N.	Longitude W.	-----	-----	-----	-----			-----	-----	-----	-----
764.4	Main-à-Dieu Light buoy JJ10	45 59 54.7 59 50 1.3		Q	R	1s	.....	.....		Red, spar marked "JJ10".	Seasonal. Year round.		Chart:4377 Edn 01/15(G14-194)
764.5	Black Rock light Spar JJ11	45 59 46.9 59 50 01.9		Fl	G	4s	.....	.....		Green, lighted spar marked "JJ11".	Seasonal. Year round.		Chart:4377 Edn 12/14(G14-196)
765	Mad Dick Rock light and bell buoy JJ6	Off S. side of rock. 45 59 59.1 059 49 21.5		Fl	R	4s	.....	.....		Red, marked "JJ6".	Seasonal. Year round.		Chart:4377
765.1 H745.6	Main-à-Dieu Harbour	46 00 13.7 059 50 22.2		Fl	R	4s	6.2	4		Triangular skeleton tower, enclosed lower portion. 3.6			Chart:4377 Edn 06/15 (G15-036)
765.3 H745.4	Battery Point (Main-à-Dieu)	46 00 17.3 059 50 25.4		Fl	G	4s	4	4		Cylindrical mast. 2.2			Chart:4377 Edn 06/15 (G15-035)
765.4 H745	Moque Head	46 00 25.4 059 49 21.7		LFl	W	6s	12.1	12		Square skeleton tower, with 3 daymarks red, white, red. 6.8	Flash 2s; eclipse 4s. Operates at night only. Year round.		Chart:4377 Edn 02/16 (G15-162)
<b>Scatarie Island</b>													
765.7	Howe Point light and whistle buoy JJ2	45 59 14.3 59 41 57.7		Fl	R	4s	.....	.....		Red, marked "JJ2".	Seasonal.		Chart:4375
766 H744	Main-à-Dieu	On West Point of Scatarie Island. 46 00 13.6 059 47 41		Fl	W	4s	24.7	7		Skeleton tower, 3 rectangular red/white/red horizontal daymarks. 9.9	Operates at night only. Year round. Visible from all points of marine approach.		Chart:4377 Edn 03/16 (G16-009)
767 H0742	Scatarie	NE. point of Scatarie Island. 46 02 04.3 059 40 33.7		Fl	W	3s	19.5	13		Square tower, 3 rectangular daymarks, horizontal red and white band.	Flash 1 s; eclipse 2 s. Year round. Visible from all points of marine approach.		Chart:4375 Edn 02/11 (G10-239) Edn 05/11 (G11-058) Edn 03/16 (G15-157) Edn 11/16 (G16-124)
767.6 H745.8	Mira Gut Swing Bridge	N. side of bridge. 46 02 09.7 59 58 06.4		F	G R	.....	9.2	.....		Cylindrical mast. 4.0	Green - bridge open; Red - bridge closed. Privately operated. Operates at night only. Year round.		Chart:4375
768 H746	Port Morien	On SW. end of breakwater. 46 07 50.8 59 52 13.2		FL	R	4s	5.4	5		Cylindrical mast. 3	Flash 1s; eclipse 3s; Year round.		Chart:4375 Edn 02/15 (G14-205) Edn 04/15



### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
768.5	Port Morien light buoy JA6	46 07 41.3 59 52 03.7	Q R 1s	.....	.....	Red spar, marked "JA6".	Seasonal.  Chart:4375 Edn 01/15 (G15-191)	
769	Cow Reef light buoy JA2	46 09 42.3 059 48 46.7	FI R 4s	.....	.....	Red spar, marked "JA2".	Seasonal. (In place year round).  Chart:4375 Edn 07/16 (G16-081)	
770 H750	Flint Island	Off Cape Percé. 46 10 51 59 46 13.2	LFI W 6s	22.6	8	White hexagonal tower. 17.8	Year round. Flash 2s; eclipse 4s; Emergency light.  Chart:4367 Edn. 02/15 (G14-213) Edn. 02/15 (G14-202)	
771	Glace Bay light and bell buoy KV	NE. of Glace Bay. 46 13 38.2 59 55 29.6	Mo( W A)	6s	.....	.....	Red and white vertical stripes, marked "KV".	Seasonal.  Chart:4367
771.01	Glace Bay Outer light buoy KV2	46 12 31.8 059 56 25.5	FI R 4s	.....	.....	Red spar, marked "KV2".	Seasonal.  Chart:4170 Edn 07/16 (G16-078)	
771.04	Glace Bay Inner light buoy KV5	46 12 02.9 059 56 42.6	FI G 4s	.....	.....	Green spar, marked "KV5".	Seasonal.  Chart:4170 Edn 07/16 (G16-079)	
771.05	Glace Bay Inner light buoy KV6	46 12 04.2 059 56 45.8	FI R 4s	.....	.....	Red spar, marked "KV6".	Seasonal.  Chart:4170 Edn 07/16 (G16-080)	
771.5	Glace Bay Outer light buoy KV1	46 12 30 59 56 21	FI G 4s	.....	.....	Green spar, marked "KV1".	Seasonal.  Chart:4170	
772 H0752	Glace Bay range	On S. side of entrance to Glace Cove. 46 11 47.6 059 56 56.9	F R	.....	8.4	11	Triangular skeleton tower, white daymark, red vertical stripe. 5.5	Visible in line of range. Year round. Operates 24hrs.
773 H0752.1		208°17' 101.7m from front.	F R	.....	13.0	11	Triangular skeleton tower, white daymark, red vertical stripe. 9.5	Visible in line of range. Year round. Operates 24hrs.  Chart:4170 Edn 12/09 (G09-157, 159) Edn 12/16 (G16-132, 133)
773.5	Glace Bay, South breakwater Light	Near outer end of South Breakwater 46 11 55.1 059 56 49.4	Q G 1s	.....	3	Pipe Swing Pole, Green, White and black square daymark. 3	Year round. In operation 24h.  Carte:4170 Éd. 06/16 (G16-027)	
774 H0756	Glace Bay North Breakwater	On outer end of N. breakwater. 46 11 56.7 059 56 51.8	FI R 3s	9.0	6	Pipe Swing Pole, Triangular daymark, red, white, red. 3.0	Year Round.  Chart:4170 Edn 10/10(G10-140) Edn 05/13(G13-012) Edn 04/16 (Q16-035)	
774.4	Lingan Harbour light buoy KQ2	46 13 45 60 02 02.4	FI R 4s	.....	.....	Red, marked "KQ2".	Seasonal.  Chart:4367	

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
774.5	Lingan Harbour light buoy KQ7	46 13 43.2 60 02 28.2	Fl G 4s	.....	.....	Green, marked "KQ7".	Seasonal.
<b>Chart:4367</b>							
774.6 H757.5	Lingan range	46 13 44.5 60 02 43.5	F G .....	4.8	7	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 3.8	Visible in line of range. Operates at night only. Seasonal.
774.7 H757.51		270° 30.6m from front.	F G .....	7.4	7	Triangular skeleton mast, enclosed lower portion, white daymark, red vertical stripe. 5.2	Operates at night only. Seasonal.
<b>Chart:4367</b>							
<b>Sydney Harbour</b>							
775 H758	Low Point	E. side of entrance to Sydney Harbour. 46 16 01.5 60 07 32.9	Fl W 5s	25.8	18	White octagonal tower, red upper portion. 20.8	Flash 0.5 s; eclipse 4.5 s. Year round.
<b>Chart:4266</b>							
778 H760	Sydney Bar	On pier, W. extremity of Southeast Bar. 46 12 20.7 60 13 07.1	Fl G 5s	8.9	4	On white building. 2.0	Flash 1 s; eclipse 4 s. Year round.
<b>Chart:4266 Edn 09/11(F11-059)</b>							
779	Sydney Northwest Bar light buoy S6	On SE. edge of bar. 46 12 28.5 60 14 01.3	Fl R 4s	.....	.....	Red, marked "S6".	Seasonal.
<b>Chart:4266</b>							
779.4	Northwest Bar light buoy SD2	46 12 32.8 60 14 10.3	Q R 1s	.....	.....	Red spar, marked "SD2".	Seasonal.
<b>Chart:4266</b>							
780 H762.6	Ballast Grounds (N. Sydney)	46 12 21.2 60 14 52.2	Fl(2 R 6s )	7.7	3	Cylindrical mast. 6.7	Flash 1 s; eclipse 1 s; flash 1s; eclipse 3s. Operates at night only. Year round.
<b>Chart:4266</b>							
782 H761	Sydney range	On point, S. side of W. arm of Sydney Harbour. 46 10 48.2 60 15 01.1	Iso Y 4s	17.2	14	White octagonal tower, red upper portion, red vertical stripe. 15.1	Visible in line of range. Operates at night only. Year round.
783 H761.1		213°36' 756.1m from front.	Iso Y 4s	37.2	14	Square skeleton tower, red and white daymark. 9.6	Visible in line of range. Operates at night only. Year round.
<b>Chart:4266 Edn 08/11(G11-222, 223)</b>							
784 H764	Sydney South Arm range	Near N. extremity of point. 46 09 26.8 60 12 12.4	F G .....	8	12	Triangular skeleton tower, white daymark, red vertical stripe. 6.7	Visible in line of range. Year round.
785 H764.1		162°32' 151.1m from front.	F G .....	16.1	15	Triangular skeleton tower, white daymark, red vertical stripe. 13.1	Visible in line of range. Year round.
<b>Chart:4266 Edn 03/11(G11-052)</b>							

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
785.5	Barachois light buoy S14	At entrance to creek. 46 09 32.8 60 12 53	Fl R 4s	.....	.....	Red spar, marked "S14".	Seasonal.  <b>Chart:4266</b>
785.7 H767	Point Edward Main Jetty North	46 09 22 60 13 02.6	F R ..... F R .....	7.0 7.0	6 .....	Mast. 4.6	Privately operated. Year round.  <b>Chart:4266</b>
785.8 H766.2	Point Edward Main Jetty South	46 09 13.9 60 13 02.9	F R ..... F R .....	7.3 7.8	..... .....	Skeleton tower. 3.6	Visible from all points of marine approach. Privately operated. Year round.  <b>Chart:4266</b>
785.84 H768	Crawleys Creek range	46 09 00.9 60 13 21	Iso W 4s	4.1	3	Skeleton mast, white daymark, black vertical stripe. 3.5	Privately maintained. Year round.
785.85 H768.1		235°21' 174.5m from front.	Iso W 1s	9.3	3	Skeleton mast, white daymark, black vertical stripe. 3.5	Privately maintained. Year round.  <b>Chart:4266</b> <b>Edn 08/11(G11-224, 225)</b>
786	Battery Point light buoy S15	Off point. 46 08 53.5 060 12 26.5	Fl G 4s	.....	.....	Green spar, marked "S15".	Seasonal (in place year round).  <b>Chart:4266</b> <b>Edn 03/17 (G17-007)</b>
787	Shingle Point light buoy S18	On edge of shoal. 46 08 27.7 060 12 13.7	Fl R 4s	.....	.....	Red spar, marked "S18".	Seasonal (in place year round).  <b>Chart:4266</b> <b>Edn 03/17 (G17-007)</b>
787.2	South Bar Ruins light buoy SS1	46 11 58.1 60 12 17.2	Fl G 4s	.....	.....	Green spar, marked "SS1".	Seasonal. (In place Year round.)  <b>Chart:4266</b>
788	Sydney Harbour South Arm light buoy S21	46 07 49 60 12 11.5	Fl G 4s	.....	.....	Green spar, marked "S21".	Seasonal.  <b>Chart:4266</b>
789	Cran Rock light buoy S2	46 16 26 60 11 29	Fl R 4s	.....	.....	Red, marked "S2".	Seasonal.  <b>Chart:4266</b>
789.5	Point Aconi Fairway light and whistle buoy U	46 21 28.2 60 14 49.1	LFl W 10s	.....	.....	Red and white marked "U".	Flash 2 s; eclipse 8s. Seasonal.  <b>Chart:4367</b> <b>Edn 08/13(G13-018)</b>
790	Little Bras d'Or Entrance light and bell buoy U1	46 19 27.2 60 16 33.6	Fl G 4s	.....	.....	Green, marked "U1".	Seasonal.  <b>Chart:4367</b>
791	Alder Point light buoy U4	Entrance to Little Bras d'Or, W. of point. 46 18 56.2 60 17 05.2	Q R 1s	.....	.....	Red, marked "U4".	Seasonal.  <b>Chart:4276</b>
791.5	Little Bras d'Or Entrance light buoy U9	46 18 46.2 60 17 05.2	Fl G 4s	.....	.....	Green, marked "U9".	Seasonal.  <b>Chart:4276</b>

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>Sydney Harbour</b>							
792 H772	<b>Little Bras d'Or range</b>	On N. side of entrance. 46 18 43.9 060 17 13.8	F R .....	8.8	6	Galvanized steel, square skeleton tower, white daymark, red vertical stripe. 3.6	Year round.
793 H772.1		211°46' 354 m from front.	F R .....	12.7	3	Triangular skeleton tower, white daymark, red vertical stripe. 6.5	Year round. <b>Chart:4276</b> <b>Edn 12/14(G14-206)</b> <b>Edn 03/15 (G2014-214,215)</b>
794.2	<i>McCreadyville light buoy U12</i>	46 18 38.7 60 17 07.4	Fl R 4s	.....	.....	Red, marked "U12".	Seasonal.  <b>Chart:4276</b>
794.4 H0774	<b>Little Bras d'Or Sector</b>	46 17 53.8 60 17 09.8	F R ..... Al W RW G Al GW	4.1	15	Skeleton tower, enclosed lower portion. 3.4	Red from 180°15' to 182°05'; Al RW 182°05' to 182°30'; white from 182°30' to 183°; Al GW 183° to 183°25'; green from 183°25' to 185°15'. Operates at night only. Year round  <b>Chart:4276</b>
796 H770	Point Aconi	On point. 46 20 10.3 60 17 31.9	LFl W 6s	26.9	14	Square skeleton tower, 3 red & white rectangular Daymarks facing 315T, 045T & 135T. 9.9	Flash 2s Eclipse 4s Visible from all points of marine approach., Year round.  <b>Chart:4367</b> <b>Edn 11/12 (G12-175)</b> <b>Edn 10/13 (G13-017)</b>
797	<i>Carey Beach light and bell buoy Q1</i>	W. of Table Rock. 46 20 06.6 60 17 31.9	Fl G 4s	.....	.....	Green, marked "Q1".	Seasonal.  <b>Chart:4277</b>
797.5	<i>Carey Beach light and bell buoy Q2</i>	46 19 05.6 60 23 18.9	Fl R 4s	.....	.....	Red, marked "Q2".	Seasonal.  <b>Chart:4277</b>
798	<i>Black Rock Point light buoy Q3</i>	N. of Black Rock Shoal. 46 18 52.4 60 23 26.2	Q G 1s	.....	.....	Green, marked "Q3".	Seasonal.  <b>Chart:4277</b>
799 H778	Black Rock Point	S. side of entrance to Great Bras d'Or. 46 18 18.8 60 23 29.8	LFl W 6s	25.8	12	White square tower. 12.4	Flash 2 s; eclipse 4 s. Visible from 047° through E., and S. to 227°. Year round.  <b>Horn - Blast 3 s; sil. 27 s.</b> <b>Horn points 353°.</b>  <b>Chart:4277</b>
800 H779	<b>Black Rock Point Sector</b>	On point near shore. 46 18 18.7 60 23 32.1	F R ..... Al W GW G Al RW	16.6	19	Square skeleton tower. 3.5	Green from 045°15' to 048°20'; Al GW from 048°20' to 048°35'; white from 048°35' to 049°35'. Al RW 049°35' to 049°50'; red from 049°50' to 053°45'. White sector indicates preferred channel. Seasonal.  <b>Chart:4277</b> <b>Edn 06/09(G09-052)</b> <b>Edn 11/09(G09-148)</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
801	Great Bras d'Or Entrance Outer light buoy Q4	W. of Black Rock Point light. 46 18 39.8 60 23 42.7	Fl R 4s	.....	.....	Red, marked "Q4".	Seasonal.  <b>Chart:4277</b>
801.5	Little Shoal light buoy Q5	46 18 17.4 60 23 58.8	Fl G 4s	.....	.....	Green, marked "Q5".	Seasonal.  <b>Chart:4277</b>
802	Great Bras d'Or Inner light buoy Q6	Off The Bar. 46 17 56.8 60 24 20.1	Fl R 4s	.....	.....	Red boat type, marked "Q6".	Seasonal.  <b>Chart:4277</b>
802.1	Gooseberry Beach light buoy Q7	46 17 54 60 24 18.4	Fl G 4s	.....	.....	Green, marked "Q7".	Seasonal.  <b>Chart:4277</b>
802.2	Carey Point light buoy Q8	46 17 43 60 24 33.9	Q R 1s	.....	.....	Red boat type, marked "Q8".	Seasonal.  <b>Chart:4277</b>
<b>Great Bras d'Or</b>							
803 H782	Great Bras d'Or range	On Noire Point. 46 17 25.5 60 24 48.3	F G .....	15.7	6	White square tower, red upper portion, red vertical stripe. 9.9	Visible in line of range. Seasonal.
804 H782.1		212°25' 514.6m from front.	F G .....	19.1	6	White square tower, red vertical stripe. 16.4	Visible in line of range. Seasonal.  <b>Chart:4277</b>
804.5 H784	Duffus Point	On wharf. 46 16 51.6 60 25 30.1	Fl W 4s	7.4	5	Pipe swing pole. 7	Seasonal.  <b>Chart:4277 Edn 02/15 (G14-217)</b>
804.6 H786	Kellys Cove Wharf	S. corner of wharf. 46 17 19.3 60 26 13.5	F W .....	5.0	12	Skeleton tower, enclosed lower portion. 3.8	Operates at night only. Seasonal.  <b>Chart:4277</b>
804.8	Great Bras D'Or Inner light buoy Q10	46 16 26.8 60 26 46.5	Fl R 4s	.....	.....	Red, marked "Q10".	Seasonal.  <b>Chart:4277</b>
805	Chain Point Shoal light buoy Q11	46 15 40 60 27 29.8	Fl G 4s	.....	.....	Green, marked "Q11".	Seasonal.  <b>Chart:4277</b>
805.8	Seal Reefs light buoy Q12	E. of reefs. 46 14 04.2 60 29 20.2	Q R 1s	.....	.....	Red boat type, marked "Q12".	Seasonal.  <b>Chart:4277</b>
806	Seal Reefs light buoy Q14	46 13 50.2 60 29 34.7	Fl R 4s	.....	.....	Red, marked "Q14".	Seasonal.  <b>Chart:4277</b>
807	Lime Rock light buoy Q15	SW. of McLean Point. 46 13 27.2 60 29 57.3	Fl G 4s	.....	.....	Green, marked "Q15".	Seasonal.  <b>Chart:4277</b>
809.7 H792	<b>Man of War Point range</b>	46 11 31.7 60 32 39.5	F Y .....	18.1	10	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Seasonal.
809.8 H792.1		223°03' 768.8m from front.	F Y .....	28.5	16	Triangular skeleton tower, white daymark, red vertical stripe. 20.2	Visible in line of range. Seasonal.  <b>Chart:4277</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
810.7 <i>H796</i>	<b>MacFarlane Point range</b>	46 07 34.1 60 36 15.1	F Y .....	18.0	17	Triangular skeleton tower, white daymark, red vertical stripe. 9.7	Visible in line of range. Seasonal.
810.8 <i>H796.1</i>		065°15' 277.2m from front.	F Y .....	31.0	15	Triangular skeleton mast, white daymark, red vertical stripe. 10.2	Visible in line of range. Seasonal.  <b>Chart:4277 Edn 03/11(G11-050)</b>
811 <i>H798</i>	MacKenzie Point	W. of MacDonald Point. 46 06 59.4 60 38 56	Fl R 4s	21.3	2	Skeleton tower, red and white rectangular daymarks. 6.7	Operates at night only. Seasonal.  <b>Chart:4277 Edn 03/13(G13-002)</b>
811.1	<i>MacRae Point light buoy Q20</i>	46 06 32.2 60 39 56.2	Fl R 4s	.....	.....	Red, marked "Q20".	Seasonal.  <b>Chart:4278</b>
811.2	<i>Fraser Point light buoy Q21</i>	46 06 19.2 60 39 56.2	Fl G 4s	.....	.....	Green, marked "Q21".	Seasonal.  <b>Chart:4278</b>
812	<i>MacRae Point Shoal bifurcation light buoy QA</i>	46 06 02 60 40 31.1	Fl (2+ 1)	G 6s	.....	.....	Green, red and green, marked "QA". Seasonal.  <b>Chart:4278</b>
<b>St. Patricks Channel</b>							
813.5	<i>Bone Shoal light buoy A2</i>	46 05 19.5 60 44 27.5	Fl R 4s	.....	.....	Red spar, marked "A2".	Seasonal.  <b>Chart:4278</b>
814	<i>Bone Island light buoy A3</i>	At N. edge of shoal off Bone Island. 46 05 03.6 60 44 52.5	Fl G 4s	.....	.....	Green spar, marked "A3".	Seasonal.  <b>Chart:4278</b>
815 <i>H800</i>	Kidston Island	On NE. point, entrance to Baddeck Harbour. 46 05 53.3 60 44 31.3	LFl G 12s	13.3	6	White square tower, red upper portion. 14.3	Flash 2 s; eclipse 10 s. Operates at night only. Seasonal.  <b>Chart:4278</b>
815.1 <i>H801</i>	Kidston Island West End	46 05 33.2 60 45 00.7	Fl R 6s	13.5	4	White cylindrical tower, two red horizontal bands. 10.6	Operates at night only. Seasonal.  <b>Chart:4278</b>
815.3	<i>Stony Shoal light buoy A4</i>	46 04 54.5 60 46 18.4	Fl R 4s	.....	.....	Red spar, marked "A4".	Seasonal.  <b>Chart:4278</b>
816	<i>Brian Point light buoy A9</i>	Off point. 46 03 38.2 60 51 56.3	Fl G 4s	.....	.....	Green spar, marked "A9".	Seasonal.  <b>Chart:4278</b>
817	<i>MacIvers Point light buoy A11</i>	N. of point. 46 02 27.2 60 55 33.3	Q G 1s	.....	.....	Green spar, marked "A11".	Seasonal.  <b>Chart:4278</b>
818	<i>MacIvers Point West light buoy A13</i>	W. of point. 46 02 12.2 60 55 40	Fl G 4s	.....	.....	Green spar, marked "A13".	Seasonal.  <b>Chart:4278</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
818.5	Maclvers Point light buoy A14	46 02 05.4 60 55 47.7	Q R 1s	.....	.....	Red spar, marked "A14".	Seasonal.  <b>Chart:4278</b>
819	Maclvers Point light buoy A16	46 01 58.7 60 55 58.3	Q R 1s	.....	.....	Red spar, marked "A16".	Seasonal.  <b>Chart:4278</b>
820 H802	Maclvers Point range	On shore. 46 02 05.9 060 55 27.8	Iso W 2s	3.6	10	Square skeleton tower, white daymark, red vertical stripe. 3.6	Visible in line of range. Operates at night only. To activate the range lights, mariners can key their radio/microphone 5 pulses of 0.5 seconds each and within 10 seconds the light will be activated for 15 minutes. The lights will stay activated for 15 minutes and can be reactivated as required. Use channel 65 – 156.275 hertz. Seasonal.
821 H802.1		066°23' 33m from front.	Iso W 2s	8.1	10	Square skeleton tower, white daymark, red vertical stripe. 6.5	Visible in line of range. Operates at night only. To activate the range lights, mariners can key their radio/microphone 5 pulses of 0.5 seconds each and within 10 seconds the light will be activated for 15 minutes. The lights will stay activated for 15 minutes and can be reactivated as required. Use channel 65 – 156.275 hertz. Seasonal.  <b>Chart:4278</b> <b>Edn 01/14(G13-168, 169)</b> <b>Edn 06/14(G14-025; 026)</b> <b>Edn 03/16 (G16-10, 011)</b>
822	Maclvers Bank East light buoy A17	46 01 48.7 60 56 18.3	Fl G 4s	.....	.....	Green spar, marked "A17".	Seasonal.  <b>Chart:4278</b>
823	Maclvers Bank light buoy A19	46 01 35.4 60 56 54.3	Q G 1s	.....	.....	Green spar, marked "A19".	Seasonal.  <b>Chart:4278</b>
823.1	Little Narrows Gypsum light buoy LN3	46 02 00.2 60 55 40.9	Q G 1s	.....	.....	Green, marked "LN3".	Privately maintained by Little Narrows Gypsum. Seasonal.  <b>Chart:4278</b> <b>Edn 08/11(G11-228)</b>
823.2	Little Narrows Gypsum light buoy LN4	Bras d'Or Lakes. 46 01 55 60 55 42.2	Fl R 4s	.....	.....	Red, marked "LN4".	Privately maintained by Little Narrows Gypsum. Seasonal.  <b>Chart:4278</b> <b>Edn 08/11(G11-229)</b>
823.3	Little Narrows Gypsum light buoy LN5	Bras d'Or Lakes. 46 01 48.5 60 55 30.4	Fl G 4s	.....	.....	Green, marked "LN5".	Privately maintained by Little Narrows Gypsum. Seasonal.  <b>Chart: 4278</b> <b>Edn 08/11(G11-231)</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
823.4	Little Narrows Gypsum light buoy LN6	Bras d'Or Lakes. 46 01 37.3 60 55 30.6	Q R 1s	.....	.....	Red, marked "LN6".	Privately maintained by Little Narrows Gypsum. Seasonal.  <b>Chart: 4278</b> <b>Edn 08/11(G11-232)</b>
823.5	Little Narrows Gypsum light buoy LN7	Bras d'Or Lakes. 46 01 29 60 55 31	Fl G 4s	.....	.....	Green, marked "LN7".	Privately maintained by Little Narrows Gypsum. Seasonal.  <b>Chart: 4278</b> <b>Edn 08/11(G11-233)</b>
823.6	Little Narrows Gypsum light buoy LN8	Bras d'Or Lakes. 46 01 29.5 60 55 42.3	Fl R 4s	.....	.....	Red, marked "LN8".	Privately maintained by Little Narrows Gypsum. Seasonal.  <b>Chart: 4278</b> <b>Edn 08/11(G11-234)</b>
823.7	Little Narrows Gypsum light buoy LN9	46 01 24 60 55 52.8	Fl G 4s	.....	.....	Green, marked "LN9".	Privately maintained by Little Narrows Gypsum. Seasonal.  <b>Chart: 4278</b> <b>Edn 08/11(G11-235)</b>
825 H803	<b>Morrisons Cove range</b>	On shore. 46 00 40.9 60 56 18	F Y .....	3.4	<b>10</b>	Square skeleton tower, white daymark, red vertical stripe. 3.5	Visible in line of range. Operates at night only. Seasonal.
826 H803.1		195°31' 640.9m from front.	F Y .....	6.4	<b>10</b>	Square skeleton tower, white daymark, red vertical stripe. 6.5	Visible in line of range. Operates at night only. Seasonal.  <b>Chart: 4278</b> <b>Edn 12/10(G10-190, 236)</b> <b>Edn 02/14 (G14-20, 021)</b>
828	Donald Williams Point light buoy A22	NE. of point. 46 00 39.1 60 57 34.1	Fl R 4s	.....	.....	Red spar, marked "A22".	Seasonal.  <b>Chart: 4278</b>
829	Eel Shoal light buoy A25	W. end of shoal. 46 00 20.3 60 57 43	Fl G 4s	.....	.....	Green spar, marked "A25".	Seasonal.  <b>Chart: 4278</b>
829.1	Great Bras d'Or light buoy A27	45 59 49.3 060 58 51.0	Q G 1s	.....	.....	Green spar, marked "A27".	Seasonal.  <b>Chart: 4278</b> <b>Edn 10/09(G09-119)</b> <b>Edn 07/16 (G16-036)</b>
829.2	Great Bras d'Or light buoy A28	45 59 40.7 60 59 03.3	Fl R 4s	.....	.....	Red spar, marked "A28".	Seasonal.  <b>Chart: 4278</b> <b>Edn 10/09(G09-121)</b>
829.3	Little Narrows light buoy A29	45 59 25.6 60 59 15.5	Fl G 4s	.....	.....	Green, marked "A29".	Seasonal.  <b>Chart: 4278</b> <b>Edn 11/09(G09-123)</b>



### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
829.5 <i>H804.4</i>	Little Narrows range	SW. of Gypsum Plant. 45 59 49.2 60 58 08.2	F Y .....	4.7	10	Triangular skeleton tower, white daymark, red vertical stripe. 3.5	Visible in line of range. Seasonal.
829.6 <i>H804.41</i>		206°44' 127.6m from front.	F Y .....	10.2	10	Triangular skeleton tower, white daymark, red vertical stripe. 3.4	Visible in line of range. Seasonal.  <b>Chart:4278</b> <b>Edn 06/13(G13-031, 033)</b>
831 <i>H806</i>	Whycocomagh	On Lovett Point, N. side of channel. 45 57 40.6 61 04 40.5	F W .....	7.0	11	Skeleton tower, enclosed lower portion. 6.8	Operates at night only. Seasonal.  <b>Chart: 4278</b>
<b>Barra Strait</b>							
834 <i>H818</i>	Grand Narrows Bridge	On centre of swing bridge between Kelly and Uniacke Points. 45 57 31.9 60 47 49.5	F R ..... G W	16.7	.....	Cylindrical mast. 2.1	Lights show red up and down channel when swing bridge is closed, green when open. White light is always visible. Maintained by railway. Year round.  <b>Chart: 4278</b>
835 <i>H822</i>	Derby Point	On point. 45 56 22.3 60 48 03.5	Fl R 4s	15.7	6	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.7	Operates at night only. Seasonal.  <b>Chart: 4278</b>
835.5	<i>Bras d'Or Lake ODAS light buoy 44131</i>	45 50 52.4 60 48 56.4	Fl(5 Y 20s )	.....	.....	Yellow, marked "44131".	Year round.  <b>Chart: 4279</b>
835.8	<i>McPhee Island light buoy E3</i>	45 56 28.8 60 32 12.4	Fl G 4s	.....	.....	Green, marked "E3".	Seasonal.  <b>Chart: 4279</b>
<b>Bras d'Or Lake</b>							
836.02	<i>Dundee Marina light buoy</i>	45 41 57 61 05 25	Fl G 4s	.....	.....	Green spar, marked "PRIV".	Privately maintained. Seasonal.  <b>Chart:4279</b> <b>Edn 10/11(G11-285)</b>
836.03	<i>Dundee Marina light buoy</i>	45 41 58 61 05 24	Fl R 4s	.....	.....	Red spar, marked "PRIV".	Privately maintained. Seasonal.  <b>Chart:4279</b> <b>Edn 10/11(G11-284)</b>
836.1	<i>Poor Point light buoy D1</i>	45 46 40.5 60 56 29	Fl G 4s	.....	.....	Green spar, marked "D1".	Seasonal.  <b>Chart:4279</b>
837	<i>Paddle Shoal light buoy DA2</i>	45 48 17.4 60 57 49.4	Fl R 4s	.....	.....	Red spar, marked "DA2".	Seasonal.  <b>Chart:4279</b>
838 <i>H832</i>	Cameron Island	On NE. end of island. 45 48 51 61 00 25.3	Fl G 4s	9.3	5	White square tower. 8.4	Operates at night only. Seasonal.  <b>Chart:4279</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
838.4 <i>H833</i>	Clarke Cove Wharf	On wharf. 45 49 12.4 61 02 20.6	F R .....	4.5	9	Triangular skeleton mast. 3.7	Maintained by Marble Mountain Preservation Society. Operates at night only. Seasonal.  <b>Chart:4279</b>
<hr/>							
<b>St. Peters Inlet</b>							
839	<i>Kelly Shoals light buoy Q35</i>	<i>On W. side of shoals.</i> 45 46 10.6 60 49 25.7	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "Q35".</i>	<i>Seasonal.</i>  <b>Chart:4279</b>
840 <i>H838</i>	Cape George	S. side of lake, W. side of entrance to St. Peters Inlet. 45 44 05.2 060 48 38.1	Fl W 4s	12.4	6	Steel square tower. Rectangular red and white daymarks 8.2	Visible from 126° through S. and W. to 317°. Operates at night only. Seasonal.  <b>Chart:4275 Edn 01/16 (G15-159)</b>
841 <i>H839</i>	Gregory Island	On island. 45 42 38.5 60 48 01.3	Fl G 4s	11.0	4	Square skeleton tower, green and white square daymarks with black square in center.  10.3	Operates at night only. Seasonal. Daymarks facing North, West and South.  <b>Chart:4275 Edn 12/14(G14-199)</b>
841.5	<i>Scotts Island light buoy Q43</i>	<i>W. of island.</i> 45 41 32.2 60 48 30.9	<i>Fl G 4s</i>	.....	.....	<i>Green spar, marked "Q43".</i>	<i>Seasonal.</i>  <b>Chart:4275</b>
842 <i>H842</i>	Beaver Island	On SE. point of island. 45 40 29.5 60 50 01.4	Fl W 4s	9.9	6	White cylindrical tower, red horizontal bands. 9.7	Operates at night only. Seasonal.  <b>Chart:4275</b>
843 <i>H843</i>	Helens Island	W. from Sandys Point. 45 39 58.2 60 51 21.1	Fl G 4s	7.5	2	Aluminum Swing Pole with 2 - 2x2 square day beacons, green/white/black. 6.6	Seasonal.  <b>Chart:4275 Edn 03/11(G11-001) Edn 02/15 (G14-216)</b>
844 <i>H856</i>	Ciboux Island	Northern end of island. 46 23 06.4 60 22 25.8	LFl R 12s	27.2	7	White cylindrical tower, two red horizontal bands. 9.9	Flash 2 s; eclipse 10 s. Operates at night only. Year round.  <b>Chart:4367 Edn 03/11(G11-051)</b>
845.1	<i>Great Bras D'Or (St. Anns Bay) light buoy KP2</i>	<i>46 18 02.2 60 31 47.3</i>	<i>Fl R 4s</i>	.....	.....	<i>Red, marked "KP2".</i>	<i>Seasonal.</i>  <b>Chart:4277 Edn 03/12</b>
845.3	<i>Great Bras D'Or (St. Anns Bay) light buoy KP7</i>	<i>46 17 32 060 32 18.8</i>	<i>Fl G 4s</i>	.....	.....	<i>Green ,marked "KP7".</i>	<i>Seasonal.</i>  <b>Chart:4277 Edn 09/14(G14-067) Edn 06/11(G11-133) Edn 03/12</b>
845.4	<i>Port Shoal light buoy KP8</i>	<i>46 17 00.2 60 33 01.2</i>	<i>Fl R 4s</i>	.....	.....	<i>Red, marked "KP8".</i>	<i>Seasonal.</i>  <b>Chart:4277 Edn 07/11(G11-199)</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
845.5	Breton Cove light and bell buoy KN	46 26 27.2 60 26 48.6	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "KN".	Seasonal.  <b>Chart:4367 Edn 03/12</b>
845.7 H857.5	Breton Cove range	46 26 41.2 60 27 38.7	F Y .....	7.2	12	Square skeleton tower, white daymark, red vertical stripe.  5.0	Visible in line of range. Operates at night only. Seasonal.
845.8 H857.51		290°59' 80.2m from front.	F Y .....	10.7	12	Square skeleton tower, white daymark, red vertical stripe.  10.1	Visible in line of range. Operates at night only. Seasonal.  <b>Chart:4367 Edn 04/11(G11-055, 056) Edn 03/12 Edn 05/12(G12-024) Edn 03/13(G13-004, 005)</b>
845.9	Little River Inner	End of rock pile on the inside of breakwater. 46 26 42.1 60 27 31.7	Fl R 4s	2.6	2	Cylindrical mast. 2.2	Operates at night only. Seasonal.  <b>Chart:4367 Edn 02/12(G12-006)</b>
846	Cape Smokey light and whistle buoy K4	46 38 21.2 60 19 39	Fl R 4s	.....	.....	Red, marked "K4".	Seasonal.  <b>Chart:4365</b>
847 H858	Ingonish Harbour	On beach, N. side of harbour entrance. 46 38 02.9 60 23 19.2	Iso W 4s	7.1	6	Square skeleton tower, red and white rectangular daymark. 5.1	Operates at night only. Seasonal.  <b>Chart:4365 Edn 11/11(G11-294)</b>
847.3	Ingonish Harbour light buoy KM6	46 37 58.2 60 23 23	Fl R 4s	.....	.....	Red spar, marked "KM6".	Seasonal.  <b>Chart:4365</b>
848	South Bay Ingonish light buoy KM	46 38 02.2 60 22 48.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "KM".	Seasonal.  <b>Chart:4365</b>
848.5	Ingonish East Cardinal light buoy KF	46 41 13.2 60 19 23.5	Q(3) W 10s	.....	.....	Black, yellow and black, marked "KF".	Seasonal.  <b>Chart:436</b>  5
848.6	Ingonish Harbour light buoy KM3	46 37 58.5 60 23 09.9	Fl G 4s	.....	.....	Green spar, marked "KM3".	Seasonal. (In place Year round).  <b>Chart:4365 Edn 07/11(G11-160)</b>
848.7	Ingonish Harbour light buoy KM4	46 37 59.7 60 23 10.4	Fl R 4s	.....	.....	Red spar, marked "KM4".	Seasonal. (In place Year round).  <b>Chart:4365 Edn 07/11(G11-161)</b>
849	Ingonish Island South Cardinal light buoy KH	46 40 44.4 60 20 38.1	Q(6) +LFI	W 15s	.....	Yellow and black, marked "KH".	Seasonal.  <b>Chart:4365 Edn 07/11(G11-162)</b>
849.3	Ingonish Harbour North light buoy KH2	46 41 22.2 60 21 39	Fl R 4s	.....	.....	Red spar, marked "KH2".	Seasonal.  <b>Chart:4365</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position	Light Characteristics	Focal Height in m. above water	Nominal Range	Description	Remarks
		----- Latitude N. Longitude W.				----- Height in meters above ground	
849.4 <i>H0865.1</i>	The Point Breakwater	Outer end of wharf. 46 41 14.9 60 21 33.2	Q R 1s	4.2	5	Square skeleton tower, red and white rectangular daymark, red triangle in centre.  3.5	Operates at night only. Seasonal.  <b>Chart:4365</b> <b>Edn 05/11(G11-111)</b> <b>Edn 08/11(G11-239)</b>
850	<i>Neil's Harbour light and bell buoy KD</i>	46 47 43.1 60 18 09.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "KD".	Seasonal.  <b>Chart:4363</b>
850.1	<i>Neil's Harbour light buoy KD1</i>	46 48 25.3 60 19 20.5	Fl G 4s	.....	.....	Green spar, marked "KD1".	Seasonal.  <b>Chart:4363</b> <b>Edn 09/11(G11-259)</b>
850.6	Neil Harbour Breakwater	Outer end of breakwater. 46 48 24 60 19 16.9	Fl R 4s	10.0	3	Cylindrical mast. 2.7	Operates at night only. Seasonal.  <b>Chart:4363</b>
851 <i>H866</i>	Neil Harbour	On headland, on E. side of entrance. 46 48 23.3 60 19 11	LFl W 6s	17.9	9	White square tower, red upper portion. 10.0	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal.  <b>Chart:4363</b> <b>Edn 02/12(G12-007)</b>
851.3	<i>New Haven Breakwater light buoy KC1</i>	Off end of breakwater. 46 49 17.4 60 19 06.3	Fl G 4s	.....	.....	Green spar, marked "KC1".	Seasonal.  <b>Chart:4363</b>
852	<i>New Haven light and whistle buoy KC</i>	46 49 17.1 60 18 21.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "KC".	Seasonal.  <b>Chart:4363</b>
852.6	<i>White Point light and whistle buoy KB1</i>	46 53 32.1 60 21 15.5	Q G 1s	.....	.....	Green, marked "KB1".	Seasonal.  <b>Chart:4363</b>
853.1 <i>H0868</i>	White Point Breakwater	Outer end of breakwater. 46 52 32.2 60 21 15.3	Fl G 4s	6.0	4	Cylindrical mast. 2.8	Operates at night only. Seasonal.  <b>Chart:4363</b> <b>Edn 12/14(G14-190)</b>
854 <i>H872</i>	Cape North	On square building. 47 01 44 60 23 30.1	LFl W 6s	33.7	8	Square skeleton tower, three red and white rectangular daymarks. 14.5	Daymark facing NW., NE. and SE. Flash 2 s; eclipse 4 s. Operates at night only. Year round.  <b>Chart:4363</b> <b>Edn 08/09</b> <b>Edn 10/11(G11-279)</b>
855 <i>H870</i>	Dingwall Harbour North Breakwater	On outer end of breakwater. 46 54 15.7 60 27 07.1	Fl R 4s	8.2	3	Square skeleton tower, 2 red and white triangular daymarks. 4.9	Daymarks one facing East and one facing West. Operates at night only. Seasonal.  <b>Chart:4365</b> <b>Edn 09/11(G11-266)</b>
856	<i>Dingwall light and bell buoy KA</i>	46 54 14.1 60 25 51.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "KA".	Seasonal.  <b>Chart:4363</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
857 <i>H870.4</i>	Dingwall Harbour South Breakwater	On outer end of breakwater. 46 54 13.3 60 27 07.5	Fl G 4s	8.0	4	Cylindrical mast. 5.0	Operates at night only. Seasonal.  <b>Chart:4365</b>
857.2	<i>Dingwall Harbour North light buoy KA6</i>	46 54 14.1 60 27 15.5	Fl R 4s	.....	.....	Red, marked "KA6".	Seasonal.  <b>Chart: 4365</b>
857.3	<i>Dingwall Harbour South light buoy KA9</i>	46 54 12.3 60 27 22.3	Fl G 4s	.....	.....	Green, marked "KA9".	Seasonal.  <b>Chart: 4365</b>
858 <i>H873</i>	St. Lawrence Bay	Near outer end of breakwater. 47 00 12.7 60 28 04	Fl G 3s	5.2	4	Pipe swing pole. 4.2	Operates at night only. Seasonal.  <b>Chart: 4363 Edn 10/11(G11-268)</b>
858.3 <i>H873.2</i>	St. Lawrence Bay Southwest Breakwater	47 00 12.6 60 28 05.5	Fl R 4s	5.1	2	Pipe swing pole. 3.3	Operates at night only. Seasonal.  <b>Chart: 4363 Edn 10/11(G11-269)</b>
859	<i>St. Lawrence Bay light and whistle buoy VV</i>	47 01 02.1 60 28 23.5	Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "VV".	Seasonal.  <b>Chart: 4363</b>
860 <i>H874</i>	Cape St. Lawrence	On the cape. 47 02 28.7 60 35 52.7	LFl W 12s	26.8	8	Square skeleton tower, red and white rectangular daymark. 6.6	Flash 2 s; eclipse 10 s. Visible from 050° through E. and S. to 261°. Operates at night only. Year round.  <b>Chart:4363 Edn 11/11(G11-300)</b>
860.5	<i>Pleasant Bay light and bell buoy VC</i>	Off harbour entrance. 46 50 30.1 60 48 17.6	Mo (A) W 6s	.....	.....	Red and white vertical stripes, marked "VC".	Seasonal.  <b>Chart:4464</b>
860.6 <i>H1176.4</i>	Pleasant Bay Breakwater	NE. of breakwater. 46 49 57.2 60 47 51.1	Fl G 4s	7.2	2	Cylindrical mast. 3.6	Operates at night only. Seasonal.  <b>Chart:4464</b>
860.9 <i>H1176.5</i>	Pleasant Bay Southwest Breakwater	46 49 59.1 60 47 50.6	Q R 1s	6.8	4	Cylindrical mast. 3.8	Operates at night only. Seasonal.  <b>Chart:4464</b>
861 <i>H1177</i>	<b>Pleasant Bay range</b>	46 49 43 60 47 38.1	F R ..... .....	20.0	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.
861.1 <i>H1177.1</i>		143°17' 71.7m from front.	F R ..... .....	24.9	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.  <b>Chart:4464</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
862 H1182	Caveau Point range	Extremity of point. 46 38 56.6 61 00 00.6	F R	.....	16.8	14	Square skeleton tower, white daymark, red vertical stripes. 6.6	Visible in line of range. Operates at night only. Year round.
863 H1182.1		107°55' 200.9m from front.	F R	.....	29.2	14	White square tower, red vertical stripe. 8.5	Visible in line of range. Operates at night only. Year round.
		<b>Chart: 4449</b> <b>Edn 02/11(G10-237-238)</b>						
863.1	Chéticamp Harbour light buoy VD2	46 38 58.5 61 00 28.3	Q R	1s	.....	.....	Red spar, marked "VD2".	Seasonal.
		<b>Chart: 4449</b>						
864	Chéticamp Harbour light buoy VD4	Off Gros Cap entrance. 46 38 45.5 61 00 31.5	FI R	4s	.....	.....	Red spar, marked "VD4".	Seasonal.
		<b>Chart: 4449</b>						
866.1	Chéticamp Harbour light buoy VD8	46 38 32.4 61 00 34.8	FI R	4s	.....	.....	Red spar, marked "VD8".	Seasonal.
		<b>Chart: 4449</b> <b>Edn 10/14(G14-101)</b>						
866.2	Chéticamp Harbour light buoy VD9	46 38 32.2 61 00 36.5	Q G	1s	.....	.....	Green spar, marked "VD9".	Seasonal.
		<b>Chart: 4449</b> <b>Edn 06/13(G13-022)</b> <b>Edn 10/14(G14-102)</b>						
866.3	Chéticamp Inner light buoy VD10	46 38 25.8 61 00 33.5	FI R	4s	.....	.....	Red spar, marked "VD10".	Seasonal.
		<b>Chart: 4449</b> <b>Edn 10/14(G14-137)</b>						
866.4	Chéticamp Inner light buoy VD13	46 38 19.5 61 00 36.9	Q G	1s	.....	.....	Green spar, marked "VD13".	Seasonal.
		<b>Chart: 4449</b> <b>Edn 10/14(G14-104)</b>						
866.5	Chéticamp Inner light buoy VD15	46 38 13.1 61 00 38.9	Q G	1s	.....	.....	Green spar, marked "VD15".	Seasonal.
		<b>Chart: 4449</b> <b>Edn 06/13(G13-023)</b> <b>Edn 10/14(G14-131)</b>						
866.6	Chéticamp Inner light buoy VD14	46 38 12.6 61 00 40.1	FI R	4s	.....	.....	Red spar, marked "VD14".	Seasonal.
		<b>Chart: 4449</b> <b>Edn 10/14(G14-130)</b>						
867 H1188	<b>Enragée Point</b>	On NW. point of Chéticamp Island. 46 38 58.4 61 01 35.2	FI(3) W	24s	22.5	16	White octagonal tower, red upper portion. 13.3	Flash 0.3 s; eclipse 3.7 s; flash 0.3 s; eclipse 3.7 s; flash 0.3 s; eclipse 15.7 s. Year round.
		<b>Chart: 4449</b> <b>Edn 02/12(G12-002)</b> <b>Edn 12/14(G14-189)</b>						
868 H1194	La Pointe (Chéticamp Island)	On outer end of wharf. 46 36 10.5 61 03 11.3	FI R	5s	4.2	2	Skeleton tower, enclosed lower portion. 3.4	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal.
		<b>Chart: 4449</b>						
868.5 H1196.4	Grand Étang Northeast Breakwater	46 33 03.9 61 02 46.5	Q G	1s	8.5	4	Cylindrical mast. 5.0	Operates at night only. Seasonal.
		<b>Chart: 4449</b> <b>Edn 03/11(G11-048)</b>						

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
868.6 H1196.5	Grand Étang Southwest Breakwater	On outer end of SW. breakwater. 46 33 03.3 61 02 49.2	Q R 1s	8.1	2	Cylindrical mast. 3.5	Operates at night only. Seasonal.  <b>Chart: 4449</b>
869 H1196	Grand Étang range	On E. bank of harbour. 46 32 54.1 61 02 31.4	Oc Y 10s	9.9	16	Square skeleton tower, white daymark, red vertical stripe. 8.3	Flash 9 s; eclipse 1 s. Visible in line of range. White flashing locator light on site. Operates at night only. Seasonal.
870 H1196.1		130°29' 197.7m from front.	Oc Y 10s	17.5	16	Triangular skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 7.4	Flash 9 s; eclipse 1 s. Visible in line of range. White flashing locator light on site. Operates at night only. Seasonal.  <b>Chart: 4449</b> <b>Edn 02/16 (G16-001,002)</b>
872 H1202	Margaree Harbour range	On W. side of river entrance. 46 26 22.6 61 06 45.1	F Y .....	15.2	7	White square tower, red upper portion, red vertical stripe. 6.8	Visible from 102° through S. to 192°. Operates at night only. Seasonal.
873 H202.1		166°45' 64.6m from front.	F Y .....	21.3	8	White square tower, red upper portion, red vertical stripe. 10.1	Visible in line of range. Operates at night only. Seasonal.  <b>Chart: 4449</b>
873.1	Margaree Harbour light buoy VH8	46 26 29.3 61 06 47.3	FI R 4s	.....	.....	Red, marked "VH8".	Seasonal.  <b>Chart: 4449</b>
873.2 H1202.3	Margaree Harbour East Breakwater	46 26 34.4 61 06 47.1	FI G 4s	5.3	4	Cylindrical mast. 2.1	Operates at night only. Seasonal.  <b>Chart: 4449</b> <b>Edn 11/12 (G10-019)</b>
873.21 H1202.4	Margaree Harbour West Breakwater	46 26 35.1 61 06 50.7	FI R 4s	5.9	2	Cylindrical mast. 2.1	Operates at night only. Seasonal.  <b>Chart:4449</b>
873.22	Margaree Harbour light buoy VH9	46 26 28.4 61 06 39.8	Q G 1s	.....	.....	Green, marked "VH9".	Seasonal.  <b>Chart:4449</b>
873.23	Margaree Harbour light buoy VH11	46 26 30.9 61 06 30.3	Q G 1s	.....	.....	Green, marked "VH11".	Seasonal.  <b>Chart:4449</b> <b>Edn 11/09(G09-135)</b>
873.3	Margaree Harbour Inner light buoy VH12	Inside harbour. 46 26 30.5 61 06 31.8	Q R 1s	.....	.....	Red, marked "VH12".	Seasonal.  <b>Chart:4449</b>
874 H1208	Margaree Island (Sea Wolf Island)	Middle of Sea Wolf Island. 46 21 27.2 61 15 49.6	FI W 4s	90.8	9	White hexagonal tower, red upper portion. 8.2	Flash 1 s; eclipse 3 s. Operates at night only. Year round.  <b>Chart:4463</b>
874.1 H1210.5	Inverness Breakwater	46 13 45.6 061 19 30	FI G 4s	8.1	2	Triangular skeleton tower. Square green, white and black daymark 3.3	Operates at night only. Seasonal.  <b>Chart:4463</b> <b>Edn 01/16 (G15-158)</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position		Light Characteristics	Focal Height in m. above water	Nominal Range	Description		Remarks
		Latitude N.	Longitude W.				Height in meters above ground		
874.12 H1210.6	Inverness South Breakwater	46 13 44.7 61 19 33.2		Fl R 4s	7.1	2	Cylindrical mast. 3.3	Operates at night only. Seasonal.	<b>Chart:4463</b>
874.2 H1210	Inverness Harbour range	46 13 35.4 61 19 11.3		F G .....	5.6	10	Square skeleton tower, white daymark, red vertical stripe. 3.4	Visible in line of range. Operates at night only. Seasonal.	
874.3 H1210.1		123°45' 54.8m from front.		F G .....	11.8	10	Square skeleton tower, white daymark, red vertical stripe. 4.9	Visible in line of range. Operates at night only. Seasonal.	<b>Chart:4463 Edn 05/10(G10-057, 058) Edn 12/11(G11-323, 324)</b>
874.31	Inverness Inner light buoy VL1	46 13 38.9 061 19 17.7		Q G 1s	.....	.....	Green spar, marked "VL1".	Operates 24h. Seasonal.	<b>Chart:4463 Edn 08/16 (G16-116)</b>
874.51	Mabou Harbour light buoy VJ	NW. of Harbour. 46 05 29.1 61 29 28		Mo(A) W 6s	.....	.....	Red and white vertical stripes, marked "VJ".	Seasonal.	<b>Chart:4448</b>
874.52	Mabou Harbour light buoy VJ1	46 05 25 61 28 53.7		Fl G 4s	.....	.....	Green, marked "VJ1".	Seasonal.	<b>Chart:4448</b>
874.53	Mabou Harbour light buoy VJ2	46 05 23 61 28 55.4		Fl R 4s	.....	.....	Red, marked "VJ2".	Seasonal.	<b>Chart:4448</b>
874.55	Mabou Harbour light buoy VJ3	46 05 18.2 61 28 33.7		Fl G 4s	.....	.....	Green, marked "VJ3".	Seasonal.	<b>Chart:4448 Edn 11/10(G10-164)</b>
874.6	Mabou Harbour light buoy VJ4	46 05 17.2 61 28 32.4		Fl R 4s	.....	.....	Red, marked "VJ4".	Seasonal.	<b>Chart:4448 Edn 11/10(G10-165)</b>
874.61	Mabou Harbour light buoy VJ8	46 05 14.6 61 28 13.4		Fl R 4s	.....	.....	Red, marked "VJ8".	Seasonal.	<b>Chart:4448 Edn 10/10(G10-166)</b>
874.62	Mabou Harbour light buoy VJ9	46 05 15.4 61 28 13.1		Fl G 4s	.....	.....	Green, marked "VJ9".	Seasonal.	<b>Chart:4448 Edn 10/10(G10-167)</b>
876 H1216.1	Mabou Harbour	46 05 09.2 61 27 55.2		F G .....	13.9	6	White square tower, red upper portion. 13.6	Seasonal.	<b>Chart:4448</b>
876.3	Murphy Pond light buoy VX1	46 01 27.7 61 32 38.5		Q G 1s	.....	.....	Green spar, marked "VX1".	Seasonal.	<b>Chart:4448</b>
876.8 H1218	Murphy Pond	Outer end of W. breakwater. 46 01 33.3 61 32 39.7		Fl G 4s	6.2	2	Cylindrical tower. 3.3	Seasonal.	<b>Chart:4448</b>
876.9 H1217.5	Murphy Pond Breakwater	Outer end of E. breakwater. 46 01 35.7 61 32 38		Fl R 4s	5.6	2	Cylindrical mast. 3.3	Operates at night only. Seasonal.	<b>Chart:4448</b>



### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
877 H1224	Port Hood Island	On Smith Point. 46 00 51.4 61 33 23.8	FI R 4s	4.5	5	Skeleton mast, red and white rectangular daymark. 3.6	Privately maintained. Seasonal.  <b>Chart:4448</b>
878.1 H1222	Port Hood Wharf	Southern most corner. 46 01 01.7 61 32 25.2	FI G 4s	4.8	2	Cylindrical mast. 3.5	Operates at night only. Seasonal.  <b>Chart:4448</b>
879.1 H1220	Port Hood	46 01 29.4 61 32 20.5	F G .....	19.0	.....	Square skeleton tower. 3.5	Operates at night only. Seasonal.  <b>Chart:4448</b> <b>Edn 01/10(G09-001)</b>
879.5	Portsmouth Point light buoy VK7	S. of point. 45 59 06.2 61 33 19.6	FI G 4s	.....	.....	Green, marked "VK7".	Seasonal.  <b>Chart:4448</b>
880	Spithead light buoy VK9	E. of Spithead. 45 59 43.2 061 32 50.6	FI G 4s	.....	.....	Green spar, marked "VK9".	Seasonal (in place year round).  <b>Chart:4448</b> <b>Edn 03/17 (G17-007)</b>
880.1	Dean Shoal light buoy VK12	Port Hood Harbour. 45 59 58.2 061 32 32.6	FI R 4s	.....	.....	Red spar, marked "VK12".	Seasonal (in place year round).  <b>Chart:4448</b> <b>Edn 03/17 (G17-007)</b>
881 H1222	Henry Island	W. side of island. 45 58 37.6 61 35 59.4	FI W 4s	61.0	9	Octagonal tower, red upper portion, red and white vertical stripes. 11.6	Flash 1 s; eclipse 3 s.  <b>Chart:4448</b>
881.1 H1223.2	Little Judique Harbour Breakwater	45 57 31.7 61 31 42.3	F G .....	5.3	5	Cylindrical mast. 3.8	Seasonal.  <b>Chart:4448</b> <b>Edn 02/15 (G15-002)</b> <b>Edn 05/15 (G15-021)</b>
881.3 H1223	Little Judique Harbour Wharf Sector	Near outer end of W. breakwater. 45 57 28.9 61 31 37.2	F R ..... W G	8.2	7	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.9	Red from 077° to 121°; white from 121° to 123°; green from 123° to 161°. White sector indicates preferred channel. Operates at night only. Seasonal.  <b>Chart:4448</b>
882 H1228	Judique South Wharf	On outer end, SW. corner of wharf. 45 51 27.5 61 30 13.1	LFI R 6s	7.3	4	Pipe swing pole, red and white triangular daymark, red triangle in centre. 6.7	Flash 2 s; eclipse 4 s Seasonal.  <b>Chart:4462</b> <b>Edn 04/10(G10-024)</b>
882.1	Henry Point light buoy VM3	Off Henry Island. 45 59 39.7 61 35 09.6	FI G 4s	.....	.....	Green spar, marked "VM3".	Seasonal.  <b>Chart:4448</b>
882.2	Henry Point light buoy VM4	Off Henry Island. 45 59 27.5 61 35 34.7	FI R 4s	.....	.....	Red spar, marked "VM4".	Seasonal.  <b>Chart:4448</b>
882.5	Judique Shoals light buoy VN2	W. of shoals. 45 50 16.3 61 33 09.8	FI R 4s	.....	.....	Red spar, marked "VN2".	Seasonal.  <b>Chart:4462</b>