

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                                  | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals  |   |
|---------------------------------|--|---|--------------------------|--|-----------------------|--|--|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |                       |  |  |   |
| <b>Isle Madame</b>              |  |   |                          |  |                       |  |  |   |
| 704.85                          | Hautfond Shoal<br>light buoy CK2               | 45 28 00.3<br>061 03 21.6   | Q R 1s                   | .....                                      | .....                 | Red spar, marked "CK2".                                  | Year round.<br><br>Chart:4308<br>Edn 06/11 (G11-158)   |   |
| 704.86                          | Picard Reef light<br>buoy CM1                  | 45 29 58.4<br>061 05 38.2   | Fl G 4s                  | .....                                      | .....                 | Green spar, marked<br>"CM1".                             | Year round.<br><br>Chart:4307<br>Edn 06/11 (G11-153)   |   |
| 704.861                         | Jerseyman Shoal<br>light buoy CM2              | 45 29 33.4<br>061 04 43.4   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "CM2".                                  | Year round.<br><br>Chart:4308<br>Edn 06/11 (G11-149)   |   |
| 704.864                         | Crid Passage light<br>buoy CM5                 | 45 30 16.3<br>061 03 46.4   | Fl G 4s                  | .....                                      | .....                 | Green spar, marked<br>"CM5".                             | Year round.<br><br>Chart:4308<br>Edn 06/11 (G11-151)   |   |
| 704.9                           | Crichton Island<br>light buoy CN2              | 45 30 03.3<br>061 07 21.6   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "CN2".                                  | Year round.<br><br>Chart:4308<br>Edn 09/11 (G11-243)   |   |
| 704.93                          | Crichton Head<br>light buoy CN5                | 45 30 53.2<br>061 06 40.6   | Fl G 4s                  | .....                                      | .....                 | Green, marked "CN5".                                     | Year round.<br><br>Chart:4308<br>Edn 06/11 (G11-154)   |   |
| 704.94                          | Crichton Head<br>light buoy CN6                | 45 30 53.5<br>061 06 22.1   | Fl R 4s                  | .....                                      | .....                 | Red, marked "CN6".                                       | Year round.<br><br>Chart:4308<br>Edn 06/11 (G11-156)   |   |
| 706<br>H3416                    | West Arichat<br>Wharf                          | On outer end of<br>wharf.<br>45 30 50.7<br>061 04 59.2                            | Fl W 4s                  | 3.9  | 2                     | Pipe swing pole.   | Flash 1 s; eclipse 3 s.<br>Operates at night only.<br>Seasonal.<br><br>Chart:4307<br>Edn 01/12 (G11-333) |   |
| 707<br>H3406                    | Jerseyman Island                               | On Beach Point,<br>Arichat Harbour.<br>45 30 13.3<br>061 03 19.9                  | Fl R 4s                  | 7.6  | 5                     | White square tower, red<br>upper portion.                | Operates at night only.<br>Seasonal.<br><br>Chart:4307   |   |
| 708<br>H3404                    | Marache Point                                  | Marache Point, S.<br>entrance to Arichat<br>Harbour.<br>45 28 50.3<br>061 02 04.6 | F W                      | .....                                      | 10.2                  | 13   | White square tower, red<br>upper portion.  | Visible from 338° through N., E.<br>and S. to 224°.<br>Operates at night only.<br>Year round.<br><br>Chart:4307 |
| 709                             | Cerberus Rock<br>light and whistle<br>buoy CH4 | S. of rock.<br>45 27 37<br>061 06 15  | Fl R 4s                  | .....                                      | .....                 | Red, marked "CH4".                                       | Year round.<br><br>Chart:4307<br>Edn 03/11 (G11-037)   |   |
| 710                             | Petit-de-Grat light<br>and whistle buoy<br>CJ  | 45 28 18.3<br>060 58 15.6   | Mo(A) W 6s               | .....                                      | .....                 | Red and white vertical<br>stripes, marked "CJ".          | Year round.<br><br>Chart:4308<br>Edn 03/11 (G11-038)   |   |
| 711                             | Petit-de-Grat light<br>and bell buoy CJ1       | 45 28 59.4<br>060 58 26.9   | Fl G 4s                  | .....                                      | .....                 | Green, marked "CJ1".                                     | Year round.<br><br>Chart:4308<br>Edn 03/11 (G11-039)   |   |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name                                       | Position<br>-----<br>Latitude N.<br>Longitude W.                        | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground   | Remarks<br>-----<br>Fog Signals   |
|---------------------------------|--|---|--------------------------|--|-----------------------|--|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |                       |  |   |
| 712                             | Arrow Point light<br>buoy CJ2              | SW. of Big Arrow<br>Rock.<br>45 29 05.2<br>060 58 15.9                  | Fl R 4s                  | .....                                      | .....                 | Red, marked "CJ2".   | Seasonal (in place year round).<br><br>Chart:4308<br>Edn 03/17 (G17-007)  |
| 712.09                          | Petit-de-Grat Light<br>Buoy NR10           | 45 31 10<br>060 57 13   | Fl R 4s                  | .....                                      | .....                 | Red, marked "NR10".  | Seasonal.<br><br>Chart:4308<br>Edn 12/13 (G13-167)  |
| 713<br>H3398                    | Petit-de-Grat<br>Outer range               | W. of Petit-de-Grat<br>Inlet.<br>45 29 47.2<br>060 58 23.7              | F W                      | .....                                      | 8.3                   | 19 Square keleton tower,<br>white daymark, red vertical<br>stripe.                                     | Visible in line of range.<br>Operates at night only.<br>Year round.   |
| 714<br>H3398.1                  |  | 356°01' 59.9m<br>from front.  | F W                      | .....                                      | 14.8                  | 19 Square skeleton tower,<br>white daymark, red vertical<br>stripe.                                    | Visible in line of range.<br>Operates at night only.<br>Year round.<br><br>Chart:4307<br>Edn 12/14 (G14-210)  |
| 716                             | Mouse Island light<br>buoy CJ5             | 45 29 46.4<br>060 57 49.8   | Q G 1s                   | .....                                      | .....                 | Green spar, marked "CJ5".  | (Winter spar.)<br>Seasonal.<br><br>Chart:4308   |
| 716.1                           | Mouse Island light<br>buoy CJ6             | 45 29 46.3<br>060 57 46.6   | Q R 1s                   | .....                                      | .....                 | Red spar, marked "CJ6".  | (Winter spar.)<br>Seasonal.<br><br>Chart:4308   |
| 717                             | Petit-de-Grat<br>Harbour light buoy<br>CJ9 | 45 29 55.2<br>060 57 40.5   | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "CJ9".  | (Winter spar.)<br>Seasonal.<br><br>Chart:4308   |
| 718<br>H3399                    | Petit-de-Grat<br>Inner range               | E. side of island.<br>45 30 03.6<br>060 57 31.5                         | F Y                      | .....                                      | 12.0                  | 16 Square skeleton tower,<br>white daymark, red vertical<br>stripe.                                    | Visible in line of range.<br>Operates at night only.<br>Year round.   |
| 719<br>H3399.1                  |  | 033°56' 64.1m<br>from front.  | F Y                      | .....                                      | 15.4                  | 16 Square skeleton tower,<br>white daymark, red vertical<br>stripe.                                    | Visible in line of range.<br>Operates at night only.<br>Year round.<br><br>Chart:4308<br>Edn 03/11 (G11-049)<br>Edn 06/13 (G13-015, 016)<br>Edn 12/14 (G14-207) |
| 719.1<br>H3401                  | Cowley Point<br>Breakwater                 | W. side of inlet, on<br>end of breakwater.<br>45 30 06.3<br>060 57 47.5 | Fl G 4s                  | 4.9  | 3                     | Cylindrical mast, 2 green<br>and white square<br>daymarks, one facing 011°<br>and one facing 154°. 3.8 | Operates at night only.<br><br>Chart:4308<br>Edn 11/11 (G11-295)<br>Edn 05/15 (G15-023)   |
| 720                             | Marchant Ledge<br>light buoy CJ18          | 45 30 12.1<br>060 57 40.8   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "CJ18".   | (Winter spar.)<br>Seasonal.<br><br>Chart:4308<br>Edn 10/12 (G12-183)<br>Edn 09/14 (G14-068)<br>Edn 05/17 (G17-009)  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.   | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                                | Remarks<br>-----<br>Fog Signals   |
|---------------------------------|--|--|--------------------------|--|-----------------------|---|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |  |                          |  |                       |   |   |
| 721<br>H3396                    | Petit-de-Grat<br>Breakwater  | On outer end of<br>breakwater at N.<br>entrance to Petit-de-<br>Grat Inlet.<br>45 31 04.5<br>060 57 02.9 | Fl G 4s                  | .....                                      | 4                     | Square skeleton tower, 2<br>green and white<br>rectangular daymarks.                    | Flash 1 s; eclipse 3 s.<br>Operates at night only.<br>Seasonal.<br><br>Chart:4308<br>Edn 08/12 (G12-145, 146)<br>Edn 10/12          |
| 722<br>H3376                    | Green Island   | Summit of island.<br>45 28 41.3<br>060 53 57.6   | Fl(2) W 20s              | 34.1                                       | 10                    | White cylindrical tower, red<br>upper portion.  | Flash 2 s; eclipse 2 s; flash 2 s;<br>eclipse 14 s.<br>Emergency light.<br>Operates at night only.<br>Year round.<br><br>Chart:4308 |
| 723                             | <i>Orpheus Rock<br/>light and bell buoy<br/>NQ1</i>                        | <i>E. side of Rock.<br/>45 28 41.3<br/>060 51 00.6</i>   | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green, marked "NQ1".</i>   | <i>Year round.</i><br><br>Chart:4308<br>Edn 03/11 (G11-040)   |
| 724                             | <i>Petite Anse light<br/>and bell buoy NS1</i>                             | <i>45 29 39.3<br/>060 54 55.3</i>  | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green, marked "NS1".</i>   | <i>Year round.</i><br><br>Chart:4308<br>Edn 03/11 (G11-041)   |
| <b>Lennox Passage</b>           |  |  |                          |  |                       |   |   |
| 727                             | <i>Beak Point Shoal<br/>(Petit Nez) light<br/>and whistle buoy<br/>NQ3</i> | <i>Off E. side of shoal.<br/>45 33 08.9<br/>060 50 59.6</i>  | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green, marked "NQ3".</i>   | <i>Year round.</i><br><br>Chart:4308<br>Edn 03/11 (G11-042)   |
| 728.5                           | <i>Cape Ronde light<br/>buoy NT1</i>                                       | <i>45 34 46.1<br/>060 52 57.8</i>  | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green spar, marked "NT1".</i>  | <i>Year round.</i><br><br>Chart:4275  |
| 729<br>H3392                    | Grandique Point  | On beach.<br>45 35 36.6<br>061 01 20.3   | LFl G 6s                 | 9.2  | 7                     | White square tower, red<br>upper portion.   | Flash 2 s; eclipse 4 s.<br>Operates at night only.<br>Seasonal.<br><br>Chart:4308<br>Edn 04/10 (G10-026)<br>Edn 12/11 (G11-326)     |
| 730<br>H3388                    | Hawk Island  | Entrance to<br>Poulamon Bay.<br>45 35 40.3<br>060 59 42.3  | Fl G 4s                  | 12.9                                       | 4                     | Skeleton tower, enclosed<br>lower portion, red and<br>white rectangular daymark.<br>9.7 | Visible from 240°30' to 265°30'.<br>Operates at night only.<br>Seasonal.<br><br>Chart:4308  |
| 730.5                           | <i>Goillon Reef light<br/>buoy NT12</i>                                    | <i>45 36 03.3<br/>060 59 00.6</i>  | <i>Fl R 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Red spar, marked "NT12".</i>   | <i>Seasonal.</i><br><br>Chart:4308  |
| 731<br>H3384                    | Ouetique Island  | On S. point.<br>45 36 35.2<br>060 57 26.3  | Fl R 4s                  | 23.5                                       | 5                     | Square skeleton tower, red<br>and white rectangular<br>daymark.                         | Seasonal.<br><br>Chart:4308<br>Edn 07/16 (G16-077)  |
| 732<br>H3386                    | River Bourgeois  | On point, E. side of<br>entrance.<br>45 37 32.8<br>060 56 51.1   | F R                      | .....                                      | 7.1                   | Square tower, red and<br>white rectangular daymark.                                     | Privately maintained.<br>Operates at night only.<br>Seasonal.<br><br>Chart:4308   |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.                             | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|---|--|--------------------------|--|-----------------------|--|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |   |  |                          |  |                       |  |  |
| 733                             | Saint Peters Bay<br>light buoy NQ12                       | W. side of channel<br>at S. entrance to<br>bay.<br>45 37 07.2<br>060 53 18.4 | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NQ12".                                 | Seasonal (in place year round).<br><br>Chart:4275<br>Edn 03/17 (G17-007)   |
| 734<br>H3380                    | Jerome Point  | Near canal<br>entrance.<br>45 38 53.9<br>060 52 21.8                         | F R                      | .....                                      | 15.5                  | 4<br>White square tower, red<br>upper portion.<br>10.9   | Seasonal.<br><br>Chart:4275<br>Edn 10/17 (G17-100)   |
| 735                             | Haddock Rock<br>light and bell buoy<br>NP2                | W. of rock.<br>45 35 50.2<br>060 49 37.4                                     | Fl R 4s                  | .....                                      | .....                 | Red, marked "NP2".                                       | Year round.<br><br>Chart:4275<br>Edn 03/11 (G11-043)   |
| 736                             | Lower L'Ardoise<br>light and whistle<br>buoy NM           | N. of Red Point.<br>45 34 49.2<br>060 45 52.4                                | Mo(A) W 6s               | .....                                      | .....                 | Red and white vertical<br>stripes, marked "NM".          | Year round.<br><br>Chart:4275<br>Edn 03/11 (G11-044)   |
| 737<br>H3372                    | Little Harbour<br>Wharf                                   | 45 34 59.3<br>060 44 27.5  | F R                      | .....                                      | 4.9                   | 8<br>Cylindrical mast.<br>4.4                            | Operates at night only.<br>Seasonal.<br><br>Chart:4275   |
| 737.05                          | Lower L'Ardoise<br>light buoy NN5                         | 45 35 51.2<br>060 46 15.4  | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NN5".                                | Seasonal.<br><br>Chart:4275  |
| 738                             | Michaud Ledges<br>light and whistle<br>buoy N18           | 45 32 48.9<br>060 44 03.8  | Fl R 4s                  | .....                                      | .....                 | Red, marked "N18".                                       | Seasonal.<br><br>Chart:4335  |
| 739                             | Black Breaker<br>Rock South<br>Cardinal light buoy<br>NHA | 45 35 24.9<br>060 34 48.2  | Q(6) W<br>+LFI           | 15s  | .....                 | .....  | Yellow and black spar,<br>marked "NHA".<br>Seasonal (in place year round).<br><br>Chart:4374<br>Edn 12/09 (G09-161)    |
| 741                             | L'Archevêque light<br>buoy NH                             | 45 36 57.1<br>060 34 01.0  | Mo(A) R-<br>W            | 6s   | .....                 | .....  | Red and white, marked<br>"NH".<br>Seasonal (in place year round).<br><br>Chart:4374<br>Edn 07/16 (G16-086)             |
| 741.01                          | L'Archevêque light<br>buoy NH3                            | 45 37 12.1<br>060 34 21.4  | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NH3".                                | Seasonal (in place year round).<br><br>Chart:4374<br>Edn 12/09 (G09-162)   |
| 741.03                          | L'Archevêque light<br>buoy NH4                            | 45 37 16.0<br>060 34 26.3  | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NH4".                                  | Seasonal (in place year round).<br><br>Chart:4374<br>Edn 12/09 (G09-163)<br>Edn 07/16 (G16-084)<br>Edn 08/16 (G16-118) |
| 741.04                          | L'Archevêque light<br>buoy NH8                            | 45 37 21.9<br>060 34 36.8  | Q R 1s                   | .....                                      | .....                 | Red spar, marked "NH8".                                  | Seasonal (in place year round).<br><br>Chart:4374<br>Edn 07/16 (G16-087)   |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name                                  | Position<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                            | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|---------------------------------------|---|--------------------------|--|-----------------------|---|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                       |   |                          |  |                       |   |  |
| 741.05                          | L'Archevêque light<br>buoy NH10       | 45 37 27.6<br>060 34 32.2                                       | Q R 1s                   | .....                                      | .....                 | Red spar, marked "NH10".  | Seasonal (in place year round).<br><br>Chart:4374<br>Edn 12/09 (G09-164)   |
| 742                             | St. Esprit light<br>buoy N16          | SE. of Bad<br>Neighbour Shoal.<br>45 35 12.2<br>060 30 25.6     | Fl R 4s                  | .....                                      | .....                 | Red, marked "N16".  | Seasonal.<br><br>Chart:4374  |
| 743<br>H3368                    | St. Esprit Island                     | E. end of island.<br>45 37 19.2<br>060 29 17.6                  | LFI W 6s                 | 23.8                                       | 7                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br><br>9.9          | Flash 2 s; eclipse 4 s.<br>Operates at night only.<br>Year round.<br><br>Chart:4374<br>Edn 02/16 (G15-163)   |
| 745                             | Fourchu light and<br>whistle buoy N14 | S. of Fourchu Head.<br>45 42 00.2<br>060 12 45.6                | Fl R 4s                  | .....                                      | .....                 | Red, marked "N14".  | (Winter spar.)<br>Seasonal.<br><br>Chart:4374  |
| 746                             | Fourchu light and<br>bell buoy NC2    | W. entrance to<br>Fourchu Harbour.<br>45 42 57.2<br>060 13 07.6 | Q R 1s                   | .....                                      | .....                 | Red, marked "NC2".  | Seasonal.<br><br>Chart:4374  |
| 746.1                           | Fourchu light buoy<br>NC3             | 45 43 04.2<br>060 13 26.4                                       | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "NC3".   | Seasonal (in place year round).<br><br>Chart:4374<br>Edn 10/09 (G09-138)   |
| 746.2                           | Fourchu light buoy<br>NC4             | 45 43 06.6<br>060 13 25.2                                       | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "NC4".   | Seasonal (in place year round).<br><br>Chart:4374<br>Edn 10/09 (G09-139)   |
| 747<br>H3362                    | Fourchu Head                          | Near E. extremity of<br>head.<br>45 43 02.8<br>060 13 46.4      | LFI W 6s                 | 18.9                                       | 12                    | Square skeleton tower,<br>three red rectangular<br>daymarks, white band.<br><br>9.0 | Flash 2 s; eclipse 4 s.<br>Visible from 096° through S., W.<br>and N. to 065°.<br>Operates 24 h.<br>Year round.<br><br>Chart:4374<br>Edn 01/15 (G14-197)<br>Edn 04/15 (G15-010)<br>Edn 03/17 (G16-140) |
| 747.3                           | North Fourchu<br>light buoy NC24      | 45 43 12<br>060 14 21   | Fl R 4s                  | .....                                      | .....                 | Red, marked "NC24".   | Seasonal.<br><br>Chart:N/A   |
| 748<br>H3364                    | Fourchu Harbour<br>range              | On pier, NE. of<br>Butter Island.<br>45 43 09.6<br>060 14 42    | F Y .....                | 3.0  | 18                    | Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br><br>2.8     | Visible in line of range.<br>Operates at night only.<br>Seasonal.  |
| 749<br>H3364.1                  |                                       | On pier, 255°10'<br>225.7m from front.                          | F Y .....                | 8.3  | 18                    | Triangular skeleton mast,<br>white daymark, red vertical<br>stripe.<br><br>7.4      | Visible in line of range.<br>Operates at night only.<br>Seasonal.<br><br>Chart:4374  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                                  | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|--|---|--------------------------|--|-----------------------|--|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |                       |  |  |
| 750<br>H3360                    | <b>Guyon Island</b>                            | On island.<br>45 45 57.3<br>060 06 45.7   | Fl W 20s                 | 16.2                                       | 17                    | White octagonal tower, red upper portion.<br>12.8        | Flash 1 s; eclipse 19 s.<br>Emergency light.<br>Year round.<br><br><b>Chart:4375<br/>Edn 08/16 (G16-117)</b>   |
| 751                             | <i>Guyon Island light and whistle buoy J12</i> | <i>E. of island.<br/>45 46 03.2<br/>060 02 41.6</i>                               | <i>Fl R 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Red, marked "J12".</i>                                | <i>Seasonal.</i><br><br><b>Chart:4374</b>  |
| 752                             | <i>Green Rock light and bell buoy JX3</i>      | <i>NE. of rock.<br/>45 49 23.3<br/>060 03 11.7</i>                                | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green, marked "JX3".</i>                              | <i>Seasonal.</i><br><br><b>Chart:4375</b>  |
| 752.6<br>H3359                  | Rouse Point                                    | 45 50 35<br>060 07 56.8   | LFl Y 6s                 | 9.0  | 12                    | Square skeleton tower, red with white band.              | Seasonal.<br><br><b>Chart:4375<br/>Edn 02/13 (G13-001)<br/>Edn 07/15 (G15-024)</b>   |
| 752.7                           | <i>Gabarus light buoy JX10</i>                 | <i>45 50 32.3<br/>060 08 15.7</i>   | <i>Fl R 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Red, marked "JX10".</i>                               | <i>Seasonal.</i><br><br><b>Chart:4375</b>  |
| 753<br>H3358                    | Gabarus  | On Harbour Point,<br>S. shore of bay.<br>45 50 35.2<br>060 08 50.3                | F R .....                | 16.5                                       | 8                     | White hexagonal tower, red upper portion.<br>9.5         | Operates at night only.<br>Seasonal.<br><br><b>Chart:4375</b>  |
| <b>Louisbourg Harbour</b>       |  |   |                          |  |                       |  |  |
| 754                             | <i>Louisbourg light and whistle buoy JT</i>    | <i>Off entrance to Louisbourg.<br/>45 52 33.3<br/>059 54 05.7</i>                 | <i>Mo(A) W 6s</i>        | <i>.....</i>                               | <i>.....</i>          | <i>Red and white vertical stripes, marked "JT".</i>      | <i>Seasonal.</i><br><br><b>Chart:4375</b>  |
| 755                             | <i>Louisbourg light and bell buoy JT1</i>      | <i>E. of Harbour Shoal.<br/>45 53 56.4<br/>059 56 51.2</i>                        | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green, marked "JT1".</i>                              | <i>(Winter spar.)<br/>Seasonal.</i><br><br><b>Chart:4376</b>   |
| 756<br>H3344                    | Louisbourg                                     | On Lighthouse Point, N. side of entrance to harbour.<br>45 54 24.0<br>059 57 30.5 | LFl W 6s                 | 31.9                                       | 13                    | White octagonal tower, red at top.<br>15.4               | Flash 2 s; eclipse 4 s.<br>Visible from 100° through 250°.<br>Year round.<br><br><b>Chart:4376<br/>Edn 11/09 (G09-146)<br/>Edn 06/16 (G16-052)<br/>Edn 03/17 (G16-158)</b> |
| 756.5                           | <i>Nag Rock bifurcation light buoy JTA</i>     | <i>45 54 11.4<br/>059 58 19.2</i>   | <i>Fl R 6s<br/>(2+1)</i> | <i>.....</i>                               | <i>.....</i>          | <i>Red, green and red spar, marked "JTA".</i>            | <i>Seasonal (in place year round).</i><br><br><b>Chart:4376<br/>Edn 03/17 (G17-007)</b>  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                                    | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|--|---|--------------------------|--|-----------------------|---|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |                       |   |  |
| 757<br>H3348                    | Louisbourg range                                 | On W. side of<br>harbour.<br>45 54 05.8<br>059 59 23.1                              | F Y .....                | 7.0  | 14                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>4.8 | Visible in line of range.<br>Operates at night only.<br>Year round.  |
| 758<br>H3348.1                  |  | 267°56' 165.8m<br>from front.   | F Y .....                | 12.7                                       | 14                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>6.3 | Visible in line of range.<br>Operates at night only.<br>Year round.  |
|                                 |  |   |                          |  |                       |   | <b>Chart:4376</b><br><b>Edn 03/10 (G10-022)</b><br><b>Edn 04/10 (G10-020)</b>  |
| 758.5                           | Nag Rock Red<br>Spar JU4                         | Louisbourg.<br>45 54 17.4<br>059 58 03.9  | Fl R 4s .....            | .....                                      | .....                 | Red spar, marked "JU4".   | Operates 24 h.<br>Year round.  |
|                                 |  |   |                          |  |                       |   | <b>Chart:4376</b><br><b>Edn 05/16 (G16-039)</b><br><b>Edn 05/17 (G17-002)</b>  |
| 759                             | Russell Point West<br>Cardinal light buoy<br>JTB | 45 54 24.3<br>059 58 14.6   | Q(9) W 15s .....         | .....                                      | .....                 | Yellow, black and yellow,<br>marked "JTB".                              | Seasonal (in place year round).  |
|                                 |  |   |                          |  |                       |   | <b>Chart:4376</b><br><b>Edn 03/17 (G17-007)</b>  |
| 760                             | Battery Shoal light<br>buoy JT11                 | 45 54 30.4<br>059 58 21.7   | Fl G 4s .....            | .....                                      | .....                 | Green spar, marked<br>"JT11".   | (Winter spar.)<br>Seasonal.  |
|                                 |  |   |                          |  |                       |   | <b>Chart:4376</b>  |
| 761<br>H3342                    | Little Lorraine<br>(Lorembec)                    | Extremity of W.<br>headland at<br>entrance to harbour.<br>45 56 56.5<br>059 51 34.2 | F G .....                | 10.7                                       | 7                     | White cylindrical tower, red<br>upper portion.<br>4.6                   | Operates at night only.<br>Seasonal.   |
|                                 |  |   |                          |  |                       |   | The operation of the fog signal will<br>be made remotely on channel 65A<br>(156.275 MHz). Mariners requiring<br>the operation of the fog signal will<br>have to press the button of the<br>VHF radio five (5) consecutive<br>times at 1 second interval on<br>channel 65A. The signal will be in<br>operation for 30 minutes. After this<br>delay, the same operation must be<br>repeated. |
|                                 |  |   |                          |  |                       |   | <b>Horn - Blast 2 s; sil. 18 s.</b>  |
|                                 |  |   |                          |  |                       |   | <b>Chart:4375</b><br><b>Edn 11/15 (G15-149)</b>  |
| 762                             | Baleine Cove light<br>and bell buoy JM2          | S. of East Head.<br>45 56 20.3<br>059 50 45.7                                       | Fl R 4s .....            | .....                                      | .....                 | Red, marked "JM2".  | Seasonal.  |
|                                 |  |   |                          |  |                       |   | <b>Chart:4375</b>  |
| 763                             | Portnova light and<br>whistle buoy J10           | SE. of Portnova<br>Island.<br>45 55 38.2<br>059 46 10.5                             | Fl R 4s .....            | .....                                      | .....                 | Red, marked "J10".  | Seasonal.  |
|                                 |  |   |                          |  |                       |   | <b>Chart:4377</b>  |
| 764                             | Bar Reef light and<br>bell buoy JJ3              | E. of Helen Rock.<br>45 59 10.4<br>059 46 50.2                                      | Fl G 4s .....            | .....                                      | .....                 | Green, marked "JJ3".  | Seasonal.  |
|                                 |  |   |                          |  |                       |   | <b>Chart:4377</b><br><b>Edn 06/13 (G13-020)</b>  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                      | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|---|---|--------------------------|--|-----------------------|---|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |   |   |                          |  |                       |   |  |
| 764.4                           | Main-à-Dieu<br>Light buoy JJ10              | 45 59 54.7<br>059 50 1.3  | Q R 1s                   | .....                                      | .....                 | Red, spar marked "JJ10".  | Seasonal.<br>Year round.<br><br>Chart:4377<br>Edn 01/15 (G14-194)  |
| 764.5                           | Black Rock light<br>Spar JJ11               | 45 59 46.9<br>059 50 01.9                                       | Fl G 4s                  | .....                                      | .....                 | Green, lighted spar marked<br>"JJ11".   | Seasonal.<br>Year round.<br><br>Chart:4377<br>Edn 12/14 (G14-196)  |
| 765                             | Mad Dick Rock<br>light and bell buoy<br>JJ6 | Off S. side of rock.<br>45 59 59.1<br>059 49 21.5               | Fl R 4s                  | .....                                      | .....                 | Red, marked "JJ6".  | Seasonal.<br>Year round.<br><br>Chart:4377   |
| 765.1<br>H745.6                 | Main-à-Dieu<br>Harbour                      | 46 00 13.7<br>059 50 22.2                                       | Fl R 4s                  | 6.2  | 4                     | Triangular skeleton tower,<br>enclosed lower portion.<br>3.6                  | Operates at night only.<br><br>Chart:4377<br>Edn 06/15 (G15-036)   |
| 765.3<br>H745.4                 | Battery Point<br>(Main-à-Dieu)              | 46 00 17.3<br>059 50 25.4                                       | Fl G 4s                  | 4  | 4                     | Cylindrical mast.<br>2.2  | Operates at night only.<br><br>Chart:4377<br>Edn 06/15 (G15-035)   |
| 765.4<br>H745                   | Moque Head                                  | 46 00 25.4<br>059 49 21.7                                       | LFl W 6s                 | 12.1                                       | 12                    | Square skeleton tower,<br>with 3 daymarks red, white,<br>red.<br>6.8          | Flash 2s; eclipse 4s.<br>Operates at night only.<br>Year round.<br><br>Horn - Blast 3 s; sil. 27 s.<br>Horn points 070°.<br><br>Chart:4377<br>Edn 02/16 (G15-162)                                      |
| <b>Scatarie Island</b>          |   |   |                          |  |                       |   |  |
| 765.7                           | Howe Point light<br>and whistle buoy<br>JJ2 | 45 59 14.3<br>059 41 57.7                                       | Fl R 4s                  | .....                                      | .....                 | Red, marked "JJ2".  | Seasonal.<br><br>Chart:4375  |
| 766<br>H744                     | Main-à-Dieu                                 | On West Point of<br>Scatarie Island.<br>46 00 13.6<br>059 47 41 | Fl W 4s                  | 24.7                                       | 7                     | Skeleton tower,<br>3 rectangular red/white/red<br>horizontal daymarks.<br>9.9 | Operates at night only.<br>Year round.<br>Visible from all points of marine<br>approach.<br><br>Chart:4377<br>Edn 03/16 (G16-009)  |
| 767<br>H0742                    | Scatarie                                    | NE. point of<br>Scatarie Island.<br>46 02 04.3<br>059 40 33.7   | Fl W 3s                  | 19.5                                       | 13                    | Square tower,<br>3 rectangular daymarks,<br>horizontal red and white<br>band. | Flash 1 s; eclipse 2 s.<br>Year round.<br>Visible from all points of marine<br>approach.<br><br>Chart:4375<br>Edn 02/11 (G10-239)<br>Edn 05/11 (G11-058)<br>Edn 03/16 (G15-157)<br>Edn 11/16 (G16-124) |
| 767.6<br>H745.8                 | Mira Gut Swing<br>Bridge                    | N. side of bridge.<br>46 02 09.7<br>059 58 06.4                 | F G R                    | .....                                      | 9.2                   | Cylindrical mast.<br>4.0  | Green - bridge open;<br>Red - bridge closed.<br>Privately operated.<br>Operates at night only.<br>Year round.<br><br>Chart:4375  |
| 768<br>H746                     | Port Morien                                 | On SW. end of<br>breakwater.<br>46 07 50.8<br>059 52 13.2       | FL R 4s                  | 5.4  | 5                     | Cylindrical mast.<br>3  | Flash 1s; eclipse 3s;<br>Year round.<br><br>Chart:4375<br>Edn 02/15 (G14-205)<br>Edn 04/15   |



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                    | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                    | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|--|---|--------------------------|--|-----------------------|---|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |                       |   |  |
| 768.5                           | Port Morien light<br>buoy JA6  | 46 07 41.3<br>059 52 03.7   | Q R 1s                   | .....                                      | .....                 | Red spar, marked "JA6".   | Seasonal.<br><br>Chart:4375<br>Edn 01/15 (G15-191)   |
| 769                             | Cow Reef light<br>buoy JA2   | 46 09 42.3<br>059 48 46.7   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "JA2".   | Seasonal (in place year round).<br><br>Chart:4375<br>Edn 07/16 (G16-081)   |
| 770<br>H750                     | Flint Island   | Off Cape Percé.<br>46 10 51<br>059 46 13.2                          | LFl W 6s                 | 22.6                                       | 8                     | White hexagonal tower.  | Year round.<br>Flash 2s; eclipse 4s;<br>Emergency light.<br><br>Chart:4367<br>Edn. 02/15 (G14-213)<br>Edn. 02/15 (G14-202)           |
| 771                             | Glace Bay Light<br>and Bell Buoy KV                                      | NE. of bay.<br>46 13 28.8<br>059 55 37.8                            | Mo(A) W 6s               | .....                                      | .....                 | Red and white vertical<br>stripes, marked "KV".                             | Seasonal.<br><br>Chart:4367<br>Edn 07/17 (G17-022)   |
| 771.01                          | Glace Bay Outer<br>light buoy KV2  | 46 12 31.8<br>059 56 25.5   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "KV2".   | Seasonal.<br><br>Chart:4170<br>Edn 07/16 (G16-078)   |
| 771.04                          | Glace Bay Inner<br>light buoy KV5  | 46 12 02.9<br>059 56 42.6   | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "KV5".   | Seasonal.<br><br>Chart:4170<br>Edn 07/16 (G16-079)   |
| 771.05                          | Glace Bay Inner<br>light buoy KV6  | 46 12 04.2<br>059 56 45.8   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "KV6".   | Seasonal.<br><br>Chart:4170<br>Edn 07/16 (G16-080)   |
| 771.5                           | Glace Bay Outer<br>light buoy KV1  | 46 12 30<br>059 56 21   | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "KV1".   | Seasonal.<br><br>Chart:4170  |
| 772<br>H0752                    | On S. side of<br>entrance to Glace<br>Cove.<br>46 11 47.6<br>059 56 56.9 | F R   | .....                    | 8.4  | 11                    | Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>5.5 | Visible in line of range.<br>Year round.<br>Operates 24 h.   |
|                                 | Glace Bay range  |   |                          |  |                       |   |  |
| 773<br>H0752.1                  | 208°17' 101.7m<br>from front.  | F R   | .....                    | 13.0                                       | 11                    | Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>9.5 | Visible in line of range.<br>Year round.<br>Operates 24 h.<br><br>Chart:4170<br>Edn 12/09 (G09-157, 159)<br>Edn 12/16 (G16-132, 133) |
| 773.5                           | Glace Bay,<br>South breakwater<br>Light                                  | Near outer end of<br>South Breakwater.<br>46 11 55.1<br>059 56 49.4 | Q G 1s                   | .....                                      | 3                     | Pipe Swing Pole, Green,<br>White and black square<br>daymark.<br>3          | Year round.<br>Operates 24 h.<br><br>Carte:4170<br>Edn 06/16 (G16-027)   |
| 774<br>H0756                    | Glace Bay North<br>Breakwater  | On outer end of N.<br>breakwater.<br>46 11 56.7<br>059 56 51.8      | Fl R 3s                  | 9.0  | 6                     | Pipe Swing Pole,<br>Triangular daymark, red,<br>white, red.<br>3.0          | Year Round.<br><br>Chart:4170<br>Edn 10/10 (G10-140)<br>Edn 05/13 (G13-012)<br>Edn 04/16 (Q16-035)                                   |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

CAPE BRETON ISLAND, N.S.

|       |                                  |                         |         |       |       |                    |           |
|-------|----------------------------------|-------------------------|---------|-------|-------|--------------------|-----------|
| 774.4 | Lingan Harbour<br>light buoy KQ2 | 46 13 45<br>060 02 02.4 | Fl R 4s | ..... | ..... | Red, marked "KQ2". | Seasonal. |
|-------|----------------------------------|-------------------------|---------|-------|-------|--------------------|-----------|

**Chart:4367**

|       |                                  |                           |         |       |       |                      |           |
|-------|----------------------------------|---------------------------|---------|-------|-------|----------------------|-----------|
| 774.5 | Lingan Harbour<br>light buoy KQ7 | 46 13 43.2<br>060 02 28.2 | Fl G 4s | ..... | ..... | Green, marked "KQ7". | Seasonal. |
|-------|----------------------------------|---------------------------|---------|-------|-------|----------------------|-----------|

**Chart:4367**

|                 |              |                           |     |       |     |   |   |   |
|-----------------|--------------|---------------------------|-----|-------|-----|---|---|---|
| 774.6<br>H757.5 | Lingan range | 46 13 44.5<br>060 02 43.5 | F G | ..... | 4.8 | 7 | Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. | Visible in line of range. Operates at night only. Seasonal. |
|-----------------|--------------|---------------------------|-----|-------|-----|---|---|---|

|                  |  |                           |     |       |     |   |   |                                   |
|------------------|--|---------------------------|-----|-------|-----|---|---|-----------------------------------|
| 774.7<br>H757.51 |  | 270° 30.6m<br>from front. | F G | ..... | 7.4 | 7 | Triangular skeleton mast, enclosed lower portion, white daymark, red vertical stripe. | Operates at night only. Seasonal. |
|------------------|--|---------------------------|-----|-------|-----|---|---|-----------------------------------|

**Chart:4367**

**Sydney Harbour**

|             |                  |   |         |      |           |   |   |
|-------------|------------------|---|---------|------|-----------|---|---|
| 775<br>H758 | <b>Low Point</b> | E. side of entrance to Sydney Harbour.<br>46 16 01.5<br>060 07 32.9 | Fl W 5s | 25.8 | <b>18</b> | White octagonal tower, red upper portion.<br>20.8 | Flash 0.5 s; eclipse 4.5 s. Year round. |
|-------------|------------------|---|---------|------|-----------|---|---|

**Chart:4266**

|             |            |  |         |     |   |                           |                                     |
|-------------|------------|--|---------|-----|---|---------------------------|-------------------------------------|
| 778<br>H760 | Sydney Bar | On pier, W. extremity of Southeast Bar.<br>46 12 20.7<br>060 13 07.1 | Fl G 5s | 8.9 | 4 | On white building.<br>2.0 | Flash 1 s; eclipse 4 s. Year round. |
|-------------|------------|--|---------|-----|---|---------------------------|-------------------------------------|

**Chart:4266  
Edn 09/11 (F11-059)**

|     |                                    |  |         |       |       |                   |           |
|-----|------------------------------------|--|---------|-------|-------|-------------------|-----------|
| 779 | Sydney Northwest Bar light buoy S6 | On SE. edge of bar.<br>46 12 28.5<br>060 14 01.3 | Fl R 4s | ..... | ..... | Red, marked "S6". | Seasonal. |
|-----|------------------------------------|--|---------|-------|-------|-------------------|-----------|

**Chart:4266**

|       |                              |                           |        |       |       |                         |           |
|-------|------------------------------|---------------------------|--------|-------|-------|-------------------------|-----------|
| 779.4 | Northwest Bar light buoy SD2 | 46 12 32.8<br>060 14 10.3 | Q R 1s | ..... | ..... | Red spar, marked "SD2". | Seasonal. |
|-------|------------------------------|---------------------------|--------|-------|-------|-------------------------|-----------|

**Chart:4266**

|               |                             |                           |            |     |   |                          |   |
|---------------|-----------------------------|---------------------------|------------|-----|---|--------------------------|---|
| 780<br>H762.6 | Ballast Grounds (N. Sydney) | 46 12 21.2<br>060 14 52.2 | Fl(2) R 6s | 7.7 | 3 | Cylindrical mast.<br>6.7 | Flash 1 s; eclipse 1 s; flash 1s; eclipse 3s. Operates at night only. Year round. |
|---------------|-----------------------------|---------------------------|------------|-----|---|--------------------------|---|

**Chart:4266**

|             |              |   |          |      |    |  |   |
|-------------|--------------|---|----------|------|----|--|---|
| 782<br>H761 | Sydney range | On point, S. side of W. arm of Sydney Harbour.<br>46 10 48.2<br>060 15 01.1 | Iso Y 4s | 17.2 | 14 | White octagonal tower, red upper portion, red vertical stripe.<br>15.1 | Visible in line of range. Operates at night only. Year round. |
|-------------|--------------|---|----------|------|----|--|---|

|               |  |                               |          |      |    |  |   |
|---------------|--|-------------------------------|----------|------|----|--|---|
| 783<br>H761.1 |  | 213°36' 756.1m<br>from front. | Iso Y 4s | 37.2 | 14 | Square skeleton tower, red and white daymark.<br>9.6 | Visible in line of range. Operates at night only. Year round. |
|---------------|--|-------------------------------|----------|------|----|--|---|

**Chart:4266  
Edn 08/11 (G11-222, 223)**

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics       | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range  | Description<br>-----<br>Height in meters<br>above ground  | Remarks<br>-----<br>Fog Signals |
|---------------------------------|--|---|--------------------------------|--|--|---|---------------------------------|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                                |  |  |   |                                 |
| 784<br>H764                     | Sydney South<br>Arm range                          | Near N. extremity of<br>point.<br>46 09 26.8<br>060 12 12.4 | F G ..... 8                    | 12   | Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>6.7  | Visible in line of range.<br>Year round.  |                                 |
| 785<br>H764.1                   |  | 162°32' 151.1m<br>from front.                               | F G ..... 16.1                 | 15   | Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>13.1 | Visible in line of range.<br>Year round.<br><br><b>Chart:4266<br/>Edn 03/11 (G11-052)</b>                     |                                 |
| 785.5                           | Barachois light<br>buoy S14                        | At entrance to<br>creek.<br>46 09 32.8<br>060 12 53         | Fl R 4s ..... ..               | .....                                      | Red spar, marked "S14".  | Seasonal.<br><br><b>Chart:4266</b>  |                                 |
| 785.7<br>H767                   | Point Edward Main<br>Jetty North                   | 46 09 22<br>060 13 02.6                                     | F R ..... 7.0<br>F R ..... 7.0 | 6<br>.....                                 | Mast.<br>4.6   | Privately operated.<br>Year round.<br><br><b>Chart:4266</b>   |                                 |
| 785.8<br>H766.2                 | Point Edward Main<br>Jetty South                   | 46 09 13.9<br>060 13 02.9                                   | F R ..... 7.3<br>F R ..... 7.8 | .....<br>.....                             | Skeleton tower.<br>3.6   | Visible from all points of marine<br>approach.<br>Privately operated.<br>Year round.<br><br><b>Chart:4266</b> |                                 |
| 785.84<br>H768                  | Crawleys Creek<br>range                            | 46 09 00.9<br>060 13 21                                     | Iso W 4s 4.1                   | 3  | Skeleton mast, white<br>daymark, black vertical<br>stripe.<br>3.5            | Privately maintained.<br>Year round.  |                                 |
| 785.85<br>H768.1                |  | 235°21' 174.5m<br>from front.                               | Iso W 1s 9.3                   | 3  | Skeleton mast, white<br>daymark, black vertical<br>stripe.<br>3.5            | Privately maintained.<br>Year round.<br><br><b>Chart:4266<br/>Edn 08/11 (G11-224, 225)</b>                    |                                 |
| 786                             | Battery Point light<br>buoy S15                    | Off point.<br>46 08 53.5<br>060 12 26.5                     | Fl G 4s ..... ..               | .....                                      | Green spar, marked "S15".  | Seasonal (in place year round).<br><br><b>Chart:4266<br/>Edn 03/17 (G17-007)</b>                              |                                 |
| 787                             | Shingle Point light<br>buoy S18                    | On edge of shoal.<br>46 08 27.7<br>060 12 13.7              | Fl R 4s ..... ..               | .....                                      | Red spar, marked "S18".  | Seasonal (in place year round).<br><br><b>Chart:4266<br/>Edn 03/17 (G17-007)</b>                              |                                 |
| 787.2                           | South Bar Ruins<br>light buoy SS1                  | 46 11 58.1<br>060 12 17.2                                   | Fl G 4s ..... ..               | .....                                      | Green spar, marked "SS1".  | Seasonal (in place year round).<br><br><b>Chart:4266</b>  |                                 |
| 788                             | Sydney Harbour<br>South Arm light<br>buoy S21      | 46 07 49<br>060 12 11.5                                     | Fl G 4s ..... ..               | .....                                      | Green spar, marked "S21".  | Seasonal.<br><br><b>Chart:4266</b>  |                                 |
| 789                             | Cran Rock light<br>buoy S2                         | 46 16 26<br>060 11 29                                       | Fl R 4s ..... ..               | .....                                      | Red, marked "S2".  | Seasonal.<br><br><b>Chart:4266</b>  |                                 |
| 789.5                           | Point Aconi<br>Fairway light and<br>whistle buoy U | 46 21 28.2<br>060 14 49.1                                   | LFl W 10s ..... ..             | .....                                      | Red and white marked "U".  | Flash 2 s; eclipse 8s.<br>Seasonal.<br><br><b>Chart:4367<br/>Edn 08/13 (G13-018)</b>                          |                                 |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                              | Light<br>Characteristics  | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground  | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|--|---|---------------------------|--|-----------------------|---|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                           |  |                       |   |  |
| 790                             | Little Bras d'Or<br>Entrance light and<br>bell buoy U1 | 46 19 27.2<br>060 16 33.6   | Fl G 4s                   | .....                                      | .....                 | Green, marked "U1".   | Seasonal.<br><br>Chart:4367  |
| 791                             | Alder Point light<br>buoy U4                           | Entrance to Little<br>Bras d'Or, W. of<br>point.<br>46 18 56.2<br>060 17 05.2 | Q R 1s                    | .....                                      | .....                 | Red, marked "U4".   | Seasonal.<br><br>Chart:4276  |
| 791.5                           | Little Bras d'Or<br>Entrance light<br>buoy U9          | 46 18 46.2<br>060 17 05.2   | Fl G 4s                   | .....                                      | .....                 | Green, marked "U9".   | Seasonal.<br><br>Chart:4276  |
| <b>Sydney Harbour</b>           |  |   |                           |  |                       |   |  |
| 792<br>H772                     | Little Bras d'Or<br>range                              | On N. side of<br>entrance.<br>46 18 43.9<br>060 17 13.8                       | F R                       | .....                                      | 8.8                   | 6 Galvanized steel, square<br>skeleton tower, white<br>daymark, red vertical<br>stripe.<br>3.6      | Year round.  |
| 793<br>H772.1                   |  | 211°46' 354 m<br>from front.  | F R                       | .....                                      | 12.7                  | 3 Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>6.5                       | Year round.<br><br>Chart:4276<br>Edn 12/14 (G14-206)<br>Edn 03/15 (G2014-214, 215)   |
| 794.2                           | McCreadyville light<br>buoy U12                        | 46 18 38.7<br>060 17 07.4   | Fl R 4s                   | .....                                      | .....                 | Red, marked "U12".  | Seasonal.<br><br>Chart:4276  |
| 794.4<br>H0774                  | Little Bras d'Or<br>Sector                             | 46 17 53.8<br>060 17 09.8   | F<br>Al<br>RW<br>Al<br>GW | R<br>W<br>G                                | .....                 | 4.1 15 Skeleton tower, enclosed<br>lower portion.<br>3.4  | Red from 180°15' to 182°05';<br>Al RW 182°05' to 182°30'; white<br>from 182°30' to 183°; Al GW 183°<br>to 183°25'; green from 183°25' to<br>185°15'.<br>Operates at night only.<br>Year round.<br><br>Chart:4276 |
| 796<br>H770                     | Point Aconi  | On point.<br>46 20 10.3<br>060 17 31.9  | LFl W 6s                  | 26.9                                       | 14                    | Square skeleton tower,<br>3 red & white rectangular<br>Daymarks facing 315T,<br>045T & 135T.<br>9.9 | Flash 2s Eclipse 4s.<br>Visible from all points of marine<br>approach.<br>Year round.<br><br>Chart:4367<br>Edn 11/12 (G12-175)<br>Edn 10/13 (G13-017)  |
| 797                             | Carey Beach light<br>and bell buoy Q1                  | W. of Table Rock.<br>46 20 06.6<br>060 17 31.9                                | Fl G 4s                   | .....                                      | .....                 | Green, marked "Q1".   | Seasonal.<br><br>Chart:4277  |
| 797.5                           | Carey Beach light<br>and bell buoy Q2                  | 46 19 05.6<br>060 23 18.9   | Fl R 4s                   | .....                                      | .....                 | Red, marked "Q2".   | Seasonal.<br><br>Chart:4277  |
| 798                             | Black Rock Point<br>light buoy Q3                      | N. of Black Rock<br>Shoal.<br>46 18 52.4<br>060 23 26.2                       | Q G 1s                    | .....                                      | .....                 | Green, marked "Q3".   | Seasonal.<br><br>Chart:4277  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                        | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                 | Remarks<br>-----<br>Fog Signals   |
|---------------------------------|--|---|--------------------------|--|-----------------------|--|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |                       |  |   |
| 799<br>H778                     | Black Rock Point                                   | S. side of entrance<br>to Great Bras d'Or.<br>46 18 18.8<br>060 23 29.8 | LFl W 6s                 | 25.8                                       | 12                    | White square tower.<br>12.4  | Flash 2 s; eclipse 4 s.<br>Visible from 047° through E., and<br>S. to 227°.<br>Year round.<br><br><b>Horn</b> - Blast 3 s; sil. 27 s.<br>Horn points 353°.<br><br><b>Chart:4277</b>   |
| 800<br>H779                     | <b>Black Rock Point<br/>Sector</b>                 | On point near<br>shore.<br>46 18 18.7<br>060 23 32.1                    | F AI GW AI RW<br>R W G   | 16.6                                       | 19                    | Square skeleton tower.<br>3.5  | Green from 045°15' to 048°20';<br>AI GW from 048°20' to 048°35';<br>white from 048°35' to 049°35'.<br>AI RW 049°35' to 049°50'; red<br>from 049°50' to 053°45'.<br>White sector indicates preferred<br>channel.<br>Seasonal.<br><br><b>Chart:4277</b><br><b>Edn 06/09 (G09-052)</b><br><b>Edn 11/09 (G09-148)</b> |
| 801                             | Great Bras d'Or<br>Entrance Outer<br>light buoy Q4 | W. of Black Rock<br>Point light.<br>46 18 39.8<br>060 23 42.7           | Fl R 4s                  | .....                                      | .....                 | Red, marked "Q4".  | Seasonal.<br><br><b>Chart:4277</b>  |
| 801.5                           | Little Shoal light<br>buoy Q5                      | 46 18 17.4<br>060 23 58.8   | Fl G 4s                  | .....                                      | .....                 | Green, marked "Q5".  | Seasonal.<br><br><b>Chart:4277</b>  |
| 802                             | Great Bras d'Or<br>Inner light buoy Q6             | Off The Bar.<br>46 17 56.8<br>060 24 20.1                               | Fl R 4s                  | .....                                      | .....                 | Red boat type, marked<br>"Q6".   | Seasonal.<br><br><b>Chart:4277</b>  |
| 802.1                           | Gooseberry Beach<br>light buoy Q7                  | 46 17 54<br>060 24 18.4   | Fl G 4s                  | .....                                      | .....                 | Green, marked "Q7".  | Seasonal.<br><br><b>Chart:4277</b>  |
| 802.2                           | Carey Point light<br>buoy Q8                       | 46 17 43<br>060 24 33.9   | Q R 1s                   | .....                                      | .....                 | Red boat type, marked<br>"Q8".   | Seasonal.<br><br><b>Chart:4277</b>  |
| <b>Great Bras d'Or</b>          |  |   |                          |  |                       |  |   |
| 803<br>H782                     | Great Bras d'Or<br>range                           | On Noire Point.<br>46 17 25.5<br>060 24 48.3                            | F G .....                | 15.7                                       | 6                     | White square tower, red<br>upper portion, red vertical<br>stripe.<br>9.9 | Visible in line of range.<br>Seasonal.  |
| 804<br>H782.1                   |  | 212°25' 514.6m<br>from front.   | F G .....                | 19.1                                       | 6                     | White square tower, red<br>vertical stripe.<br>16.4                      | Visible in line of range.<br>Seasonal.<br><br><b>Chart:4277</b>   |
| 804.5<br>H784                   | Duffus Point                                       | On wharf.<br>46 16 51.6<br>060 25 30.1                                  | Fl W 4s                  | 7.4  | 5                     | Pipe swing pole.<br>7  | Seasonal.<br><br><b>Chart:4277</b><br><b>Edn 02/15 (G14-217)</b>  |
| 804.6<br>H786                   | Kellys Cove Wharf                                  | S. corner of wharf.<br>46 17 19.3<br>060 26 13.5                        | F W .....                | 5.0  | 12                    | Skeleton tower, enclosed<br>lower portion.<br>3.8                        | Operates at night only.<br>Seasonal.<br><br><b>Chart:4277</b>   |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.     | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                     | Remarks<br>-----<br>Fog Signals   |
|---------------------------------|--|--|--------------------------|--|-----------------------|--|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |  |                          |  |                       |  |   |
| 804.8                           | Great Bras D'Or<br>Inner light buoy<br>Q10         | 46 16 26.8<br>060 26 46.5                            | Fl R 4s                  | .....                                      | .....                 | Red, marked "Q10".   | Seasonal.<br><br>Chart:4277   |
| 805                             | Chain Point Shoal<br>light buoy Q11                | 46 15 40<br>060 27 29.8                              | Fl G 4s                  | .....                                      | .....                 | Green, marked "Q11".   | Seasonal.<br><br>Chart:4277   |
| 805.8                           | Seal Reefs light<br>buoy Q12                       | E. of reefs.<br>46 14 04.2<br>060 29 20.2            | Q R 1s                   | .....                                      | .....                 | Red boat type, marked<br>"Q12".  | Seasonal.<br><br>Chart:4277   |
| 806                             | Seal Reefs light<br>buoy Q14                       | 46 13 50.2<br>060 29 34.7                            | Fl R 4s                  | .....                                      | .....                 | Red, marked "Q14".   | Seasonal.<br><br>Chart:4277   |
| 807                             | Lime Rock light<br>buoy Q15                        | SW. of McLean<br>Point.<br>46 13 27.2<br>060 29 57.3 | Fl G 4s                  | .....                                      | .....                 | Green, marked "Q15".   | Seasonal.<br><br>Chart:4277   |
| 809.7<br>H792                   | <b>Man of War Point<br/>range</b>                  | 46 11 31.7<br>060 32 39.5                            | F Y .....                | 18.1                                       | 10                    | Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>9.6  | Visible in line of range.<br>Seasonal.  |
| 809.8<br>H792.1                 |  | 223°03' 768.8m<br>from front.                        | F Y .....                | 28.5                                       | 16                    | Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>20.2 | Visible in line of range.<br>Seasonal.<br><br>Chart:4277                        |
| 810.7<br>H796                   | <b>MacFarlane Point<br/>range</b>                  | 46 07 34.1<br>060 36 15.1                            | F Y .....                | 18.0                                       | 17                    | Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>9.7  | Visible in line of range.<br>Seasonal.  |
| 810.8<br>H796.1                 |  | 065°15' 277.2m<br>from front.                        | F Y .....                | 31.0                                       | 15                    | Triangular skeleton mast,<br>white daymark, red vertical<br>stripe.<br>10.2  | Visible in line of range.<br>Seasonal.<br><br>Chart:4277<br>Edn 03/11 (G11-050) |
| 811<br>H798                     | MacKenzie Point                                    | W. of MacDonald<br>Point.<br>46 06 59.4<br>060 38 56 | Fl R 4s                  | 21.3                                       | 2                     | Skeleton tower, red and<br>white rectangular<br>daymarks.<br>6.7             | Operates at night only.<br>Seasonal.<br><br>Chart:4277<br>Edn 03/13 (G13-002)   |
| 811.1                           | MacRae Point light<br>buoy Q20                     | 46 06 32.2<br>060 39 56.2                            | Fl R 4s                  | .....                                      | .....                 | Red, marked "Q20".   | Seasonal.<br><br>Chart:4278   |
| 811.2                           | Fraser Point light<br>buoy Q21                     | 46 06 19.2<br>060 39 56.2                            | Fl G 4s                  | .....                                      | .....                 | Green, marked "Q21".   | Seasonal.<br><br>Chart:4278   |
| 812                             | MacRae Point<br>Shoal bifurcation<br>light buoy QA | 46 06 02<br>060 40 31.1                              | Fl (2+1)<br>G 6s         | .....                                      | .....                 | Green, red and green,<br>marked "QA".  | Seasonal.<br><br>Chart:4278   |

**St. Patricks Channel**

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name                                     | Position<br>-----<br>Latitude N.<br>Longitude W.                              | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground      | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|--|---|--------------------------|--|-----------------------|---|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |                       |   |  |
| 813.5                           | Bone Shoal light<br>buoy A2              | 46 05 19.5<br>060 44 27.5   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "A2".  | Seasonal.<br><br>Chart:4278  |
| 814                             | Bone Island light<br>buoy A3             | At N. edge of shoal<br>off Bone Island.<br>46 05 03.6<br>060 44 52.5          | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "A3".                                      | Seasonal.<br><br>Chart:4278  |
| 815<br>H800                     | Kidston Island                           | On NE. point,<br>entrance to<br>Baddeck Harbour.<br>46 05 53.3<br>060 44 31.3 | LFl G 12s                | 13.3                                       | 6                     | White square tower, red<br>upper portion.<br>14.3             | Flash 2 s; eclipse 10 s.<br>Operates at night only.<br>Seasonal.<br><br>Chart:4278 |
| 815.1<br>H801                   | Kidston Island<br>West End               | 46 05 33.2<br>060 45 00.7   | Fl R 6s                  | 13.5                                       | 4                     | White cylindrical tower, two<br>red horizontal bands.<br>10.6 | Operates at night only.<br>Seasonal.<br><br>Chart:4278                             |
| 815.3                           | Stony Shoal light<br>buoy A4             | 46 04 54.5<br>060 46 18.4   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "A4".  | Seasonal.<br><br>Chart:4278  |
| 816                             | Brian Point light<br>buoy A9             | Off point.<br>46 03 38.2<br>060 51 56.3                                       | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "A9".                                      | Seasonal.<br><br>Chart:4278  |
| 817                             | MacIvers Point<br>light buoy A11         | N. of point.<br>46 02 27.2<br>060 55 33.3                                     | Q G 1s                   | .....                                      | .....                 | Green spar, marked "A11".                                     | Seasonal.<br><br>Chart:4278  |
| 818                             | MacIvers Point<br>West light buoy<br>A13 | W. of point.<br>46 02 12.2<br>060 55 40                                       | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "A13".                                     | Seasonal.<br><br>Chart:4278  |
| 818.5                           | MacIvers Point<br>light buoy A14         | 46 02 05.4<br>060 55 47.7   | Q R 1s                   | .....                                      | .....                 | Red spar, marked "A14".                                       | Seasonal.<br><br>Chart:4278  |
| 819                             | MacIvers Point<br>light buoy A16         | 46 01 58.7<br>060 55 58.3   | Q R 1s                   | .....                                      | .....                 | Red spar, marked "A16".                                       | Seasonal.<br><br>Chart:4278  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name                                       | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                    | Remarks<br>-----<br>Fog Signals   |
|---------------------------------|--|--|--------------------------|--|-----------------------|---|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |  |                          |  |                       |   |   |
| 820<br>H802                     | Maclvers Point<br>range                    | On shore.<br>46 02 05.9<br>060 55 27.8           | Iso W 2s                 | 3.6  | 10                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br><br>3.6 | Visible in line of range.<br>Operates at night only.<br>To activate the range lights,<br>mariners can key their<br>radio/microphone 5 pulses of 0.5<br>seconds each and within 10<br>seconds the light will be activated<br>for 15 minutes. The lights will stay<br>activated for 15 minutes and can<br>be reactivated as required. Use<br>channel 65 – 156.275 hertz.<br>Seasonal. |
| 821<br>H802.1                   |  | 066°23' 33m<br>from front.                       | Iso W 2s                 | 8.1  | 10                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br><br>6.5 | Visible in line of range.<br>Operates at night only.<br>To activate the range lights,<br>mariners can key their<br>radio/microphone 5 pulses of 0.5<br>seconds each and within 10<br>seconds the light will be activated<br>for 15 minutes. The lights will stay<br>activated for 15 minutes and can<br>be reactivated as required. Use<br>channel 65 – 156.275 hertz.<br>Seasonal. |
| 822                             | Maclvers Bank<br>East light buoy<br>A17    | 46 01 48.7<br>060 56 18.3                        | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "A17".   | Seasonal.<br><br><b>Chart:4278</b>  |
| 823                             | Maclvers Bank<br>light buoy A19            | 46 01 35.4<br>060 56 54.3                        | Q G 1s                   | .....                                      | .....                 | Green spar, marked "A19".   | Seasonal.<br><br><b>Chart:4278</b>  |
| 823.1                           | Little Narrows<br>Gypsum light buoy<br>LN3 | 46 02 00.2<br>060 55 40.9                        | Q G 1s                   | .....                                      | .....                 | Green, marked "LN3".  | Privately maintained by Little<br>Narrows Gypsum.<br>Seasonal.<br><br><b>Chart:4278</b><br><b>Edn 08/11 (G11-228)</b>   |
| 823.2                           | Little Narrows<br>Gypsum light buoy<br>LN4 | Bras d'Or Lakes.<br>46 01 55<br>060 55 42.2      | Fl R 4s                  | .....                                      | .....                 | Red, marked "LN4".  | Privately maintained by Little<br>Narrows Gypsum.<br>Seasonal.<br><br><b>Chart:4278</b><br><b>Edn 08/11 (G11-229)</b>   |
| 823.3                           | Little Narrows<br>Gypsum light buoy<br>LN5 | Bras d'Or Lakes.<br>46 01 48.5<br>060 55 30.4    | Fl G 4s                  | .....                                      | .....                 | Green, marked "LN5".  | Privately maintained by Little<br>Narrows Gypsum.<br>Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 08/11 (G11-231)</b>  |
| 823.4                           | Little Narrows<br>Gypsum light buoy<br>LN6 | Bras d'Or Lakes.<br>46 01 37.3<br>060 55 30.6    | Q R 1s                   | .....                                      | .....                 | Red, marked "LN6".  | Privately maintained by Little<br>Narrows Gypsum.<br>Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 08/11 (G11-232)</b>  |



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

CAPE BRETON ISLAND, N.S.

|                  |  |  |         |       |       |  |  |
|------------------|--|--|---------|-------|-------|--|--|
| 823.5            | Little Narrows<br>Gypsum light buoy<br>LN7 | Bras d'Or Lakes.<br>46 01 29<br>060 55 31            | Fl G 4s | ..... | ..... | Green, marked "LN7".   | Privately maintained by Little<br>Narrows Gypsum.<br>Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 08/11 (G11-233)</b>   |
| 823.6            | Little Narrows<br>Gypsum light buoy<br>LN8 | Bras d'Or Lakes.<br>46 01 29.5<br>060 55 42.3        | Fl R 4s | ..... | ..... | Red, marked "LN8".   | Privately maintained by Little<br>Narrows Gypsum.<br>Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 08/11 (G11-234)</b>   |
| 823.7            | Little Narrows<br>Gypsum light buoy<br>LN9 | 46 01 24<br>060 55 52.8                              | Fl G 4s | ..... | ..... | Green, marked "LN9".   | Privately maintained by Little<br>Narrows Gypsum.<br>Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 08/11 (G11-235)</b>   |
| 825<br>H803      | Morrison's Cove<br>range                   | On shore.<br>46 00 40.9<br>060 56 18                 | F Y     | ..... | 3.4   | 10 Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>3.5     | Visible in line of range.<br>Operates at night only.<br>Seasonal.  |
| 826<br>H803.1    |  | 195°31' 640.9m<br>from front.                        | F Y     | ..... | 6.4   | 10 Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>6.5     | Visible in line of range.<br>Operates at night only.<br>Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 12/10 (G10-190, 236)</b><br><b>Edn 02/14 (G14-20, 021)</b> |
| 828              | Donald Williams<br>Point light buoy<br>A22 | NE. of point.<br>46 00 39.1<br>060 57 34.1           | Fl R 4s | ..... | ..... | Red spar, marked "A22".  | Seasonal.<br><br><b>Chart: 4278</b>  |
| 829              | Eel Shoal light<br>buoy A25                | W. end of shoal.<br>46 00 20.3<br>060 57 43          | Fl G 4s | ..... | ..... | Green spar, marked "A25".  | Seasonal.<br><br><b>Chart: 4278</b>  |
| 829.1            | Great Bras d'Or<br>light buoy A27          | 45 59 49.3<br>060 58 51.0                            | Q G 1s  | ..... | ..... | Green spar, marked "A27".  | Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 10/09 (G09-119)</b><br><b>Edn 07/16 (G16-036)</b>  |
| 829.2            | Great Bras d'Or<br>light buoy A28          | 45 59 40.7<br>060 59 03.3                            | Fl R 4s | ..... | ..... | Red spar, marked "A28".  | Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 10/09 (G09-121)</b>  |
| 829.3            | Little Narrows light<br>buoy A29           | 45 59 25.6<br>060 59 15.5                            | Fl G 4s | ..... | ..... | Green, marked "A29".   | Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 11/09 (G09-123)</b>  |
| 829.5<br>H804.4  | Little Narrows<br>range                    | SW. of Gypsum<br>Plant.<br>45 59 49.2<br>060 58 08.2 | F Y     | ..... | 4.7   | 10 Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>3.5 | Visible in line of range.<br>Seasonal.   |
| 829.6<br>H804.41 |  | 206°44' 127.6m<br>from front.                        | F Y     | ..... | 10.2  | 10 Triangular skeleton tower,<br>white daymark, red vertical<br>stripe.<br>3.4 | Visible in line of range.<br>Seasonal.<br><br><b>Chart: 4278</b><br><b>Edn 06/13 (G13-031, 033)</b>  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

CAPE BRETON ISLAND, N.S.

|             |             |  |           |     |    |   |                                      |
|-------------|-------------|--|-----------|-----|----|---|--------------------------------------|
| 831<br>H806 | Whycocomagh | On Lovett Point, N.<br>side of channel.<br>45 57 40.6<br>061 04 40.5 | F W ..... | 7.0 | 11 | Skeleton tower, enclosed<br>lower portion.<br>6.8 | Operates at night only.<br>Seasonal. |
|-------------|-------------|--|-----------|-----|----|---|--------------------------------------|

Chart: 4278

Barra Strait

|             |                         |   |           |      |       |                          |  |
|-------------|-------------------------|---|-----------|------|-------|--------------------------|--|
| 834<br>H818 | Grand Narrows<br>Bridge | On centre of swing<br>bridge between<br>Kelly and Uniacke<br>Points.<br>45 57 31.9<br>060 47 49.5 | F R ..... | 16.7 | ..... | Cylindrical mast.<br>2.1 | Lights show red up and down<br>channel when swing bridge is<br>closed, green when open.<br>White light is always visible.<br>Maintained by railway.<br>Year round. |
|-------------|-------------------------|---|-----------|------|-------|--------------------------|--|

Chart: 4278

|             |             |  |         |      |   |   |                                      |
|-------------|-------------|--|---------|------|---|---|--------------------------------------|
| 835<br>H822 | Derby Point | On point.<br>45 56 22.3<br>060 48 03.5 | Fl R 4s | 15.7 | 6 | Skeleton tower, enclosed<br>lower portion, red and<br>white rectangular daymark.<br>6.7 | Operates at night only.<br>Seasonal. |
|-------------|-------------|--|---------|------|---|---|--------------------------------------|

Chart: 4278

|       |                                |                           |         |       |       |                     |           |
|-------|--------------------------------|---------------------------|---------|-------|-------|---------------------|-----------|
| 835.8 | McPhee Island<br>light buoy E3 | 45 56 28.8<br>060 32 12.4 | Fl G 4s | ..... | ..... | Green, marked "E3". | Seasonal. |
|-------|--------------------------------|---------------------------|---------|-------|-------|---------------------|-----------|

Chart: 4279

Bras d'Or Lake

|        |                             |                       |         |       |       |                               |                                    |
|--------|-----------------------------|-----------------------|---------|-------|-------|-------------------------------|------------------------------------|
| 836.02 | Dundee Marina<br>light buoy | 45 41 57<br>061 05 25 | Fl G 4s | ..... | ..... | Green spar, marked<br>"PRIV". | Privately maintained.<br>Seasonal. |
|--------|-----------------------------|-----------------------|---------|-------|-------|-------------------------------|------------------------------------|

Chart: 4279  
Edn 10/11 (G11-285)

|        |                             |                       |         |       |       |                          |                                    |
|--------|-----------------------------|-----------------------|---------|-------|-------|--------------------------|------------------------------------|
| 836.03 | Dundee Marina<br>light buoy | 45 41 58<br>061 05 24 | Fl R 4s | ..... | ..... | Red spar, marked "PRIV". | Privately maintained.<br>Seasonal. |
|--------|-----------------------------|-----------------------|---------|-------|-------|--------------------------|------------------------------------|

Chart: 4279  
Edn 10/11 (G11-284)

|       |                             |                         |         |       |       |                          |           |
|-------|-----------------------------|-------------------------|---------|-------|-------|--------------------------|-----------|
| 836.1 | Poor Point light<br>buoy D1 | 45 46 40.5<br>060 56 29 | Fl G 4s | ..... | ..... | Green spar, marked "D1". | Seasonal. |
|-------|-----------------------------|-------------------------|---------|-------|-------|--------------------------|-----------|

Chart: 4279

|     |                                |                           |         |       |       |                         |           |
|-----|--------------------------------|---------------------------|---------|-------|-------|-------------------------|-----------|
| 837 | Paddle Shoal light<br>buoy DA2 | 45 48 17.4<br>060 57 49.4 | Fl R 4s | ..... | ..... | Red spar, marked "DA2". | Seasonal. |
|-----|--------------------------------|---------------------------|---------|-------|-------|-------------------------|-----------|

Chart: 4279

|             |                |   |         |     |   |                            |                                      |
|-------------|----------------|---|---------|-----|---|----------------------------|--------------------------------------|
| 838<br>H832 | Cameron Island | On NE. end of<br>island.<br>45 48 51<br>061 00 25.3 | Fl G 4s | 9.3 | 5 | White square tower.<br>8.4 | Operates at night only.<br>Seasonal. |
|-------------|----------------|---|---------|-----|---|----------------------------|--------------------------------------|

Chart: 4279

|               |                   |  |           |     |   |                                  |  |
|---------------|-------------------|--|-----------|-----|---|----------------------------------|--|
| 838.4<br>H833 | Clarke Cove Wharf | On wharf.<br>45 49 12.4<br>061 02 20.6 | F R ..... | 4.5 | 9 | Triangular skeleton mast.<br>3.7 | Maintained by Marble Mountain<br>Preservation Society.<br>Operates at night only.<br>Seasonal. |
|---------------|-------------------|--|-----------|-----|---|----------------------------------|--|

Chart: 4279

St. Peters Inlet

|     |                                |   |         |       |       |                           |           |
|-----|--------------------------------|---|---------|-------|-------|---------------------------|-----------|
| 839 | Kelly Shoals light<br>buoy Q35 | On W. side of<br>shoals.<br>45 46 10.6<br>060 49 25.7 | Fl G 4s | ..... | ..... | Green spar, marked "Q35". | Seasonal. |
|-----|--------------------------------|---|---------|-------|-------|---------------------------|-----------|

Chart: 4279

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.   | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                                     | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|---|--|--------------------------|--|-----------------------|--|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |   |  |                          |  |                       |  |  |
| 840<br>H838                     | Cape George   | S. side of lake, W.<br>side of entrance to<br>St. Peters Inlet.<br>45 42 05.2<br>060 48 38.1 | Fl W 4s                  | 12.4                                       | 6                     | Steel square tower.<br>Rectangular red and white<br>daymarks.<br>8.2                         | Visible from 126° through S. and<br>W. to 317°.<br>Operates at night only.<br>Seasonal.<br><br><b>Chart:4275<br/>Edn 01/16 (G15-159)</b>   |
| 841<br>H839                     | Gregory Island                                      | On island.<br>45 42 38.5<br>060 48 01.3  | Fl G 4s                  | 11.0                                       | 4                     | Square skeleton tower,<br>green and white square<br>daymarks with black<br>square in center. | Operates at night only.<br>Seasonal.<br>Daymarks facing North, West and<br>South.<br><br><b>Chart:4275<br/>Edn 12/14 (G14-199)</b>   |
| 841.5                           | Scotts Island light<br>buoy Q43                     | W. of island.<br>45 41 32.2<br>060 48 30.9   | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "Q43".  | Seasonal.<br><br><b>Chart:4275</b>   |
| 842<br>H842                     | Beaver Island                                       | On SE. point of<br>island.<br>45 40 29.5<br>060 50 01.4                                      | Fl W 4s                  | 9.9  | 6                     | White cylindrical tower, red<br>horizontal bands.<br>9.7                                     | Operates at night only.<br>Seasonal.<br><br><b>Chart:4275</b>  |
| 843<br>H843                     | Helens Island                                       | W. from Sandys<br>Point.<br>45 39 58.2<br>060 51 21.1  | Fl G 4s                  | 7.5  | 2                     | Aluminum Swing Pole with<br>2 - 2x2 square day<br>beacons, green/white/<br>black.<br>6.6     | Seasonal.<br><br><b>Chart:4275<br/>Edn 03/11 (G11-001)<br/>Edn 02/15 (G14-216)</b>   |
| 845.1                           | Great Bras D'Or<br>(St. Anns Bay)<br>light buoy KP2 | 46 18 02.2<br>060 31 47.3  | Fl R 4s                  | .....                                      | .....                 | Red, marked "KP2".   | Seasonal.<br><br><b>Chart:4277<br/>Edn 03/12</b>   |
| 845.3                           | Great Bras D'Or<br>(St. Anns Bay)<br>light buoy KP7 | 46 17 32<br>060 32 18.8  | Fl G 4s                  | .....                                      | .....                 | Green ,marked "KP7".   | Seasonal.<br><br><b>Chart:4277<br/>Edn 09/14 (G14-067)<br/>Edn 06/11 (G11-133)<br/>Edn 03/12</b>   |
| 845.4                           | Port Shoal light<br>buoy KP8                        | 46 17 00.2<br>060 33 01.2  | Fl R 4s                  | .....                                      | .....                 | Red, marked "KP8".   | Seasonal.<br><br><b>Chart:4277<br/>Edn 07/11 (G11-199)</b>   |
| 845.5                           | Breton Cove light<br>and bell buoy KN               | 46 26 27.2<br>060 26 48.6  | Mo(A) W 6s               | .....                                      | .....                 | Red and white vertical<br>stripes, marked "KN".  | Seasonal.<br><br><b>Chart:4367<br/>Edn 03/12</b>   |
| 845.7<br>H857.5                 | Breton Cove range                                   | 46 26 41.2<br>060 27 38.7  | F Y .....                | 7.2  | 12                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.                             | Visible in line of range.<br>Operates at night only.<br>Seasonal.  |
| 845.8<br>H857.51                |   | 290°59' 80.2m<br>from front.   | F Y .....                | 10.7                                       | 12                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.                             | Visible in line of range.<br>Operates at night only.<br>Seasonal.<br><br><b>Chart:4367<br/>Edn 04/11 (G11-055, 056)<br/>Edn 03/12<br/>Edn 05/12 (G12-024)<br/>Edn 03/13 (G13-004, 005)</b> |

## ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.                                 | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                                   | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|--|--|--------------------------|--|-----------------------|--|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |  |                          |  |                       |  |  |
| 845.9                           | Little River Inner                                 | End of rock pile on<br>the inside of<br>breakwater.<br>46 26 42.1<br>060 27 31.7 | Fl R 4s                  | 2.6  | 2                     | Cylindrical mast.<br>2.2   | Operates at night only.<br>Seasonal.<br><br>Chart:4367<br>Edn 02/12 (G12-006)                        |
| 846                             | Cape Smokey light<br>and whistle buoy<br>K4        | 46 38 21.2<br>060 19 39  | Fl R 4s                  | .....                                      | .....                 | Red, marked "K4".  | Seasonal.<br><br>Chart:4365  |
| 847<br>H858                     | Ingonish Harbour                                   | On beach, N. side<br>of harbour entrance.<br>46 38 02.9<br>060 23 19.2           | Iso W 4s                 | 7.1  | 6                     | Square skeleton tower, red<br>and white rectangular<br>daymark.<br>5.1                     | Operates at night only.<br>Seasonal.<br><br>Chart:4365<br>Edn 11/11 (G11-294)                        |
| 847.3                           | Ingonish Harbour<br>light buoy KM6                 | 46 37 58.2<br>060 23 23  | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "KM6".  | Seasonal.<br><br>Chart:4365  |
| 848                             | South Bay<br>Ingonish light buoy<br>KM             | 46 38 02.2<br>060 22 48.5  | Mo(A) W 6s               | .....                                      | .....                 | Red and white vertical<br>stripes, marked "KM".  | Seasonal.<br><br>Chart:4365  |
| 848.5                           | Ingonish East<br>Cardinal light buoy<br>KF         | 46 41 13.2<br>060 19 23.5  | Q(3) W 10s               | .....                                      | .....                 | Black, yellow and black,<br>marked "KF".   | Seasonal.<br><br>Chart:4365  |
| 848.6                           | Ingonish Harbour<br>light buoy KM3                 | 46 37 58.5<br>060 23 09.9  | Fl G 4s                  | .....                                      | .....                 | Green spar, marked<br>"KM3".   | Seasonal (in place year round).<br><br>Chart:4365<br>Edn 07/11 (G11-160)                             |
| 848.7                           | Ingonish Harbour<br>light buoy KM4                 | 46 37 59.7<br>060 23 10.4  | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "KM4".  | Seasonal (in place year round).<br><br>Chart:4365<br>Edn 07/11 (G11-161)                             |
| 849                             | Ingonish Island<br>South Cardinal<br>light buoy KH | 46 40 44.4<br>060 20 38.1  | Q(6)<br>+LFI W 15s       | .....                                      | .....                 | Yellow and black, marked<br>"KH".  | Seasonal.<br><br>Chart:4365<br>Edn 07/11 (G11-162)   |
| 849.3                           | Ingonish Harbour<br>North light buoy<br>KH2        | 46 41 22.2<br>060 21 39  | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "KH2".  | Seasonal.<br><br>Chart:4365  |
| 849.4<br>H0865.1                | The Point<br>Breakwater                            | Outer end of wharf.<br>46 41 14.9<br>060 21 33.2                                 | Q R 1s                   | 4.2  | 5                     | Square skeleton tower, red<br>and white rectangular<br>daymark, red triangle in<br>centre. | Operates at night only.<br>Seasonal.<br><br>Chart:4365<br>Edn 05/11 (G11-111)<br>Edn 08/11 (G11-239) |
| 850                             | Neil's Harbour light<br>and bell buoy KD           | 46 47 43.1<br>060 18 09.5  | Mo(A) W 6s               | .....                                      | .....                 | Red and white vertical<br>stripes, marked "KD".  | Seasonal.<br><br>Chart:4363  |
| 850.1                           | Neil's Harbour light<br>buoy KD1                   | 46 48 25.3<br>060 19 20.5  | Fl G 4s                  | .....                                      | .....                 | Green spar, marked "KD1".  | Seasonal.<br><br>Chart:4363<br>Edn 09/11 (G11-259)   |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name  | Position<br>-----<br>Latitude N.<br>Longitude W.                | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                 | Remarks<br>-----<br>Fog Signals   |
|---------------------------------|---|---|--------------------------|--|-----------------------|--|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |   |   |                          |  |                       |  |   |
| 850.6                           | Neil Harbour Breakwater                       | Outer end of breakwater.<br>46 48 24<br>060 19 16.9             | Fl R 4s                  | 10.0                                       | 3                     | Cylindrical mast.<br>2.7   | Operates at night only.<br>Seasonal.<br><br><b>Chart:4363</b>   |
| 851<br>H866                     | Neil Harbour                                  | On headland, on E. side of entrance.<br>46 48 23.3<br>060 19 11 | LFl W 6s                 | 17.9                                       | 9                     | White square tower, red upper portion.                                   | Flash 2 s; eclipse 4 s.<br>Operates at night only.<br>Seasonal.<br><br><b>Chart:4363<br/>Edn 02/12 (G12-007)</b>  |
| 851.3                           | <i>New Haven Breakwater light buoy KC1</i>    | <i>Off end of breakwater.<br/>46 49 17.4<br/>060 19 06.3</i>    | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green spar, marked "KC1".</i>   | <i>Seasonal.</i><br><br><b>Chart:4363</b>   |
| 852                             | <i>New Haven light and whistle buoy KC</i>    | <i>46 49 17.1<br/>060 18 21.5</i>                               | <i>Mo(A) W 6s</i>        | <i>.....</i>                               | <i>.....</i>          | <i>Red and white vertical stripes, marked "KC".</i>                      | <i>Seasonal.</i><br><br><b>Chart:4363</b>   |
| 852.6                           | <i>White Point light and whistle buoy KB1</i> | <i>46 53 32.1<br/>060 21 15.5</i>                               | <i>Q G 1s</i>            | <i>.....</i>                               | <i>.....</i>          | <i>Green, marked "KB1".</i>  | <i>Seasonal.</i><br><br><b>Chart:4363</b>   |
| 853.1<br>H0868                  | White Point Breakwater                        | Outer end of breakwater.<br>46 52 32.2<br>060 21 15.3           | Fl G 4s                  | 6.0  | 4                     | Cylindrical mast.<br>2.8   | Operates at night only.<br>Seasonal.<br><br><b>Chart:4363<br/>Edn 12/14 (G14-190)</b>   |
| 854<br>H872                     | Cape North                                    | On square building.<br>47 01 44<br>060 23 30.1                  | LFl W 6s                 | 33.7                                       | 8                     | Square skeleton tower, three red and white rectangular daymarks.<br>14.5 | Daymark facing NW., NE. and SE.<br>Flash 2 s; eclipse 4 s.<br>Operates at night only.<br>Year round.<br><br><b>Chart:4363<br/>Edn 08/09<br/>Edn 10/11 (G11-279)</b> |
| 855<br>H870                     | Dingwall Harbour North Breakwater             | On outer end of breakwater.<br>46 54 15.7<br>060 27 07.1        | Fl R 4s                  | 8.2  | 3                     | Square skeleton tower, 2 red and white triangular daymarks.<br>4.9       | Daymarks one facing East and one facing West.<br>Operates at night only.<br>Seasonal.<br><br><b>Chart:4365<br/>Edn 09/11 (G11-266)</b>                              |
| 856                             | <i>Dingwall light and bell buoy KA</i>        | <i>46 54 14.1<br/>060 25 51.5</i>                               | <i>Mo(A) W 6s</i>        | <i>.....</i>                               | <i>.....</i>          | <i>Red and white vertical stripes, marked "KA".</i>                      | <i>Seasonal.</i><br><br><b>Chart:4363</b>   |
| 857<br>H870.4                   | Dingwall Harbour South Breakwater             | On outer end of breakwater.<br>46 54 13.3<br>060 27 07.5        | Fl G 4s                  | 8.0  | 4                     | Cylindrical mast.<br>5.0   | Operates at night only.<br>Seasonal.<br><br><b>Chart:4365</b>   |
| 857.2                           | <i>Dingwall Harbour North light buoy KA6</i>  | <i>46 54 14.1<br/>060 27 15.5</i>                               | <i>Fl R 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Red, marked "KA6".</i>  | <i>Seasonal.</i><br><br><b>Chart: 4365</b>  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range   | Description<br>-----<br>Height in meters<br>above ground  | Remarks<br>-----<br>Fog Signals   |
|---------------------------------|--|---|--------------------------|--|---|---|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |   |   |   |
| 857.3                           | Dingwall Harbour<br>South light buoy<br>KA9      | 46 54 12.3<br>060 27 22.3                                   | Fl G 4s                  | .....                                      | .....   | Green, marked "KA9".  | Seasonal.<br><br><b>Chart: 4365</b>   |
| 858<br>H873                     | St. Lawrence Bay                                 | Near outer end of<br>breakwater.<br>47 00 12.7<br>060 28 04 | Fl G 3s                  | 5.2  | 4   | Pipe swing pole.  | Operates at night only.<br>Seasonal.<br><br><b>Chart: 4363<br/>Edn 10/11 (G11-268)</b>  |
| 858.3<br>H873.2                 | St. Lawrence Bay<br>Southwest<br>Breakwater      | 47 00 12.6<br>060 28 05.5                                   | Fl R 4s                  | 5.1  | 2   | Pipe swing pole.  | Operates at night only.<br>Seasonal.<br><br><b>Chart: 4363<br/>Edn 10/11 (G11-269)</b>  |
| 859                             | St. Lawrence Bay<br>light and whistle<br>buoy VV | 47 01 02.1<br>060 28 23.5                                   | Mo(A) W 6s               | .....                                      | .....   | Red and white vertical<br>stripes, marked "VV".   | Seasonal.<br><br><b>Chart: 4363</b>   |
| 860<br>H874                     | Cape St.<br>Lawrence                             | On the cape.<br>47 02 28.7<br>060 35 52.7                   | LFl W 12s                | 26.8                                       | 8   | Square skeleton tower, red<br>and white rectangular<br>daymark.   | Flash 2 s; eclipse 10 s.<br>Visible from 050° through E. and<br>S. to 261°.<br>Operates at night only.<br>Year round.<br><br><b>Chart: 4363<br/>Edn 11/11 (G11-300)</b> |
| 860.5                           | Pleasant Bay light<br>and bell buoy VC           | Off harbour<br>entrance.<br>46 50 30.1<br>060 48 17.6       | Mo<br>(A) W 6s           | .....                                      | .....   | Red and white vertical<br>stripes, marked "VC".   | Seasonal.<br><br><b>Chart: 4464</b>   |
| 860.6<br>H1176.4                | Pleasant Bay<br>Breakwater                       | NE. of breakwater.<br>46 49 57.2<br>060 47 51.1             | Fl G 4s                  | 7.2  | 2   | Cylindrical mast.<br>3.6  | Operates at night only.<br>Seasonal.<br><br><b>Chart: 4464</b>  |
| 860.9<br>H1176.5                | Pleasant Bay<br>Southwest<br>Breakwater          | 46 49 59.1<br>060 47 50.6                                   | Q R 1s                   | 6.8  | 4   | Cylindrical mast.<br>3.8  | Operates at night only.<br>Seasonal.<br><br><b>Chart: 4464</b>  |
| 861<br>H1177                    | <b>Pleasant Bay<br/>range</b>                    | 46 49 43<br>060 47 38.1                                     | F R ..... 20.0           | 16   | Skeleton tower, enclosed<br>lower portion, white<br>daymark, red vertical<br>stripe.<br>5.0 | Visible in line of range.<br>Operates at night only.<br>Seasonal.   |   |
| 861.1<br>H1177.1                |  | 143°17' 71.7m<br>from front.                                | F R ..... 24.9           | 16   | Skeleton tower, enclosed<br>lower portion, white<br>daymark, red vertical<br>stripe.<br>5.0 | Visible in line of range.<br>Operates at night only.<br>Seasonal.<br><br><b>Chart: 4464</b>                               |   |
| 862<br>H1182                    | <b>Caveau Point<br/>range</b>                    | Extremity of point.<br>46 38 56.6<br>061 00 00.6            | F R ..... 16.8           | 14   | Square skeleton tower,<br>white daymark, red vertical<br>stripes. 6.6                       | Visible in line of range.<br>Operates at night only.<br>Year round.   |   |
| 863<br>H1182.1                  |  | 107°55' 200.9m<br>from front.                               | F R ..... 29.2           | 14   | White square tower, red<br>vertical stripe.<br>8.5  | Visible in line of range.<br>Operates at night only.<br>Year round.<br><br><b>Chart: 4449<br/>Edn 02/11 (G10-237-238)</b> |   |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name                                   | Position<br>-----<br>Latitude N.<br>Longitude W.                  | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals  |
|---------------------------------|--|---|--------------------------|--|-----------------------|--|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |   |                          |  |                       |  |  |
| 863.1                           | Chéticamp<br>Harbour light buoy<br>VD2 | 46 38 58.5<br>061 00 28.3   | Q R 1s                   | .....                                      | .....                 | Red spar, marked "VD2".                                  | Seasonal.<br><br>Chart: 4449   |
| 864                             | Chéticamp<br>Harbour light buoy<br>VD4 | Off Gros Cap<br>entrance.<br>46 38 45.5<br>061 00 31.5            | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "VD4".                                  | Seasonal.<br><br>Chart: 4449   |
| 866.1                           | Chéticamp<br>Harbour light buoy<br>VD8 | 46 38 32.4<br>061 00 34.8   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "VD8".                                  | Seasonal.<br><br>Chart: 4449<br>Edn 10/14 (G14-101)  |
| 866.2                           | Chéticamp<br>Harbour light buoy<br>VD9 | 46 38 32.2<br>061 00 36.5   | Q G 1s                   | .....                                      | .....                 | Green spar, marked "VD9".                                | Seasonal.<br><br>Chart: 4449<br>Edn 06/13 (G13-022)<br>Edn 10/14 (G14-102)   |
| 866.3                           | Chéticamp Inner<br>light buoy VD10     | 46 38 25.8<br>061 00 33.5   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "VD10".                                 | Seasonal.<br><br>Chart: 4449<br>Edn 10/14 (G14-137)  |
| 866.4                           | Chéticamp Inner<br>light buoy VD13     | 46 38 19.5<br>061 00 36.9   | Q G 1s                   | .....                                      | .....                 | Green spar, marked<br>"VD13".                            | Seasonal.<br><br>Chart: 4449<br>Edn 10/14 (G14-104)  |
| 866.5                           | Chéticamp Inner<br>light buoy VD15     | 46 38 13.1<br>061 00 38.9   | Q G 1s                   | .....                                      | .....                 | Green spar, marked<br>"VD15".                            | Seasonal.<br><br>Chart: 4449<br>Edn 06/13 (G13-023)<br>Edn 10/14 (G14-131)   |
| 866.6                           | Chéticamp Inner<br>light buoy VD14     | 46 38 12.6<br>061 00 40.1   | Fl R 4s                  | .....                                      | .....                 | Red spar, marked "VD14".                                 | Seasonal.<br><br>Chart: 4449<br>Edn 10/14 (G14-130)  |
| 867<br>H1188                    | <b>Enragée Point</b>                   | On NW. point of<br>Chéticamp Island.<br>46 38 58.4<br>061 01 35.2 | Fl(3) W 24s              | 22.5                                       | 16                    | White octagonal tower, red<br>upper portion.<br>13.3     | Flash 0.3 s; eclipse 3.7 s;<br>flash 0.3 s; eclipse 3.7 s;<br>flash 0.3 s; eclipse 15.7 s.<br>Year round.<br><br>Chart: 4449<br>Edn 02/12 (G12-002)<br>Edn 12/14 (G14-189) |
| 868<br>H1194                    | La Pointe<br>(Chéticamp Island)        | On outer end of<br>wharf.<br>46 36 10.5<br>061 03 11.3            | Fl R 5s                  | 4.2  | 2                     | Skeleton tower, enclosed<br>lower portion.<br>3.4        | Flash 1 s; eclipse 4 s.<br>Operates at night only.<br>Seasonal.<br><br>Chart: 4449   |
| 868.5<br>H1196.4                | Grand Étang<br>Northeast<br>Breakwater | 46 33 03.9<br>061 02 46.5   | Q G 1s                   | 8.5  | 4                     | Cylindrical mast.  | Operates at night only.<br>Seasonal.<br><br>Chart: 4449<br>Edn 03/11 (G11-048)   |
| 868.6<br>H1196.5                | Grand Étang<br>Southwest<br>Breakwater | On outer end of<br>SW. breakwater.<br>46 33 03.3<br>061 02 49.2   | Q R 1s                   | 8.1  | 2                     | Cylindrical mast.  | Operates at night only.<br>Seasonal.<br><br>Chart: 4449  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.   | Name   | Position<br>-----<br>Latitude N.<br>Longitude W.              | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground   | Remarks<br>-----<br>Fog Signals   |
|---|--|---|--------------------------|--|-----------------------|--|---|
| <b>CAPE BRETON ISLAND, N.S.</b>                 |  |   |                          |  |                       |  |   |
| 869<br>H1196                                    | Grand Étang<br>range                         | On E. bank of<br>harbour.<br>46 32 54.1<br>061 02 31.4        | Oc Y 10s                 | 9.9  | 16                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>8.3                                | Flash 9 s; eclipse 1 s.<br>Visible in line of range.<br>White flashing locator light on site.<br>Operates at night only.<br>Seasonal. |
| 870<br>H1196.1                                  |  | 130°29' 197.7m<br>from front.                                 | Oc Y 10s                 | 17.5                                       | 16                    | Triangular skeleton tower,<br>enclosed lower portion,<br>white daymark, red vertical<br>stripe.<br>7.4 | Flash 9 s; eclipse 1 s.<br>Visible in line of range.<br>White flashing locator light on site.<br>Operates at night only.<br>Seasonal. |
| <b>Chart: 4449<br/>Edn 02/16 (G16-001, 002)</b> |  |   |                          |  |                       |  |   |
| 872<br>H1202                                    | Margaree Harbour<br>range                    | On W. side of river<br>entrance.<br>46 26 22.6<br>061 06 45.1 | F Y .....                | 15.2                                       | 7                     | White square tower, red<br>upper portion, red vertical<br>stripe.<br>6.8                               | Visible from 102° through S. to<br>192°.<br>Operates at night only.<br>Seasonal.  |
| 873<br>H202.1                                   |  | 166°45' 64.6m<br>from front.                                  | F Y .....                | 21.3                                       | 8                     | White square tower, red<br>upper portion, red vertical<br>stripe.<br>10.1                              | Visible in line of range.<br>Operates at night only.<br>Seasonal.   |
| <b>Chart: 4449</b>                              |  |   |                          |  |                       |  |   |
| 873.1   | Margaree Harbour<br>light buoy VH8           | 46 26 29.3<br>061 06 47.3                                     | Fl R 4s                  | .....                                      | .....                 | Red, marked "VH8".   | Seasonal.   |
| <b>Chart: 4449</b>                              |  |   |                          |  |                       |  |   |
| 873.2<br>H1202.3                                | Margaree Harbour<br>East Breakwater          | 46 26 34.4<br>061 06 47.1                                     | Fl G 4s                  | 5.3  | 4                     | Cylindrical mast.<br>2.1   | Operates at night only.<br>Seasonal.  |
| <b>Chart: 4449<br/>Edn 11/12 (G10-019)</b>      |  |   |                          |  |                       |  |   |
| 873.21<br>H1202.4                               | Margaree Harbour<br>West Breakwater          | 46 26 35.1<br>061 06 50.7                                     | Fl R 4s                  | 5.9  | 2                     | Cylindrical mast.<br>2.1   | Operates at night only.<br>Seasonal.  |
| <b>Chart: 4449</b>                              |  |   |                          |  |                       |  |   |
| 873.22  | Margaree Harbour<br>light buoy VH9           | 46 26 28.4<br>061 06 39.8                                     | Q G 1s                   | .....                                      | .....                 | Green, marked "VH9".   | Seasonal.   |
| <b>Chart: 4449</b>                              |  |   |                          |  |                       |  |   |
| 873.23  | Margaree Harbour<br>light buoy VH11          | 46 26 30.9<br>061 06 30.3                                     | Q G 1s                   | .....                                      | .....                 | Green, marked "VH11".  | Seasonal.   |
| <b>Chart: 4449<br/>Edn 11/09 (G09-135)</b>      |  |   |                          |  |                       |  |   |
| 873.3   | Margaree Harbour<br>Inner light buoy<br>VH12 | Inside harbour.<br>46 26 30.5<br>061 06 31.8                  | Q R 1s                   | .....                                      | .....                 | Red, marked "VH12".  | Seasonal.   |
| <b>Chart: 4449</b>                              |  |   |                          |  |                       |  |   |
| 874<br>H1208                                    | Margaree Island<br>(Sea Wolf Island)         | Middle of Sea Wolf<br>Island.<br>46 21 27.2<br>061 15 49.6    | Fl W 4s                  | 90.8                                       | 9                     | White hexagonal tower,<br>red upper portion.   | Flash 1 s; eclipse 3 s.<br>Operates at night only.<br>Year round.   |
| <b>Chart: 4463</b>                              |  |   |                          |  |                       |  |   |
| 874.1<br>H1210.5                                | Inverness<br>Breakwater                      | 46 13 45.6<br>061 19 30                                       | Fl G 4s                  | 8.1  | 2                     | Triangular skeleton tower.<br>Square green, white and<br>black daymark.<br>3.3                         | Operates at night only.<br>Seasonal.  |
| <b>Chart: 4463<br/>Edn 01/16 (G15-158)</b>      |  |   |                          |  |                       |  |   |



ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name                              | Position<br>-----<br>Latitude N.<br>Longitude W.            | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                | Remarks<br>-----<br>Fog Signals   |
|---------------------------------|-----------------------------------|---|--------------------------|--|-----------------------|---|---|
| <b>CAPE BRETON ISLAND, N.S.</b> |                                   |   |                          |  |                       |   |   |
| 874.12<br>H1210.6               | Inverness South<br>Breakwater     | 46 13 44.7<br>061 19 33.2                                   | Fl R 4s                  | 7.1  | 2                     | Cylindrical mast.<br>3.3  | Operates at night only.<br>Seasonal.<br><br>Chart:4463  |
| 874.2<br>H1210                  | Inverness Harbour<br>range        | 46 13 35.4<br>061 19 11.3                                   | F G .....                | 5.6  | 10                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>3.4 | Visible in line of range.<br>Operates at night only.<br>Seasonal.   |
| 874.3<br>H1210.1                |                                   | 123°45' 54.8m<br>from front.                                | F G .....                | 11.8                                       | 10                    | Square skeleton tower,<br>white daymark, red vertical<br>stripe.<br>4.9 | Visible in line of range.<br>Operates at night only.<br>Seasonal.<br><br>Chart:4463<br>Edn 05/10 (G10-057, 058)<br>Edn 12/11 (G11-323, 324) |
| 874.31                          | Inverness Inner<br>light buoy VL1 | 46 13 38.9<br>061 19 17.7                                   | Q G 1s                   | .....                                      | .....                 | Green spar, marked "VL1".   | Operates 24 h.<br>Seasonal.<br><br>Chart:4463<br>Edn 08/16 (G16-116)  |
| 874.51                          | Mabou Harbour<br>light buoy VJ    | NW. of Harbour.<br>46 05 29.1<br>061 29 28                  | Mo(A) W 6s               | .....                                      | .....                 | Red and white vertical<br>stripes, marked "VJ".                         | Seasonal.<br><br>Chart:4448   |
| 874.52                          | Mabou Harbour<br>light buoy VJ1   | 46 05 25<br>061 28 53.7                                     | Fl G 4s                  | .....                                      | .....                 | Green, marked "VJ1".  | Seasonal.<br><br>Chart:4448   |
| 874.53                          | Mabou Harbour<br>light buoy VJ2   | 46 05 23<br>061 28 55.4                                     | Fl R 4s                  | .....                                      | .....                 | Red, marked "VJ2".  | Seasonal.<br><br>Chart:4448   |
| 874.55                          | Mabou Harbour<br>light buoy VJ3   | 46 05 18.2<br>061 28 33.7                                   | Fl G 4s                  | .....                                      | .....                 | Green, marked "VJ3".  | Seasonal.<br><br>Chart:4448<br>Edn 11/10 (G10-164)  |
| 874.6                           | Mabou Harbour<br>light buoy VJ4   | 46 05 17.2<br>061 28 32.4                                   | Fl R 4s                  | .....                                      | .....                 | Red, marked "VJ4".  | Seasonal.<br><br>Chart:4448<br>Edn 11/10 (G10-165)  |
| 874.61                          | Mabou Harbour<br>light buoy VJ8   | 46 05 14.6<br>061 28 13.4                                   | Fl R 4s                  | .....                                      | .....                 | Red, marked "VJ8".  | Seasonal.<br><br>Chart:4448<br>Edn 10/10 (G10-166)  |
| 874.62                          | Mabou Harbour<br>light buoy VJ9   | 46 05 15.4<br>061 28 13.1                                   | Fl G 4s                  | .....                                      | .....                 | Green, marked "VJ9".  | Seasonal.<br><br>Chart:4448<br>Edn 10/10 (G10-167)  |
| 876<br>H1216.1                  | Mabou Harbour                     | 46 05 09.2<br>061 27 55.2                                   | F G .....                | 13.9                                       | 6                     | White square tower, red<br>upper portion.<br>13.6                       | Seasonal.<br><br>Chart:4448   |
| 876.3                           | Murphy Pond light<br>buoy VX1     | 46 01 27.7<br>061 32 38.5                                   | Q G 1s                   | .....                                      | .....                 | Green spar, marked "VX1".   | Seasonal.<br><br>Chart:4448   |
| 876.8<br>H1218                  | Murphy Pond                       | Outer end of W.<br>breakwater.<br>46 01 33.3<br>061 32 39.7 | Fl G 4s                  | 6.2  | 2                     | Cylindrical tower.<br>3.3   | Seasonal.<br><br>Chart:4448   |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No.                             | Name                                       | Position<br>-----<br>Latitude N.<br>Longitude W.                   | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground                                | Remarks<br>-----<br>Fog Signals   |  |
|---------------------------------|--|--|--------------------------|--|-----------------------|---|---|--|
| <b>CAPE BRETON ISLAND, N.S.</b> |  |  |                          |  |                       |   |   |  |
| 876.9<br><i>H1217.5</i>         | Murphy Pond<br>Breakwater                  | Outer end of E.<br>breakwater.<br>46 01 35.7<br>061 32 38          | Fl R 4s                  | 5.6  | 2                     | Cylindrical mast.<br>3.3  | Operates at night only.<br>Seasonal.<br><br><b>Chart:4448</b>   |  |
| 877<br><i>H1224</i>             | Port Hood Island                           | On Smith Point.<br>46 00 51.4<br>061 33 23.8                       | Fl R 4s                  | 4.5  | 5                     | Skeleton mast, red and<br>white rectangular daymark.<br>3.6                             | Privately maintained.<br>Seasonal.<br><br><b>Chart:4448</b>   |  |
| 878.1<br><i>H1222</i>           | Port Hood Wharf                            | Southern most<br>corner.<br>46 01 01.7<br>061 32 25.2              | Fl G 4s                  | 4.8  | 2                     | Cylindrical mast.<br>3.5  | Operates at night only.<br>Seasonal.<br><br><b>Chart:4448</b>   |  |
| 879.1<br><i>H1220</i>           | Port Hood                                  | 46 01 29.4<br>061 32 20.5  | F G .....                | 19.0                                       | .....                 | Square skeleton tower.<br>3.5   | Operates at night only.<br>Seasonal.<br><br><b>Chart:4448</b><br><b>Edn 01/10 (G09-001)</b>           |  |
| 879.5                           | <i>Portsmouth Point<br/>light buoy VK7</i> | <i>S. of point.<br/>45 59 06.2<br/>061 33 19.6</i>                 | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green, marked "VK7".</i>   | <i>Seasonal.</i><br><br><b>Chart:4448</b>   |  |
| 880                             | <i>Spithead light<br/>buoy VK9</i>         | <i>E. of Spithead.<br/>45 59 43.2<br/>061 32 50.6</i>              | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green spar, marked "VK9".</i>  | <i>Seasonal (in place year round).</i><br><br><b>Chart:4448</b><br><b>Edn 03/17 (G17-007)</b>         |  |
| 880.1                           | <i>Dean Shoal light<br/>buoy VK12</i>      | <i>Port Hood Harbour.<br/>45 59 58.2<br/>061 32 32.6</i>           | <i>Fl R 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Red spar, marked "VK12".</i>   | <i>Seasonal (in place year round).</i><br><br><b>Chart:4448</b><br><b>Edn 03/17 (G17-007)</b>         |  |
| 881<br><i>H1222</i>             | Henry Island                               | W. side of island.<br>45 58 37.6<br>061 35 59.4                    | Fl W 4s                  | 61.0                                       | 9                     | Octagonal tower, red upper<br>portion, red and white<br>vertical stripes.<br>11.6       | Flash 1 s; eclipse 3 s.<br><br><b>Chart:4448</b>  |  |
| 881.1<br><i>H1223.2</i>         | Little Judique<br>Harbour<br>Breakwater    | 45 57 31.7<br>061 31 42.3  | F G .....                | 5.3  | 5                     | Cylindrical mast.<br>3.8  | Seasonal.<br><br><b>Chart:4448</b><br><b>Edn 02/15 (G15-002)</b><br><b>Edn 05/15 (G15-021)</b>        |  |
| 881.3<br><i>H1223</i>           | Little Judique<br>Harbour Wharf<br>Sector  | Near outer end of<br>W. breakwater.<br>45 57 28.9<br>061 31 37.2   | F R<br>W<br>G            | .....                                      | 8.2                   | 7   | Triangular skeleton tower,<br>enclosed lower portion,<br>red and white rectangular<br>daymark.<br>6.9 | Red from 077° to 121°;<br>white from 121° to 123°;<br>green from 123° to 161°.<br>White sector indicates preferred<br>channel.<br>Seasonal.<br><br><b>Chart:4448</b><br><b>Edn 09/17 (G17-077)</b> |
| 882<br><i>H1228</i>             | Judique South<br>Wharf                     | On outer end, SW.<br>corner of wharf.<br>45 51 27.5<br>061 30 13.1 | LFl R 6s                 | 7.3  | 4                     | Pipe swing pole, red and<br>white triangular daymark,<br>red triangle in centre.<br>6.7 | Flash 2 s; eclipse 4 s.<br>Seasonal.<br><br><b>Chart:4462</b><br><b>Edn 04/10 (G10-024)</b>           |  |
| 882.1                           | <i>Henry Point light<br/>buoy VM3</i>      | <i>Off Henry Island.<br/>45 59 39.7<br/>061 35 09.6</i>            | <i>Fl G 4s</i>           | <i>.....</i>                               | <i>.....</i>          | <i>Green spar, marked<br/>"VM3".</i>  | <i>Seasonal.</i><br><br><b>Chart:4448</b>   |  |

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position<br>-----<br>Latitude N.<br>Longitude W. | Light<br>Characteristics | Focal<br>Height<br>in m.<br>above<br>water | Nomi-<br>nal<br>Range | Description<br>-----<br>Height in meters<br>above ground | Remarks<br>-----<br>Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

CAPE BRETON ISLAND, N.S.

|       |  |   |                |              |              |                                |                   |
|-------|--|---|----------------|--------------|--------------|--------------------------------|-------------------|
| 882.2 | <i>Henry Point light<br/>buoy VM4</i>    | <i>Off Henry Island.<br/>45 59 27.5<br/>061 35 34.7</i> | <i>Fl R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red spar, marked "VM4".</i> | <i>Seasonal.</i>  |
|       |  |   |                |              |              |                                | <b>Chart:4448</b> |
| 882.5 | <i>Judique Shoals<br/>light buoy VN2</i> | <i>W. of shoals.<br/>45 50 16.3<br/>061 33 09.8</i>     | <i>Fl R 4s</i> | <i>.....</i> | <i>.....</i> | <i>Red spar, marked "VN2".</i> | <i>Seasonal.</i>  |
|       |  |   |                |              |              |                                | <b>Chart:4462</b> |