

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
Isle Madame							
704.85	Hautfond Shoal light buoy CK2	45 28 00.3 061 03 21.6	Q R 1s	Red spar, marked "CK2".	Year round. Chart:4308 Edn 06/11 (G11-158)
704.86	Picard Reef light buoy CM1	45 29 58.4 061 05 38.2	Fl G 4s	Green spar, marked "CM1".	Year round. Chart:4307 Edn 06/11 (G11-153)
704.861	Jerseyman Shoal light buoy CM2	45 29 33.4 061 04 43.4	Fl R 4s	Red spar, marked "CM2".	Year round. Chart:4308 Edn 06/11 (G11-149)
704.864	Crid Passage light buoy CM5	45 30 16.3 061 03 46.4	Fl G 4s	Green spar, marked "CM5".	Year round. Chart:4308 Edn 06/11 (G11-151)
704.9	Crichton Island light buoy CN2	45 30 03.3 061 07 21.6	Fl R 4s	Red spar, marked "CN2".	Year round. Chart:4308 Edn 09/11 (G11-243)
704.93	Crichton Head light buoy CN5	45 30 53.2 061 06 40.6	Fl G 4s	Green, marked "CN5".	Year round. Chart:4308 Edn 06/11 (G11-154)
704.94	Crichton Head light buoy CN6	45 30 53.5 061 06 22.1	Fl R 4s	Red, marked "CN6".	Year round. Chart:4308 Edn 06/11 (G11-156)
706 H3416	West Arichat Wharf	On outer end of wharf. 45 30 50.7 061 04 59.2	Fl W 4s	3.9	2	Pipe swing pole.	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4307 Edn 01/12 (G11-333)
707 H3406	Jerseyman Island	On Beach Point, Arichat Harbour. 45 30 13.3 061 03 19.9	Fl R 4s	7.6	5	White square tower, red upper portion.	Operates at night only. Seasonal. Chart:4307
708 H3404	Marache Point	Marache Point, S. entrance to Arichat Harbour. 45 28 50.3 061 02 04.6	F W	10.2	13	White square tower, red upper portion.	Visible from 338° through N., E. and S. to 224°. Operates at night only. Year round. Chart:4307
709	Cerberus Rock light and whistle buoy CH4	S. of rock. 45 27 37 061 06 15	Fl R 4s	Red, marked "CH4".	Year round. Chart:4307 Edn 03/11 (G11-037)
710	Petit-de-Grat light and whistle buoy CJ	45 28 18.3 060 58 15.6	Mo(A) W 6s	Red and white vertical stripes, marked "CJ".	Year round. Chart:4308 Edn 03/11 (G11-038)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
711	Petit-de-Grat light and bell buoy CJ1	45 28 59.4 060 58 26.9	Fl G 4s	Green, marked "CJ1".	Year round. Chart:4308 Edn 03/11 (G11-039)
712	Arrow Point light buoy CJ2	SW. of Big Arrow Rock. 45 29 05.2 060 58 15.9	Fl R 4s	Red, marked "CJ2".	Seasonal (in place year round). Chart:4308 Edn 03/17 (G17-007)
712.09	Petit-de-Grat Light Buoy NR10	45 31 10 060 57 13	Fl R 4s	Red, marked "NR10".	Seasonal. Chart:4308 Edn 12/13 (G13-167)
713 H3398	Petit-de-Grat Outer range	W. of Petit-de-Grat Inlet. 45 29 47.2 060 58 23.7	F W	8.3	19	Square keleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Year round.
714 H3398.1		356°01' 59.9m from front.	F W	14.8	19	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Year round. Chart:4307 Edn 12/14 (G14-210)
716	Mouse Island light buoy CJ5	45 29 46.4 060 57 49.8	Q G 1s	Green spar, marked "CJ5".	Winter spar. Seasonal. Chart:4308
716.1	Mouse Island light buoy CJ6	45 29 46.3 060 57 46.6	Q R 1s	Red spar, marked "CJ6".	Winter spar. Seasonal. Chart:4308
717	Petit-de-Grat Harbour light buoy CJ9	45 29 55.2 060 57 40.5	Fl G 4s	Green spar, marked "CJ9".	Winter spar. Seasonal. Chart:4308
718 H3399	Petit-de-Grat Inner range	E. side of island. 45 30 03.6 060 57 31.5	F Y	12.0	16	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Year round.
719 H3399.1		033°56' 64.1m from front.	F Y	15.4	16	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Year round. Chart:4308 Edn 03/11 (G11-049) Edn 06/13 (G13-015, 016) Edn 12/14 (G14-207)
719.1 H3401	Cowley Point Breakwater	W. side of inlet, on end of breakwater. 45 30 06.3 060 57 47.5	Fl G 4s	4.9	3	Cylindrical mast, 2 green and white square daymarks, one facing 011° and one facing 154°. 3.8	Operates at night only. Chart:4308 Edn 11/11 (G11-295) Edn 05/15 (G15-023)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
720	Marchant Ledge light buoy CJ18	45 30 12.1 060 57 40.8	Fl R 4s	Red spar, marked "CJ18".	Winter spar. Seasonal. Chart:4308 Edn 10/12 (G12-183) Edn 09/14 (G14-068) Edn 05/17 (G17-009)
721 H3396	Petit-de-Grat Breakwater	On outer end of breakwater at N. entrance to Petit-de- Grat Inlet. 45 31 04.5 060 57 02.9	Fl G 4s	4	Square skeleton tower, 2 green and white rectangular daymarks.	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4308 Edn 08/12 (G12-145, 146) Edn 10/12
722 H3376	Green Island	Summit of island. 45 28 41.3 060 53 57.6	Fl(2) W 20s	34.1	10	White cylindrical tower, red upper portion.	Flash 2 s; eclipse 2 s; flash 2 s; eclipse 14 s. Emergency light. Operates at night only. Year round. Chart:4308
723	Orpheus Rock light and bell buoy NQ1	E. side of Rock. 45 28 41.3 060 51 00.6	Fl G 4s	Green, marked "NQ1".	Year round. Chart:4308 Edn 03/11 (G11-040)
724	Petite Anse light and bell buoy NS1	45 29 39.3 060 54 55.3	Fl G 4s	Green, marked "NS1".	Year round. Chart:4308 Edn 03/11 (G11-041)
Lennox Passage							
727	Beak Point Shoal (Petit Nez) light and whistle buoy NQ3	Off E. side of shoal. 45 33 08.9 060 50 59.6	Fl G 4s	Green, marked "NQ3".	Year round. Chart:4308 Edn 03/11 (G11-042)
728.5	Cape Ronde light buoy NT1	45 34 46.1 060 52 57.8	Fl G 4s	Green spar, marked "NT1".	Year round. Chart:4275
729 H3392	Grandique Point	On beach. 45 35 36.6 061 01 20.3	LFl G 6s	9.2	7	White square tower, red upper portion.	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4308 Edn 04/10 (G10-026) Edn 12/11 (G11-326)
730 H3388	Hawk Island	Entrance to Poulamon Bay. 45 35 40.3 060 59 42.3	Fl G 4s	12.9	4	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 9.7	Visible from 240°30' to 265°30'. Operates at night only. Seasonal. Chart:4308
730.5	Goillon Reef light buoy NT12	45 36 03.3 060 59 00.6	Fl R 4s	Red spar, marked "NT12".	Seasonal. Chart:4308

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
731 H3384	Ouetique Island	On S. point. 45 36 35.2 060 57 26.3	Fl R 4s	23.5	5	Square skeleton tower, red and white rectangular daymark.	Seasonal. Chart:4308 Edn 07/16 (G16-077)
732 H3386	River Bourgeois	On point, E. side of entrance. 45 37 32.8 060 56 51.1	F R	7.1	8	Square tower, red and white rectangular daymark.	Privately maintained. Operates at night only. Seasonal. Chart:4308
733	<i>Saint Peters Bay light buoy NQ12</i>	<i>W. side of channel at S. entrance to bay.</i> 45 37 07.2 060 53 18.4	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NQ12".</i>	<i>Seasonal (in place year round).</i> Chart:4275 Edn 03/17 (G17-007)
734 H3380	Jerome Point	Near canal entrance. 45 38 53.9 060 52 21.8	F R	15.5	10	White square tower, red upper portion. 10.9	Operates at night only. Seasonal. Chart:4275
735	<i>Haddock Rock light and bell buoy NP2</i>	<i>W. of rock.</i> 45 35 50.2 060 49 37.4	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NP2".</i>	<i>Year round.</i> Chart:4275 Edn 03/11 (G11-043)
736	<i>Lower L'Ardoise light and whistle buoy NM</i>	<i>N. of Red Point.</i> 45 34 49.2 060 45 52.4	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "NM".</i>	<i>Year round.</i> Chart:4275 Edn 03/11 (G11-044)
737 H3372	Little Harbour Wharf	45 34 59.3 060 44 27.5	F R	4.9	8	Cylindrical mast. 4.4	Operates at night only. Seasonal. Chart:4275
737.05	<i>Lower L'Ardoise light buoy NN5</i>	45 35 51.2 060 46 15.4	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NN5".</i>	<i>Seasonal.</i> Chart:4275
738	<i>Michaud Ledges light and whistle buoy N18</i>	45 32 48.9 060 44 03.8	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "N18".</i>	<i>Seasonal.</i> Chart:4335
739	<i>Black Breaker Rock South Cardinal light buoy NHA</i>	45 35 24.9 060 34 48.2	<i>Q(6) W +LFI</i>	<i>15s</i>	<i>.....</i>	<i>Yellow and black spar, marked "NHA".</i>	<i>Seasonal. (In place Year round.)</i> Chart:4374 Edn 12/09 (G09-161)
741	<i>L'Archevêque light buoy NH</i>	45 36 57.1 060 34 01.0	<i>Mo(A) R-W</i>	<i>6s</i>	<i>.....</i>	<i>Red and white, marked "NH".</i>	<i>Seasonal. (In place Year round.)</i> Chart:4374 Edn 07/16 (G16-086)
741.01	<i>L'Archevêque light buoy NH3</i>	45 37 12.1 060 34 21.4	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "NH3".</i>	<i>Seasonal. (In place Year round.)</i> Chart:4374 Edn 12/09 (G09-162)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
741.03	L'Archevêque light buoy NH4	45 37 16.0 060 34 26.3	Fl R 4s	Red spar, marked "NH4".	Seasonal. (In place Year round.) Chart:4374 Edn 12/09 (G09-163) Edn 07/16 (G16-084) Edn 08/16 (G16-118)
741.04	L'Archevêque light buoy NH8	45 37 21.9 060 34 36.8	Q R 1s	Red spar, marked "NH8".	Seasonal. (In place Year round.) Chart:4374 Edn 07/16 (G16-087)
741.05	L'Archevêque light buoy NH10	45 37 27.6 060 34 32.2	Q R 1s	Red spar, marked "NH10".	Seasonal. (In place Year round.) Chart:4374 Edn 12/09 (G09-164)
742	St. Esprit light buoy N16	SE. of Bad Neighbour Shoal. 45 35 12.2 060 30 25.6	Fl R 4s	Red, marked "N16".	Seasonal. Chart:4374
743 H3368	St. Esprit Island	E. end of island. 45 37 19.2 060 29 17.6	LFl W 6s	23.8	7	Square skeleton tower, red and white rectangular daymark. 9.9	Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4374 Edn 02/16 (G15-163)
745	Fourchu light and whistle buoy N14	S. of Fourchu Head. 45 42 00.2 060 12 45.6	Fl R 4s	Red, marked "N14".	Winter spar. Seasonal. Chart:4374
746	Fourchu light and bell buoy NC2	W. entrance to Fourchu Harbour. 45 42 57.2 060 13 07.6	Q R 1s	Red, marked "NC2".	Seasonal. Chart:4374
746.1	Fourchu light buoy NC3	45 43 04.2 060 13 26.4	Fl G 4s	Green spar, marked "NC3".	Seasonal. (In place Year round.) Chart:4374 Edn 10/09 (G09-138)
746.2	Fourchu light buoy NC4	45 43 06.6 060 13 25.2	Fl R 4s	Red spar, marked "NC4".	Seasonal. (In place Year round.) Chart:4374 Edn 10/09 (G09-139)
747 H3362	Fourchu Head	Near E. extremity of head. 45 43 02.8 060 13 46.4	LFl W 6s	18.9	12	Square skeleton tower, three red rectangular daymarks, white band. 9.0	Flash 2 s; eclipse 4 s. Visible from 096° through S., W. and N. to 065°. Operates 24hrs. Year round. Chart:4374 Edn 01/15 (G14-197) Edn 04/15 (G15-010) Edn 03/17 (G16-140)
747.3	North Fourchu light buoy NC24	45 43 12 060 14 21	Fl R 4s	Red, marked "NC24".	Seasonal. Chart:N/A

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
748 H3364	Fourchu Harbour range	On pier, NE. of Butter Island. 45 43 09.6 060 14 42	F Y	3.0	18	Triangular skeleton tower, white daymark, red vertical stripe. 2.8	Visible in line of range. Operates at night only. Seasonal.
749 H3364.1		On pier, 255°10' 225.7m from front.	F Y	8.3	18	Triangular skeleton mast, white daymark, red vertical stripe. 7.4	Visible in line of range. Operates at night only. Seasonal.
							Chart:4374
750 H3360	Guyon Island	On island. 45 45 57.3 060 06 45.7	Fl W 20s	16.2	17	White octagonal tower, red upper portion. 12.8	Flash 1 s; eclipse 19 s. Emergency light. Year round.
							Chart:4375 Edn 08/16 (G16-117)
751	<i>Guyon Island light and whistle buoy J12</i>	<i>E. of island. 45 46 03.2 060 02 41.6</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "J12".</i>	<i>Seasonal.</i>
							Chart:4374
752	<i>Green Rock light and bell buoy JX3</i>	<i>NE. of rock. 45 49 23.3 060 03 11.7</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JX3".</i>	<i>Seasonal.</i>
							Chart:4375
752.6 H3359	Rouse Point	45 50 35 060 07 56.8	LFl Y 6s	9.0	12	Square skeleton tower, red with white band.	Seasonal.
							Chart:4375 Edn 02/13 (G13-001) Edn 07/15 (G15-024)
752.7	<i>Gabarus light buoy JX10</i>	<i>45 50 32.3 060 08 15.7</i>	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "JX10".</i>	<i>Seasonal.</i>
							Chart:4375
753 H3358	Gabarus	On Harbour Point, S. shore of bay. 45 50 35.2 060 08 50.3	F R	16.5	8	White hexagonal tower, red upper portion. 9.5	Operates at night only. Seasonal.
							Chart:4375
Louisbourg Harbour							
754	<i>Louisbourg light and whistle buoy JT</i>	<i>Off entrance to Louisbourg. 45 52 33.3 059 54 05.7</i>	<i>Mo(A) W 6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JT".</i>	<i>Seasonal.</i>
							Chart:4375
755	<i>Louisbourg light and bell buoy JT1</i>	<i>E. of Harbour Shoal. 45 53 56.4 059 56 51.2</i>	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JT1".</i>	<i>Winter spar. Seasonal.</i>
							Chart:4376
756 H3344	Louisbourg	On Lighthouse Point, N. side of entrance to harbour. 45 54 24.0 059 57 30.5	LFl W 6s	31.9	13	White octagonal tower, red at top. 15.4	Flash 2 s; eclipse 4 s. Visible from 100° through 250°. Year round.
							Chart:4376 Edn 11/09 (G09-146) Edn 06/16 (G16-052) Edn 03/17 (G16-158)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
756.5	Nag Rock bifurcation light buoy JTA	45 54 11.4 059 58 19.2	Fl R 6s (2+1)	Red, green and red spar, marked "JTA".	Seasonal (in place year round). Chart:4376 Edn 03/17 (G17-007)
757 H3348	Louisbourg range	On W. side of harbour. 45 54 05.8 059 59 23.1	F Y	7.0	14	Square skeleton tower, white daymark, red vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
758 H3348.1		267°56' 165.8m from front.	F Y	12.7	14	Square skeleton tower, white daymark, red vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round. Chart:4376 Edn 03/10 (G10-022) Edn 04/10 (G10-020)
758.5	Nag Rock Red Spar JU4	Louisbourg. 45 54 17.4 059 58 03.9	Fl R 4s	Red spar, marked "JU4".	Operates 24hrs. Year round. Chart:4376 Edn 05/16 (G16-039) Edn 05/17 (G17-002)
759	Russell Point West Cardinal light buoy JTB	45 54 24.3 059 58 14.6	Q(9) W 15s	Yellow, black and yellow, marked "JTB".	Seasonal (in place year round). Chart:4376 Edn 03/17 (G17-007)
760	Battery Shoal light buoy JT11	45 54 30.4 059 58 21.7	Fl G 4s	Green spar, marked "JT11".	Winter spar. Seasonal. Chart:4376
761 H3342	Little Lorraine (Lorembec)	Extremity of W. headland at entrance to harbour. 45 56 56.5 059 51 34.2	F G	10.7	7	White cylindrical tower, red upper portion. 4.6	Operates at night only. Seasonal. The operation of the fog signal will be made remotely on channel 65A (156,275 MHz). Mariners requiring the operation of the fog signal will have to press the button of the VHF radio five (5) consecutive times at 1 second interval on channel 65A. The signal will be in operation for 30 minutes. After this delay, the same operation must be repeated. Horn - Blast 2 s; sil. 18 s. Chart:4375 Edn 11/15 (G15-149)
762	Baleine Cove light and bell buoy JM2	S. of East Head. 45 56 20.3 059 50 45.7	Fl R 4s	Red, marked "JM2".	Seasonal. Chart:4375
763	Portnova light and whistle buoy J10	SE. of Portnova Island. 45 55 38.2 059 46 10.5	Fl R 4s	Red, marked "J10".	Seasonal. Chart:4377

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
764	Bar Reef light and bell buoy JJ3	E. of Helen Rock. 45 59 10.4 059 46 50.2	Fl G 4s	Green, marked "JJ3".	Seasonal. Chart:4377 Edn 06/13 (G13-020)
764.4	Main-à-Dieu Light buoy JJ10	45 59 54.7 059 50 1.3	Q R 1s	Red, spar marked "JJ10".	Seasonal. Year round. Chart:4377 Edn 01/15 (G14-194)
764.5	Black Rock light Spar JJ11	45 59 46.9 059 50 01.9	Fl G 4s	Green, lighted spar marked "JJ11".	Seasonal. Year round. Chart:4377 Edn 12/14 (G14-196)
765	Mad Dick Rock light and bell buoy JJ6	Off S. side of rock. 45 59 59.1 059 49 21.5	Fl R 4s	Red, marked "JJ6".	Seasonal. Year round. Chart:4377
765.1 H745.6	Main-à-Dieu Harbour	46 00 13.7 059 50 22.2	Fl R 4s	6.2	4	Triangular skeleton tower, enclosed lower portion. 3.6	Operates at night only. Chart:4377 Edn 06/15 (G15-036)
765.3 H745.4	Battery Point (Main-à-Dieu)	46 00 17.3 059 50 25.4	Fl G 4s	4	4	Cylindrical mast. 2.2	Operates at night only. Chart:4377 Edn 06/15 (G15-035)
765.4 H745	Moque Head	46 00 25.4 059 49 21.7	LFl W 6s	12.1	12	Square skeleton tower, with 3 daymarks red, white, red. 6.8	Flash 2s; eclipse 4s. Operates at night only. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 070°. Chart:4377 Edn 02/16 (G15-162)
Scatarie Island							
765.7	Howe Point light and whistle buoy JJ2	45 59 14.3 059 41 57.7	Fl R 4s	Red, marked "JJ2".	Seasonal. Chart:4375
766 H744	Main-à-Dieu	On West Point of Scatarie Island. 46 00 13.6 059 47 41	Fl W 4s	24.7	7	Skeleton tower, 3 rectangular red/white/red horizontal daymarks. 9.9	Operates at night only. Year round. Visible from all points of marine approach. Chart:4377 Edn 03/16 (G16-009)
767 H0742	Scatarie	NE. point of Scatarie Island. 46 02 04.3 059 40 33.7	Fl W 3s	19.5	13	Square tower, 3 rectangular daymarks, horizontal red and white band.	Flash 1 s; eclipse 2 s. Year round. Visible from all points of marine approach. Chart:4375 Edn 02/11 (G10-239) Edn 05/11 (G11-058) Edn 03/16 (G15-157) Edn 11/16 (G16-124)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.									
767.6 H745.8	Mira Gut Swing Bridge	N. side of bridge. 46 02 09.7 059 58 06.4	F	G	9.2	Cylindrical mast. 4.0	Green - bridge open; Red - bridge closed. Privately operated. Operates at night only. Year round. Chart:4375
768 H746	Port Morien	On SW. end of breakwater. 46 07 50.8 059 52 13.2	FL	R	4s	5.4	5	Cylindrical mast. 3	Flash 1s; eclipse 3s; Year round. Chart:4375 Edn 02/15 (G14-205) Edn 04/15
768.5	Port Morien light buoy JA6	46 07 41.3 059 52 03.7	Q	R	1s	Red spar, marked "JA6".	Seasonal. Chart:4375 Edn 01/15 (G15-191)
769	Cow Reef light buoy JA2	46 09 42.3 059 48 46.7	Fl	R	4s	Red spar, marked "JA2".	Seasonal. (In place year round). Chart:4375 Edn 07/16 (G16-081)
770 H750	Flint Island	Off Cape Percé. 46 10 51 059 46 13.2	LFI	W	6s	22.6	8	White hexagonal tower.	Year round. Flash 2s; eclipse 4s; Emergency light. Chart:4367 Edn. 02/15 (G14-213) Edn. 02/15 (G14-202)
771	Glace Bay Light and Bell Buoy KV	NE. of bay. 46 13 28.8 059 55 37.8	Mo(A)	W	6s	Red and white vertical stripes, marked "KV".	Seasonal. Chart:4367 Edn 07/17 (G17-022)
771.01	Glace Bay Outer light buoy KV2	46 12 31.8 059 56 25.5	Fl	R	4s	Red spar, marked "KV2".	Seasonal. Chart:4170 Edn 07/16 (G16-078)
771.04	Glace Bay Inner light buoy KV5	46 12 02.9 059 56 42.6	Fl	G	4s	Green spar, marked "KV5".	Seasonal. Chart:4170 Edn 07/16 (G16-079)
771.05	Glace Bay Inner light buoy KV6	46 12 04.2 059 56 45.8	Fl	R	4s	Red spar, marked "KV6".	Seasonal. Chart:4170 Edn 07/16 (G16-080)
771.5	Glace Bay Outer light buoy KV1	46 12 30 059 56 21	Fl	G	4s	Green spar, marked "KV1".	Seasonal. Chart:4170
772 H0752	Glace Bay range	On S. side of entrance to Glace Cove. 46 11 47.6 059 56 56.9	F	R	8.4	11	Triangular skeleton tower, white daymark, red vertical stripe. 5.5	Visible in line of range. Year round. Operates 24hrs.
773 H0752.1		208°17' 101.7m from front.	F	R	13.0	11	Triangular skeleton tower, white daymark, red vertical stripe. 9.5	Visible in line of range. Year round. Operates 24hrs. Chart:4170 Edn 12/09 (G09-157, 159) Edn 12/16 (G16-132, 133)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
773.5	Glace Bay, South breakwater Light	Near outer end of South Breakwater. 46 11 55.1 059 56 49.4	Q G 1s	3	Pipe Swing Pole, Green, White and black square daymark. 3	Year round. In operation 24h. Carte:4170 Edn 06/16 (G16-027)
774 H0756	Glace Bay North Breakwater	On outer end of N. breakwater. 46 11 56.7 059 56 51.8	Fl R 3s	9.0	6	Pipe Swing Pole, Triangular daymark, red, white, red. 3.0	Year Round. Chart:4170 Edn 10/10 (G10-140) Edn 05/13 (G13-012) Edn 04/16 (Q16-035)
774.4	Lingan Harbour light buoy KQ2	46 13 45 060 02 02.4	Fl R 4s	Red, marked "KQ2".	Seasonal. Chart:4367
774.5	Lingan Harbour light buoy KQ7	46 13 43.2 060 02 28.2	Fl G 4s	Green, marked "KQ7".	Seasonal. Chart:4367
774.6 H757.5	Lingan range	46 13 44.5 060 02 43.5	F G	4.8	7 Skeleton tower, enclosed lower portion, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
774.7 H757.51		270° 30.6m from front.	F G	7.4	7 Triangular skeleton mast, enclosed lower portion, white daymark, red vertical stripe.	Operates at night only. Seasonal. Chart:4367
Sydney Harbour							
775 H758	Low Point	E. side of entrance to Sydney Harbour. 46 16 01.5 060 07 32.9	Fl W 5s	25.8	18	White octagonal tower, red upper portion. 20.8	Flash 0.5 s; eclipse 4.5 s. Year round. Chart:4266
778 H760	Sydney Bar	On pier, W. extremity of Southeast Bar. 46 12 20.7 060 13 07.1	Fl G 5s	8.9	4	On white building. 2.0	Flash 1 s; eclipse 4 s. Year round. Chart:4266 Edn 09/11 (F11-059)
779	Sydney Northwest Bar light buoy S6	On SE. edge of bar. 46 12 28.5 060 14 01.3	Fl R 4s	Red, marked "S6".	Seasonal. Chart:4266
779.4	Northwest Bar light buoy SD2	46 12 32.8 060 14 10.3	Q R 1s	Red spar, marked "SD2".	Seasonal. Chart:4266
780 H762.6	Ballast Grounds (N. Sydney)	46 12 21.2 060 14 52.2	Fl(2) R 6s	7.7	3	Cylindrical mast. 6.7	Flash 1 s; eclipse 1 s; flash 1s; eclipse 3s. Operates at night only. Year round. Chart:4266

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
782 H761	Sydney range	On point, S. side of W. arm of Sydney Harbour. 46 10 48.2 060 15 01.1	Iso Y 4s	17.2	14	White octagonal tower, red upper portion, red vertical stripe. 15.1	Visible in line of range. Operates at night only. Year round.
783 H761.1		213°36' 756.1m from front.	Iso Y 4s	37.2	14	Square skeleton tower, red and white daymark. 9.6	Visible in line of range. Operates at night only. Year round.
Chart:4266 Edn 08/11 (G11-222, 223)							
784 H764	Sydney South Arm range	Near N. extremity of point. 46 09 26.8 060 12 12.4	F G	8	12	Triangular skeleton tower, white daymark, red vertical stripe. 6.7	Visible in line of range. Year round.
785 H764.1		162°32' 151.1m from front.	F G	16.1	15	Triangular skeleton tower, white daymark, red vertical stripe. 13.1	Visible in line of range. Year round.
Chart:4266 Edn 03/11 (G11-052)							
785.5	Barachois light buoy S14	At entrance to creek. 46 09 32.8 060 12 53	Fl R 4s	Red spar, marked "S14".	Seasonal.
Chart:4266							
785.7 H767	Point Edward Main Jetty North	46 09 22 060 13 02.6	F R	7.0	6	Mast. 4.6	Privately operated. Year round.
Chart:4266							
785.8 H766.2	Point Edward Main Jetty South	46 09 13.9 060 13 02.9	F R	7.3	Skeleton tower. 3.6	Visible from all points of marine approach. Privately operated. Year round.
Chart:4266							
785.84 H768	Crawleys Creek range	46 09 00.9 060 13 21	Iso W 4s	4.1	3	Skeleton mast, white daymark, black vertical stripe. 3.5	Privately maintained. Year round.
785.85 H768.1		235°21' 174.5m from front.	Iso W 1s	9.3	3	Skeleton mast, white daymark, black vertical stripe. 3.5	Privately maintained. Year round.
Chart:4266 Edn 08/11 (G11-224, 225)							
786	Battery Point light buoy S15	Off point. 46 08 53.5 060 12 26.5	Fl G 4s	Green spar, marked "S15".	Seasonal (in place year round).
Chart:4266 Edn 03/17 (G17-007)							
787	Shingle Point light buoy S18	On edge of shoal. 46 08 27.7 060 12 13.7	Fl R 4s	Red spar, marked "S18".	Seasonal (in place year round).
Chart:4266 Edn 03/17 (G17-007)							
787.2	South Bar Ruins light buoy SS1	46 11 58.1 060 12 17.2	Fl G 4s	Green spar, marked "SS1".	Seasonal. (In place Year round.)
Chart:4266							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

CAPE BRETON ISLAND, N.S.

788 Sydney Harbour South Arm light buoy S21 46 07 49 060 12 11.5 FI G 4s Green spar, marked "S21". Seasonal. Chart:4266

789 Cran Rock light buoy S2 46 16 26 060 11 29 FI R 4s Red, marked "S2". Seasonal. Chart:4266

789.5 Point Aconi Fairway light and whistle buoy U 46 21 28.2 060 14 49.1 LFI W 10s Red and white marked "U". Flash 2 s; eclipse 8s. Seasonal. Chart:4367 Edn 08/13 (G13-018)

790 Little Bras d'Or Entrance light and bell buoy U1 46 19 27.2 060 16 33.6 FI G 4s Green, marked "U1". Seasonal. Chart:4367

791 Alder Point light buoy U4 Entrance to Little Bras d'Or, W. of point. 46 18 56.2 060 17 05.2 Q R 1s Red, marked "U4". Seasonal. Chart:4276

791.5 Little Bras d'Or Entrance light buoy U9 46 18 46.2 060 17 05.2 FI G 4s Green, marked "U9". Seasonal. Chart:4276

Sydney Harbour

792 H772 On N. side of entrance. 46 18 43.9 060 17 13.8 Little Bras d'Or range F R 8.8 6 Galvanized steel, square skeleton tower, white daymark, red vertical stripe. 3.6 Year round.

793 H772.1 211°46' 354 m from front. F R 12.7 3 Triangular skeleton tower, white daymark, red vertical stripe. 6.5 Year round. Chart:4276 Edn 12/14 (G14-206) Edn 03/15 (G2014-214, 215)

794.2 McCreadyville light buoy U12 46 18 38.7 060 17 07.4 FI R 4s Red, marked "U12". Seasonal. Chart:4276

794.4 H0774 Little Bras d'Or Sector 46 17 53.8 060 17 09.8 F AI RW AI GW R W G 4.1 15 Skeleton tower, enclosed lower portion. 3.4 Red from 180°15' to 182°05'; AI RW 182°05' to 182°30'; white from 182°30' to 183°; AI GW 183° to 183°25'; green from 183°25' to 185°15'. Operates at night only. Year round. Chart:4276

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
796 H770	Point Aconi	On point. 46 20 10.3 060 17 31.9	LFI W 6s	26.9	14	Square skeleton tower, 3 red & white rectangular Daymarks facing 315T, 045T & 135T. 9.9	Flash 2s Eclipse 4s. Visible from all points of marine approach. Year round. Chart:4367 Edn 11/12 (G12-175) Edn 10/13 (G13-017)
797	Carey Beach light and bell buoy Q1	W. of Table Rock. 46 20 06.6 060 17 31.9	Fl G 4s	Green, marked "Q1".	Seasonal. Chart:4277
797.5	Carey Beach light and bell buoy Q2	46 19 05.6 060 23 18.9	Fl R 4s	Red, marked "Q2".	Seasonal. Chart:4277
798	Black Rock Point light buoy Q3	N. of Black Rock Shoal. 46 18 52.4 060 23 26.2	Q G 1s	Green, marked "Q3".	Seasonal. Chart:4277
799 H778	Black Rock Point	S. side of entrance to Great Bras d'Or. 46 18 18.8 060 23 29.8	LFI W 6s	25.8	12	White square tower. 12.4	Flash 2 s; eclipse 4 s. Visible from 047° through E., and S. to 227°. Year round. Horn - Blast 3 s; sil. 27 s. Horn points 353°. Chart:4277
800 H779	Black Rock Point Sector	On point near shore. 46 18 18.7 060 23 32.1	F AI W GW G AI RW	R	16.6	19 3.5	Square skeleton tower. Green from 045°15' to 048°20'; AI GW from 048°20' to 048°35'; white from 048°35' to 049°35'. AI RW 049°35' to 049°50'; red from 049°50' to 053°45'. White sector indicates preferred channel. Seasonal. Chart:4277 Edn 06/09 (G09-052) Edn 11/09 (G09-148)
801	Great Bras d'Or Entrance Outer light buoy Q4	W. of Black Rock Point light. 46 18 39.8 060 23 42.7	Fl R 4s	Red, marked "Q4".	Seasonal. Chart:4277
801.5	Little Shoal light buoy Q5	46 18 17.4 060 23 58.8	Fl G 4s	Green, marked "Q5".	Seasonal. Chart:4277
802	Great Bras d'Or Inner light buoy Q6	Off The Bar. 46 17 56.8 060 24 20.1	Fl R 4s	Red boat type, marked "Q6".	Seasonal. Chart:4277
802.1	Gooseberry Beach light buoy Q7	46 17 54 060 24 18.4	Fl G 4s	Green, marked "Q7".	Seasonal. Chart:4277
802.2	Carey Point light buoy Q8	46 17 43 060 24 33.9	Q R 1s	Red boat type, marked "Q8".	Seasonal. Chart:4277

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals		
CAPE BRETON ISLAND, N.S.									
Great Bras d'Or									
803 H782	Great Bras d'Or range	On Noire Point. 46 17 25.5 060 24 48.3	F G	15.7	6	White square tower, red upper portion, red vertical stripe. 9.9	Visible in line of range. Seasonal.	
804 H782.1		212°25' 514.6m from front.	F G	19.1	6	White square tower, red vertical stripe. 16.4	Visible in line of range. Seasonal.	
							Chart:4277		
804.5 H784	Duffus Point	On wharf. 46 16 51.6 060 25 30.1	Fl W	4s	7.4	5	Pipe swing pole. 7	Seasonal.	
							Chart:4277 Edn 02/15 (G14-217)		
804.6 H786	Kellys Cove Wharf	S. corner of wharf. 46 17 19.3 060 26 13.5	F W	5.0	12	Skeleton tower, enclosed lower portion. 3.8	Operates at night only. Seasonal.	
							Chart:4277		
804.8	Great Bras D'Or Inner light buoy Q10	46 16 26.8 060 26 46.5	Fl	R	4s	Red, marked "Q10". Seasonal.	
							Chart:4277		
805	Chain Point Shoal light buoy Q11	46 15 40 060 27 29.8	Fl	G	4s	Green, marked "Q11". Seasonal.	
							Chart:4277		
805.8	Seal Reefs light buoy Q12	E. of reefs. 46 14 04.2 060 29 20.2	Q	R	1s	Red boat type, marked "Q12". Seasonal.	
							Chart:4277		
806	Seal Reefs light buoy Q14	46 13 50.2 060 29 34.7	Fl	R	4s	Red, marked "Q14". Seasonal.	
							Chart:4277		
807	Lime Rock light buoy Q15	SW. of McLean Point. 46 13 27.2 060 29 57.3	Fl	G	4s	Green, marked "Q15". Seasonal.	
							Chart:4277		
809.7 H792	Man of War Point range	46 11 31.7 060 32 39.5	F	Y	18.1	10	Triangular skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Seasonal.
809.8 H792.1		223°03' 768.8m from front.	F	Y	28.5	16	Triangular skeleton tower, white daymark, red vertical stripe. 20.2	Visible in line of range. Seasonal.
							Chart:4277		
810.7 H796	MacFarlane Point range	46 07 34.1 060 36 15.1	F	Y	18.0	17	Triangular skeleton tower, white daymark, red vertical stripe. 9.7	Visible in line of range. Seasonal.
810.8 H796.1		065°15' 277.2m from front.	F	Y	31.0	15	Triangular skeleton mast, white daymark, red vertical stripe. 10.2	Visible in line of range. Seasonal.
							Chart:4277 Edn 03/11 (G11-050)		

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
811 <i>H798</i>	MacKenzie Point	W. of MacDonald Point. 46 06 59.4 060 38 56	Fl R 4s	21.3	2	Skeleton tower, red and white rectangular daymarks. 6.7	Operates at night only. Seasonal. Chart:4277 Edn 03/13 (G13-002)
811.1	<i>MacRae Point light buoy Q20</i>	46 06 32.2 060 39 56.2	Fl R 4s	Red, marked "Q20".	Seasonal. Chart:4278
811.2	<i>Fraser Point light buoy Q21</i>	46 06 19.2 060 39 56.2	Fl G 4s	Green, marked "Q21".	Seasonal. Chart:4278
812	<i>MacRae Point Shoal bifurcation light buoy QA</i>	46 06 02 060 40 31.1	Fl G (2+1)	6s	Green, red and green, marked "QA".	Seasonal. Chart:4278
St. Patricks Channel							
813.5	<i>Bone Shoal light buoy A2</i>	46 05 19.5 060 44 27.5	Fl R 4s	Red spar, marked "A2".	Seasonal. Chart:4278
814	<i>Bone Island light buoy A3</i>	At N. edge of shoal off Bone Island. 46 05 03.6 060 44 52.5	Fl G 4s	Green spar, marked "A3".	Seasonal. Chart:4278
815 <i>H800</i>	Kidston Island	On NE. point, entrance to Baddeck Harbour. 46 05 53.3 060 44 31.3	LFl G 12s	13.3	6	White square tower, red upper portion. 14.3	Flash 2 s; eclipse 10 s. Operates at night only. Seasonal. Chart:4278
815.1 <i>H801</i>	Kidston Island West End	46 05 33.2 060 45 00.7	Fl R 6s	13.5	4	White cylindrical tower, two red horizontal bands. 10.6	Operates at night only. Seasonal. Chart:4278
815.3	<i>Stony Shoal light buoy A4</i>	46 04 54.5 060 46 18.4	Fl R 4s	Red spar, marked "A4".	Seasonal. Chart:4278
816	<i>Brian Point light buoy A9</i>	Off point. 46 03 38.2 060 51 56.3	Fl G 4s	Green spar, marked "A9".	Seasonal. Chart:4278
817	<i>MacIvers Point light buoy A11</i>	N. of point. 46 02 27.2 060 55 33.3	Q G 1s	Green spar, marked "A11".	Seasonal. Chart:4278
818	<i>MacIvers Point West light buoy A13</i>	W. of point. 46 02 12.2 060 55 40	Fl G 4s	Green spar, marked "A13".	Seasonal. Chart:4278
818.5	<i>MacIvers Point light buoy A14</i>	46 02 05.4 060 55 47.7	Q R 1s	Red spar, marked "A14".	Seasonal. Chart:4278

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
819	Maclvers Point light buoy A16	46 01 58.7 060 55 58.3	Q R 1s	Red spar, marked "A16".	Seasonal. Chart:4278
820 H802	Maclvers Point range	On shore. 46 02 05.9 060 55 27.8	Iso W 2s	3.6	10	Square skeleton tower, white daymark, red vertical stripe. 3.6	Visible in line of range. Operates at night only. To activate the range lights, mariners can key their radio/microphone 5 pulses of 0.5 seconds each and within 10 seconds the light will be activated for 15 minutes. The lights will stay activated for 15 minutes and can be reactivated as required. Use channel 65 – 156.275 hertz. Seasonal.
821 H802.1		066°23' 33m from front.	Iso W 2s	8.1	10	Square skeleton tower, white daymark, red vertical stripe. 6.5	Visible in line of range. Operates at night only. To activate the range lights, mariners can key their radio/microphone 5 pulses of 0.5 seconds each and within 10 seconds the light will be activated for 15 minutes. The lights will stay activated for 15 minutes and can be reactivated as required. Use channel 65 – 156.275 hertz. Seasonal. Chart:4278 Edn 01/14 (G13-168, 169) Edn 06/14 (G14-025; 026) Edn 03/16 (G16-10, 011)
822	Maclvers Bank East light buoy A17	46 01 48.7 060 56 18.3	Fl G 4s	Green spar, marked "A17".	Seasonal. Chart:4278
823	Maclvers Bank light buoy A19	46 01 35.4 060 56 54.3	Q G 1s	Green spar, marked "A19".	Seasonal. Chart:4278
823.1	Little Narrows Gypsum light buoy LN3	46 02 00.2 060 55 40.9	Q G 1s	Green, marked "LN3".	Privately maintained by Little Narrows Gypsum. Seasonal. Chart:4278 Edn 08/11 (G11-228)
823.2	Little Narrows Gypsum light buoy LN4	Bras d'Or Lakes. 46 01 55 060 55 42.2	Fl R 4s	Red, marked "LN4".	Privately maintained by Little Narrows Gypsum. Seasonal. Chart:4278 Edn 08/11 (G11-229)
823.3	Little Narrows Gypsum light buoy LN5	Bras d'Or Lakes. 46 01 48.5 060 55 30.4	Fl G 4s	Green, marked "LN5".	Privately maintained by Little Narrows Gypsum. Seasonal. Chart: 4278 Edn 08/11 (G11-231)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
CAPE BRETON ISLAND, N.S.								
823.4	Little Narrows Gypsum light buoy LN6	Bras d'Or Lakes. 46 01 37.3 060 55 30.6	Q R 1s	Red, marked "LN6".	Privately maintained by Little Narrows Gypsum. Seasonal. Chart: 4278 Edn 08/11 (G11-232)	
823.5	Little Narrows Gypsum light buoy LN7	Bras d'Or Lakes. 46 01 29 060 55 31	Fl G 4s	Green, marked "LN7".	Privately maintained by Little Narrows Gypsum. Seasonal. Chart: 4278 Edn 08/11 (G11-233)	
823.6	Little Narrows Gypsum light buoy LN8	Bras d'Or Lakes. 46 01 29.5 060 55 42.3	Fl R 4s	Red, marked "LN8".	Privately maintained by Little Narrows Gypsum. Seasonal. Chart: 4278 Edn 08/11 (G11-234)	
823.7	Little Narrows Gypsum light buoy LN9	46 01 24 060 55 52.8	Fl G 4s	Green, marked "LN9".	Privately maintained by Little Narrows Gypsum. Seasonal. Chart: 4278 Edn 08/11 (G11-235)	
825 H803	Morrisons Cove range	On shore. 46 00 40.9 060 56 18	F Y	3.4	10	Square skeleton tower, white daymark, red vertical stripe. 3.5	Visible in line of range. Operates at night only. Seasonal.
826 H803.1		195°31' 640.9m from front.	F Y	6.4	10	Square skeleton tower, white daymark, red vertical stripe. 6.5	Visible in line of range. Operates at night only. Seasonal. Chart: 4278 Edn 12/10 (G10-190, 236) Edn 02/14 (G14-20, 021)
828	Donald Williams Point light buoy A22	NE. of point. 46 00 39.1 060 57 34.1	Fl R 4s	Red spar, marked "A22".	Seasonal. Chart: 4278	
829	Eel Shoal light buoy A25	W. end of shoal. 46 00 20.3 060 57 43	Fl G 4s	Green spar, marked "A25".	Seasonal. Chart: 4278	
829.1	Great Bras d'Or light buoy A27	45 59 49.3 060 58 51.0	Q G 1s	Green spar, marked "A27".	Seasonal. Chart: 4278 Edn 10/09 (G09-119) Edn 07/16 (G16-036)	
829.2	Great Bras d'Or light buoy A28	45 59 40.7 060 59 03.3	Fl R 4s	Red spar, marked "A28".	Seasonal. Chart: 4278 Edn 10/09 (G09-121)	
829.3	Little Narrows light buoy A29	45 59 25.6 060 59 15.5	Fl G 4s	Green, marked "A29".	Seasonal. Chart: 4278 Edn 11/09 (G09-123)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.									
829.5 H804.4	Little Narrows range	SW. of Gypsum Plant. 45 59 49.2 060 58 08.2	F	Y	4.7	10	Triangular skeleton tower, white daymark, red vertical stripe. 3.5	Visible in line of range. Seasonal.
829.6 H804.41		206°44' 127.6m from front.	F	Y	10.2	10	Triangular skeleton tower, white daymark, red vertical stripe. 3.4	Visible in line of range. Seasonal. Chart:4278 Edn 06/13 (G13-031, 033)
831 H806	Whycocomagh	On Lovett Point, N. side of channel. 45 57 40.6 061 04 40.5	F	W	7.0	11	Skeleton tower, enclosed lower portion. 6.8	Operates at night only. Seasonal. Chart: 4278
Barra Strait									
834 H818	Grand Narrows Bridge	On centre of swing bridge between Kelly and Uniacke Points. 45 57 31.9 060 47 49.5	F	R G W	16.7	Cylindrical mast. 2.1	Lights show red up and down channel when swing bridge is closed, green when open. White light is always visible. Maintained by railway. Year round. Chart: 4278
835 H822	Derby Point	On point. 45 56 22.3 060 48 03.5	Fl	R	4s	15.7	6	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.7	Operates at night only. Seasonal. Chart: 4278
835.8	McPhee Island light buoy E3	45 56 28.8 060 32 12.4	Fl	G	4s	Green, marked "E3".	Seasonal. Chart: 4279
Bras d'Or Lake									
836.02	Dundee Marina light buoy	45 41 57 061 05 25	Fl	G	4s	Green spar, marked "PRIV".	Privately maintained. Seasonal. Chart:4279 Edn 10/11 (G11-285)
836.03	Dundee Marina light buoy	45 41 58 061 05 24	Fl	R	4s	Red spar, marked "PRIV".	Privately maintained. Seasonal. Chart:4279 Edn 10/11 (G11-284)
836.1	Poor Point light buoy D1	45 46 40.5 060 56 29	Fl	G	4s	Green spar, marked "D1".	Seasonal. Chart:4279
837	Paddle Shoal light buoy DA2	45 48 17.4 060 57 49.4	Fl	R	4s	Red spar, marked "DA2".	Seasonal. Chart:4279
838 H832	Cameron Island	On NE. end of island. 45 48 51 061 00 25.3	Fl	G	4s	9.3	5	White square tower. 8.4	Operates at night only. Seasonal. Chart:4279

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
838.4 H833	Clarke Cove Wharf	On wharf. 45 49 12.4 061 02 20.6	F R	4.5	9	Triangular skeleton mast. 3.7	Maintained by Marble Mountain Preservation Society. Operates at night only. Seasonal. Chart:4279
St. Peters Inlet							
839	Kelly Shoals light buoy Q35	On W. side of shoals. 45 46 10.6 060 49 25.7	Fl G 4s	Green spar, marked "Q35".	Seasonal. Chart:4279
840 H838	Cape George	S. side of lake, W. side of entrance to St. Peters Inlet. 45 44 05.2 060 48 38.1	Fl W 4s	12.4	6	Steel square tower. Rectangular red and white daymarks. 8.2	Visible from 126° through S. and W. to 317°. Operates at night only. Seasonal. Chart:4275 Edn 01/16 (G15-159)
841 H839	Gregory Island	On island. 45 42 38.5 060 48 01.3	Fl G 4s	11.0	4	Square skeleton tower, green and white square daymarks with black square in center.	Operates at night only. Seasonal. Daymarks facing North, West and South. Chart:4275 Edn 12/14 (G14-199)
841.5	Scotts Island light buoy Q43	W. of island. 45 41 32.2 060 48 30.9	Fl G 4s	Green spar, marked "Q43".	Seasonal. Chart:4275
842 H842	Beaver Island	On SE. point of island. 45 40 29.5 060 50 01.4	Fl W 4s	9.9	6	White cylindrical tower, red horizontal bands. 9.7	Operates at night only. Seasonal. Chart:4275
843 H843	Helens Island	W. from Sandys Point. 45 39 58.2 060 51 21.1	Fl G 4s	7.5	2	Aluminum Swing Pole with 2 - 2x2 square day beacons, green/white/black. 6.6	Seasonal. Chart:4275 Edn 03/11 (G11-001) Edn 02/15 (G14-216)
845.1	Great Bras D'Or (St. Anns Bay) light buoy KP2	46 18 02.2 060 31 47.3	Fl R 4s	Red, marked "KP2".	Seasonal. Chart:4277 Edn 03/12
845.3	Great Bras D'Or (St. Anns Bay) light buoy KP7	46 17 32 060 32 18.8	Fl G 4s	Green ,marked "KP7".	Seasonal. Chart:4277 Edn 09/14 (G14-067) Edn 06/11 (G11-133) Edn 03/12
845.4	Port Shoal light buoy KP8	46 17 00.2 060 33 01.2	Fl R 4s	Red, marked "KP8".	Seasonal. Chart:4277 Edn 07/11 (G11-199)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
CAPE BRETON ISLAND, N.S.								
845.5	Breton Cove light and bell buoy KN	46 26 27.2 060 26 48.6	Mo(A) W 6s	Red and white vertical stripes, marked "KN".	Seasonal. Chart:4367 Edn 03/12	
845.7 H857.5	Breton Cove range	46 26 41.2 060 27 38.7	F Y	7.2	12	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
845.8 H857.51		290°59' 80.2m from front.	F Y	10.7	12	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Seasonal. Chart:4367 Edn 04/11 (G11-055, 056) Edn 03/12 Edn 05/12 (G12-024) Edn 03/13 (G13-004, 005)
845.9	Little River Inner	End of rock pile on the inside of breakwater. 46 26 42.1 060 27 31.7	Fl R 4s	2.6	2	Cylindrical mast. 2.2	Operates at night only. Seasonal. Chart:4367 Edn 02/12 (G12-006)	
846	Cape Smokey light and whistle buoy K4	46 38 21.2 060 19 39	Fl R 4s	Red, marked "K4".	Seasonal. Chart:4365	
847 H858	Ingonish Harbour	On beach, N. side of harbour entrance. 46 38 02.9 060 23 19.2	Iso W 4s	7.1	6	Square skeleton tower, red and white rectangular daymark. 5.1	Operates at night only. Seasonal. Chart:4365 Edn 11/11 (G11-294)	
847.3	Ingonish Harbour light buoy KM6	46 37 58.2 060 23 23	Fl R 4s	Red spar, marked "KM6".	Seasonal. Chart:4365	
848	South Bay Ingonish light buoy KM	46 38 02.2 060 22 48.5	Mo(A) W 6s	Red and white vertical stripes, marked "KM".	Seasonal. Chart:4365	
848.5	Ingonish East Cardinal light buoy KF	46 41 13.2 060 19 23.5	Q(3) W 10s	Black, yellow and black, marked "KF".	Seasonal. Chart:4365	
848.6	Ingonish Harbour light buoy KM3	46 37 58.5 060 23 09.9	Fl G 4s	Green spar, marked "KM3".	Seasonal. (In place Year round). Chart:4365 Edn 07/11 (G11-160)	
848.7	Ingonish Harbour light buoy KM4	46 37 59.7 060 23 10.4	Fl R 4s	Red spar, marked "KM4".	Seasonal. (In place Year round). Chart:4365 Edn 07/11 (G11-161)	
849	Ingonish Island South Cardinal light buoy KH	46 40 44.4 060 20 38.1	Q(6) +LFl W 15s	Yellow and black, marked "KH".	Seasonal. Chart:4365 Edn 07/11 (G11-162)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
849.3	Ingonish Harbour North light buoy KH2	46 41 22.2 060 21 39	Fl R 4s	Red spar, marked "KH2".	Seasonal. Chart:4365
849.4 H0865.1	The Point Breakwater	Outer end of wharf. 46 41 14.9 060 21 33.2	Q R 1s	4.2	5	Square skeleton tower, red and white rectangular daymark, red triangle in centre.	Operates at night only. Seasonal. Chart:4365 Edn 05/11 (G11-111) Edn 08/11 (G11-239)
850	Neil's Harbour light and bell buoy KD	46 47 43.1 060 18 09.5	Mo(A) W 6s	Red and white vertical stripes, marked "KD".	Seasonal. Chart:4363
850.1	Neil's Harbour light buoy KD1	46 48 25.3 060 19 20.5	Fl G 4s	Green spar, marked "KD1".	Seasonal. Chart:4363 Edn 09/11 (G11-259)
850.6	Neil Harbour Breakwater	Outer end of breakwater. 46 48 24 060 19 16.9	Fl R 4s	10.0	3	Cylindrical mast. 2.7	Operates at night only. Seasonal. Chart:4363
851 H866	Neil Harbour	On headland, on E. side of entrance. 46 48 23.3 060 19 11	LFl W 6s	17.9	9	White square tower, red upper portion.	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4363 Edn 02/12 (G12-007)
851.3	New Haven Breakwater light buoy KC1	Off end of breakwater. 46 49 17.4 060 19 06.3	Fl G 4s	Green spar, marked "KC1".	Seasonal. Chart:4363
852	New Haven light and whistle buoy KC	46 49 17.1 060 18 21.5	Mo(A) W 6s	Red and white vertical stripes, marked "KC".	Seasonal. Chart:4363
852.6	White Point light and whistle buoy KB1	46 53 32.1 060 21 15.5	Q G 1s	Green, marked "KB1".	Seasonal. Chart:4363
853.1 H0868	White Point Breakwater	Outer end of breakwater. 46 52 32.2 060 21 15.3	Fl G 4s	6.0	4	Cylindrical mast. 2.8	Operates at night only. Seasonal. Chart:4363 Edn 12/14 (G14-190)
854 H872	Cape North	On square building. 47 01 44 060 23 30.1	LFl W 6s	33.7	8	Square skeleton tower, three red and white rectangular daymarks. 14.5	Daymark facing NW., NE. and SE. Flash 2 s; eclipse 4 s. Operates at night only. Year round. Chart:4363 Edn 08/09 Edn 10/11 (G11-279)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
855 H870	Dingwall Harbour North Breakwater	On outer end of breakwater. 46 54 15.7 060 27 07.1	Fl R 4s	8.2	3	Square skeleton tower, 2 red and white triangular daymarks. 4.9	Daymarks one facing East and one facing West. Operates at night only. Seasonal. Chart:4365 Edn 09/11 (G11-266)
856	Dingwall light and bell buoy KA	46 54 14.1 060 25 51.5	Mo(A) W 6s	Red and white vertical stripes, marked "KA".	Seasonal. Chart:4363
857 H870.4	Dingwall Harbour South Breakwater	On outer end of breakwater. 46 54 13.3 060 27 07.5	Fl G 4s	8.0	4	Cylindrical mast. 5.0	Operates at night only. Seasonal. Chart:4365
857.2	Dingwall Harbour North light buoy KA6	46 54 14.1 060 27 15.5	Fl R 4s	Red, marked "KA6".	Seasonal. Chart: 4365
857.3	Dingwall Harbour South light buoy KA9	46 54 12.3 060 27 22.3	Fl G 4s	Green, marked "KA9".	Seasonal. Chart: 4365
858 H873	St. Lawrence Bay	Near outer end of breakwater. 47 00 12.7 060 28 04	Fl G 3s	5.2	4	Pipe swing pole.	Operates at night only. Seasonal. Chart: 4363 Edn 10/11 (G11-268)
858.3 H873.2	St. Lawrence Bay Southwest Breakwater	47 00 12.6 060 28 05.5	Fl R 4s	5.1	2	Pipe swing pole.	Operates at night only. Seasonal. Chart: 4363 Edn 10/11 (G11-269)
859	St. Lawrence Bay light and whistle buoy VV	47 01 02.1 060 28 23.5	Mo(A) W 6s	Red and white vertical stripes, marked "VV".	Seasonal. Chart: 4363
860 H874	Cape St. Lawrence	On the cape. 47 02 28.7 060 35 52.7	LFl W 12s	26.8	8	Square skeleton tower, red and white rectangular daymark.	Flash 2 s; eclipse 10 s. Visible from 050° through E. and S. to 261°. Operates at night only. Year round. Chart:4363 Edn 11/11 (G11-300)
860.5	Pleasant Bay light and bell buoy VC	Off harbour entrance. 46 50 30.1 060 48 17.6	Mo (A) W 6s	Red and white vertical stripes, marked "VC".	Seasonal. Chart:4464
860.6 H1176.4	Pleasant Bay Breakwater	NE. of breakwater. 46 49 57.2 060 47 51.1	Fl G 4s	7.2	2	Cylindrical mast. 3.6	Operates at night only. Seasonal. Chart:4464
860.9 H1176.5	Pleasant Bay Southwest Breakwater	46 49 59.1 060 47 50.6	Q R 1s	6.8	4	Cylindrical mast. 3.8	Operates at night only. Seasonal. Chart:4464

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
861 H1177	Pleasant Bay range	46 49 43 060 47 38.1	F R	20.0	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.
861.1 H1177.1		143°17' 71.7m from front.	F R	24.9	16	Skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 5.0	Visible in line of range. Operates at night only. Seasonal.
862 H1182	Caveau Point range	Extremity of point. 46 38 56.6 061 00 00.6	F R	16.8	14	Square skeleton tower, white daymark, red vertical stripes. 6.6	Visible in line of range. Operates at night only. Year round.
863 H1182.1		107°55' 200.9m from front.	F R	29.2	14	White square tower, red vertical stripe. 8.5	Visible in line of range. Operates at night only. Year round.
Chart: 4464							
863.1	Chéticamp Harbour light buoy VD2	46 38 58.5 061 00 28.3	Q R 1s	Red spar, marked "VD2".	Seasonal.
Chart: 4449							
864	Chéticamp Harbour light buoy VD4	Off Gros Cap entrance. 46 38 45.5 061 00 31.5	Fl R 4s	Red spar, marked "VD4".	Seasonal.
Chart: 4449							
866.1	Chéticamp Harbour light buoy VD8	46 38 32.4 061 00 34.8	Fl R 4s	Red spar, marked "VD8".	Seasonal.
Chart: 4449 Edn 10/14 (G14-101)							
866.2	Chéticamp Harbour light buoy VD9	46 38 32.2 061 00 36.5	Q G 1s	Green spar, marked "VD9".	Seasonal.
Chart: 4449 Edn 06/13 (G13-022) Edn 10/14 (G14-102)							
866.3	Chéticamp Inner light buoy VD10	46 38 25.8 061 00 33.5	Fl R 4s	Red spar, marked "VD10".	Seasonal.
Chart: 4449 Edn 10/14 (G14-137)							
866.4	Chéticamp Inner light buoy VD13	46 38 19.5 061 00 36.9	Q G 1s	Green spar, marked "VD13".	Seasonal.
Chart: 4449 Edn 10/14 (G14-104)							
866.5	Chéticamp Inner light buoy VD15	46 38 13.1 061 00 38.9	Q G 1s	Green spar, marked "VD15".	Seasonal.
Chart: 4449 Edn 06/13 (G13-023) Edn 10/14 (G14-131)							
866.6	Chéticamp Inner light buoy VD14	46 38 12.6 061 00 40.1	Fl R 4s	Red spar, marked "VD14".	Seasonal.
Chart: 4449 Edn 10/14 (G14-130)							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
867 H1188	Enragée Point	On NW. point of Chéticamp Island. 46 38 58.4 061 01 35.2	Fl(3) W 24s	22.5	16	White octagonal tower, red upper portion. 13.3	Flash 0.3 s; eclipse 3.7 s; flash 0.3 s; eclipse 3.7 s; flash 0.3 s; eclipse 15.7 s. Year round. Chart: 4449 Edn 02/12 (G12-002) Edn 12/14 (G14-189)
868 H1194	La Pointe (Chéticamp Island)	On outer end of wharf. 46 36 10.5 061 03 11.3	Fl R 5s	4.2	2	Skeleton tower, enclosed lower portion. 3.4	Flash 1 s; eclipse 4 s. Operates at night only. Seasonal. Chart: 4449
868.5 H1196.4	Grand Étang Northeast Breakwater	46 33 03.9 061 02 46.5	Q G 1s	8.5	4	Cylindrical mast.	Operates at night only. Seasonal. Chart: 4449 Edn 03/11 (G11-048)
868.6 H1196.5	Grand Étang Southwest Breakwater	On outer end of SW. breakwater. 46 33 03.3 061 02 49.2	Q R 1s	8.1	2	Cylindrical mast.	Operates at night only. Seasonal. Chart: 4449
869 H1196	Grand Étang range	On E. bank of harbour. 46 32 54.1 061 02 31.4	Oc Y 10s	9.9	16	Square skeleton tower, white daymark, red vertical stripe. 8.3	Flash 9 s; eclipse 1 s. Visible in line of range. White flashing locator light on site. Operates at night only. Seasonal.
870 H1196.1		130°29' 197.7m from front.	Oc Y 10s	17.5	16	Triangular skeleton tower, enclosed lower portion, white daymark, red vertical stripe. 7.4	Flash 9 s; eclipse 1 s. Visible in line of range. White flashing locator light on site. Operates at night only. Seasonal. Chart: 4449 Edn 02/16 (G16-001, 002)
872 H1202	Margaree Harbour range	On W. side of river entrance. 46 26 22.6 061 06 45.1	F Y	15.2	7	White square tower, red upper portion, red vertical stripe. 6.8	Visible from 102° through S. to 192°. Operates at night only. Seasonal.
873 H202.1		166°45' 64.6m from front.	F Y	21.3	8	White square tower, red upper portion, red vertical stripe. 10.1	Visible in line of range. Operates at night only. Seasonal. Chart: 4449
873.1	Margaree Harbour light buoy VH8	46 26 29.3 061 06 47.3	Fl R 4s	Red, marked "VH8".	Seasonal. Chart: 4449
873.2 H1202.3	Margaree Harbour East Breakwater	46 26 34.4 061 06 47.1	Fl G 4s	5.3	4	Cylindrical mast. 2.1	Operates at night only. Seasonal. Chart: 4449 Edn 11/12 (G10-019)
873.21 H1202.4	Margaree Harbour West Breakwater	46 26 35.1 061 06 50.7	Fl R 4s	5.9	2	Cylindrical mast. 2.1	Operates at night only. Seasonal. Chart: 4449

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
873.22	Margaree Harbour light buoy VH9	46 26 28.4 061 06 39.8	Q G 1s	Green, marked "VH9".	Seasonal. Chart:4449
873.23	Margaree Harbour light buoy VH11	46 26 30.9 061 06 30.3	Q G 1s	Green, marked "VH11".	Seasonal. Chart:4449 Edn 11/09 (G09-135)
873.3	Margaree Harbour Inner light buoy VH12	Inside harbour. 46 26 30.5 061 06 31.8	Q R 1s	Red, marked "VH12".	Seasonal. Chart:4449
874 H1208	Margaree Island (Sea Wolf Island)	Middle of Sea Wolf Island. 46 21 27.2 061 15 49.6	Fl W 4s	90.8	9	White hexagonal tower, red upper portion.	Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4463
874.1 H1210.5	Inverness Breakwater	46 13 45.6 061 19 30	Fl G 4s	8.1	2	Triangular skeleton tower. Square green, white and black daymark. 3.3	Operates at night only. Seasonal. Chart:4463 Edn 01/16 (G15-158)
874.12 H1210.6	Inverness South Breakwater	46 13 44.7 061 19 33.2	Fl R 4s	7.1	2	Cylindrical mast. 3.3	Operates at night only. Seasonal. Chart:4463
874.2 H1210	Inverness Harbour range	46 13 35.4 061 19 11.3	F G	5.6	10	Square skeleton tower, white daymark, red vertical stripe. 3.4	Visible in line of range. Operates at night only. Seasonal.
874.3 H1210.1		123°45' 54.8m from front.	F G	11.8	10	Square skeleton tower, white daymark, red vertical stripe. 4.9	Visible in line of range. Operates at night only. Seasonal. Chart:4463 Edn 05/10 (G10-057, 058) Edn 12/11 (G11-323, 324)
874.31	Inverness Inner light buoy VL1	46 13 38.9 061 19 17.7	Q G 1s	Green spar, marked "VL1".	Operates 24h. Seasonal. Chart:4463 Edn 08/16 (G16-116)
874.51	Mabou Harbour light buoy VJ	NW. of Harbour. 46 05 29.1 061 29 28	Mo(A) W 6s	Red and white vertical stripes, marked "VJ".	Seasonal. Chart:4448
874.52	Mabou Harbour light buoy VJ1	46 05 25 061 28 53.7	Fl G 4s	Green, marked "VJ1".	Seasonal. Chart:4448
874.53	Mabou Harbour light buoy VJ2	46 05 23 061 28 55.4	Fl R 4s	Red, marked "VJ2".	Seasonal. Chart:4448
874.55	Mabou Harbour light buoy VJ3	46 05 18.2 061 28 33.7	Fl G 4s	Green, marked "VJ3".	Seasonal. Chart:4448 Edn 11/10 (G10-164)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
874.6	Mabou Harbour light buoy VJ4	46 05 17.2 061 28 32.4	Fl R 4s	Red, marked "VJ4".	Seasonal. Chart:4448 Edn 11/10 (G10-165)
874.61	Mabou Harbour light buoy VJ8	46 05 14.6 061 28 13.4	Fl R 4s	Red, marked "VJ8".	Seasonal. Chart:4448 Edn 10/10 (G10-166)
874.62	Mabou Harbour light buoy VJ9	46 05 15.4 061 28 13.1	Fl G 4s	Green, marked "VJ9".	Seasonal. Chart:4448 Edn 10/10 (G10-167)
876 H1216.1	Mabou Harbour	46 05 09.2 061 27 55.2	F G	13.9	6 White square tower, red upper portion. 13.6	Seasonal. Chart:4448
876.3	Murphy Pond light buoy VX1	46 01 27.7 061 32 38.5	Q G 1s	Green spar, marked "VX1".	Seasonal. Chart:4448
876.8 H1218	Murphy Pond	Outer end of W. breakwater. 46 01 33.3 061 32 39.7	Fl G 4s	6.2	2	Cylindrical tower. 3.3	Seasonal. Chart:4448
876.9 H1217.5	Murphy Pond Breakwater	Outer end of E. breakwater. 46 01 35.7 061 32 38	Fl R 4s	5.6	2	Cylindrical mast. 3.3	Operates at night only. Seasonal. Chart:4448
877 H1224	Port Hood Island	On Smith Point. 46 00 51.4 061 33 23.8	Fl R 4s	4.5	5	Skeleton mast, red and white rectangular daymark. 3.6	Privately maintained. Seasonal. Chart:4448
878.1 H1222	Port Hood Wharf	Southern most corner. 46 01 01.7 061 32 25.2	Fl G 4s	4.8	2	Cylindrical mast. 3.5	Operates at night only. Seasonal. Chart:4448
879.1 H1220	Port Hood	46 01 29.4 061 32 20.5	F G	19.0 Square skeleton tower. 3.5	Operates at night only. Seasonal. Chart:4448 Edn 01/10 (G09-001)
879.5	Portsmouth Point light buoy VK7	S. of point. 45 59 06.2 061 33 19.6	Fl G 4s	Green, marked "VK7".	Seasonal. Chart:4448
880	Spithead light buoy VK9	E. of Spithead. 45 59 43.2 061 32 50.6	Fl G 4s	Green spar, marked "VK9".	Seasonal (in place year round). Chart:4448 Edn 03/17 (G17-007)
880.1	Dean Shoal light buoy VK12	Port Hood Harbour. 45 59 58.2 061 32 32.6	Fl R 4s	Red spar, marked "VK12".	Seasonal (in place year round). Chart:4448 Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CAPE BRETON ISLAND, N.S.							
881 <i>H1222</i>	Henry Island	W. side of island. 45 58 37.6 061 35 59.4	Fl W 4s	61.0	9	Octagonal tower, red upper portion, red and white vertical stripes. 11.6	Flash 1 s; eclipse 3 s. Chart:4448
881.1 <i>H1223.2</i>	Little Judique Harbour Breakwater	45 57 31.7 061 31 42.3	F G	5.3	5	Cylindrical mast. 3.8	Seasonal. Chart:4448 Edn 02/15 (G15-002) Edn 05/15 (G15-021)
881.3 <i>H1223</i>	Little Judique Harbour Wharf Sector	Near outer end of W. breakwater. 45 57 28.9 061 31 37.2	F R	8.2	7	Skeleton tower, enclosed lower portion, red and white rectangular daymark. 6.9	Red from 077° to 121°; white from 121° to 123°; green from 123° to 161°. White sector indicates preferred channel. Operates at night only. Seasonal. Chart:4448
882 <i>H1228</i>	Judique South Wharf	On outer end, SW. corner of wharf. 45 51 27.5 061 30 13.1	LFl R 6s	7.3	4	Pipe swing pole, red and white triangular daymark, red triangle in centre. 6.7	Flash 2 s; eclipse 4 s. Seasonal. Chart:4462 Edn 04/10 (G10-024)
882.1	<i>Henry Point light buoy VM3</i>	<i>Off Henry Island.</i> 45 59 39.7 061 35 09.6	<i>Fl G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "VM3".</i>	<i>Seasonal.</i> Chart:4448
882.2	<i>Henry Point light buoy VM4</i>	<i>Off Henry Island.</i> 45 59 27.5 061 35 34.7	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "VM4".</i>	<i>Seasonal.</i> Chart:4448
882.5	<i>Judique Shoals light buoy VN2</i>	<i>W. of shoals.</i> 45 50 16.3 061 33 09.8	<i>Fl R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "VN2".</i>	<i>Seasonal.</i> Chart:4462