

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GULF OF ST. LAWRENCE								
883.2	Aulds Cove light buoy VT2	45 38 59.3 061 26 03.6	Fl R 4s	Red, marked "VT2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4302 Edn 05/13 (G13-009) Edn 07/16 (G16-076)	
883.4	Havre Boucher light buoy VQ	45 42 18.5 061 31 04.9	Mo(A) W 6s	Red and white vertical stripes, marked "VQ".	Seasonal. Chart:4335 Edn 06/10 (G10-044)	
883.5	Havre Boucher light buoy VQ4	45 41 37.2 061 31 23.4	Fl R 4s	Red spar, marked "VQ4".	Seasonal. Chart:4448 Edn 08/11 (G11-236) Edn 11/12 (G12-178)	
883.6	Havre Boucher light buoy VQ5	45 41 31.4 061 31 20.8	Fl G 4s	Green spar, marked "VQ5".	Seasonal. Chart:4448 Edn 08/11 (G11-237) Edn 11/12 (G12-179)	
883.9	Havre Boucher light buoy VQ8	45 41 24.4 061 31 30.9	Fl R 4s	Red, marked "VQ8".	Seasonal. Chart:4448 Edn 09/11 (G11-238)	
884 H1230	Havre Boucher range	On SW. shore of harbour. 45 40 54.4 061 31 37.6	F G	8.3	8	Square skeleton tower, white daymark, red vertical stripe. 7.5	Visible in line of range. Seasonal.
885 H1230.1		194°31' 433.1m from front.	F G	32.4	8	White square tower, red upper portion, red vertical stripe. 9.6	Visible in line of range. Seasonal. Chart:4448 Edn 10/10 (G10-153) Edn 12/11 (G11-322, 325)
886	Jack Shoal light and bell buoy VU4	Off shoal. 45 43 21.2 061 32 59.3	Fl R 4s	Red, marked "VU4".	Seasonal. Chart:4447	
887 H1231	Barrios Beach Breakwater	On shore, approach to breakwater. 45 38 44.9 061 37 32.3	Fl W 4s	16.1	9	Square skeleton tower, red and white rectangular daymark. 6.8	Flash 1 s; eclipse 3 s. Seasonal. Chart:4447 Edn 10/16 (G16-125)	
887.1	Bowman Bank North Cardinal light buoy VP	45 40 16.9 061 41 39.9	Q W 1s	Black and yellow spar, marked "VP".	Seasonal. Chart:4447 Edn 12/10	
887.2	Barrios Beach light buoy VP2	45 39 05.7 061 37 45.8	Fl R 4s	Red, marked "VP2".	Seasonal. Chart:4447	
887.5	Barrios Beach light buoy VP5	45 38 36.5 061 37 32.7	Fl G 4s	Green, marked "VP5".	Seasonal. Chart:4447 Edn 09/14 (G14-096)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
887.7	Barrios Beach light buoy VP13	45 38 20.5 061 37 50.6	Q G 1s	Green, marked "VP13".	Seasonal. Chart:4447 Edn 10/14 (G14-098)
887.73	Monk Head North Cardinal light buoy VR	45 41 24.2 061 47 58.5	Q W 1s	Black and yellow spar, marked "VR".	Seasonal. Chart:4447 Edn 12/10
887.75	Bayfield light buoy VR2	45 39 22.3 061 44 20.9	Fl R 4s	Red spar, marked "VR2".	Seasonal. Chart:4447 Edn 06/10 (G10-008)
887.8	Bayfield light buoy VR4	45 38 52.3 061 44 43.9	Fl R 4s	Red, marked "VR4".	Seasonal. Chart:4447 Edn 06/10 (G10-009)
887.82	Bayfield light buoy VR8	45 38 38.8 061 45 09.6	Q R 1s	Red, marked "VR8".	Seasonal. Chart:4447
888 H1232	Pomquet Island	NE. end of island. 45 39 27.5 061 44 50.6	LFI W 6s	13.7	8	White square tower. 8.2	Flash 2 s; eclipse 4 s. Seasonal. Chart:4447 Edn 12/10 (G10-169)
888.5	Bayfield Breakwater	On the outer end of the breakwater. 45 38 40.7 061 45 11.1	Fl W 4s	2	Cylindrical mast.	Seasonal. Chart: 4447 Edn 05/16 (G15-025)
889.5	Antigonish Harbour light buoy VS	Harbour entrance. 45 41 49.3 061 52 37.3	Mo(A) W 6s	Red and white vertical stripes, marked "VS".	Seasonal. Chart:4446
890 H1232.3	Cribbean Head Wharf	On outer end of wharf. 45 45 18.9 061 53 47	Fl R 4s	6.1	5	Pipe swing pole red triangular daymark. 3.5	Operates at night only. Seasonal. Chart:4404 Edn 11/15 (G15-125)
890.2 H1232.35	Cribbean Head Main	45 45 25.3 061 53 43.8	LFI W 4s	20.5	10	Skeleton tower, enclosed lower portion. 3.8	Flash 2 s; eclipse 2 s. Operates at night only. Year round. Chart:4462 Edn 01/15 (G14-198) Edn 02/15 (G14-198)
891 H1232.5	Ballantynes Cove Wharf	On S. side of wharf. 45 51 27.1 061 55 06.8	LFI R 6s	8.0	4	Pipe swing pole. 5.2	Flash 2 s; eclipse 4 s. Operates at night only. Seasonal. Chart:4404 Edn 08/10 (G05-184)(G10-101) End 02/14 (G14-001)
891.5	Cape George light and bell buoy VU2	Off cape. 45 52 34.3 061 53 13.8	Fl R 4s	Red, marked "VU2".	Seasonal. Chart:4462

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
892 <i>H1234</i>	Cape George	On cape. 45 52 26.8 061 54 01.8	Fl(3) W 12s	121.3	15	White octagonal tower, red upper portion. 13.8	Flash 1 s; eclipse 2 s; flash 1 s; eclipse 2 s; flash 1 s; eclipse 5 s. Chart:4462
892.5 <i>H1234.5</i>	Livingstone Cove	45 52 05 061 58 55.6	Fl G 4s	6.3	4	Cylindrical mast. 5.1	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4404
894.1 <i>H1234.8</i>	Arisaig West	45 45 37.1 062 10 21.3	LFl G 6s	10.4	5	Square skeleton tower, three green and white square daymarks, green square in center. 9.6	Daymarks facing North, West and East. Flash 2 s; eclipse 4 s. Operates in night only. Privately maintained. Seasonal. Chart:4404 Edn 04/12 (G12-022)
894.2 <i>H1234.2</i>	Arisaig East	45 45 37.1 062 10 19.7	Fl R 4s	3.9	3	Cylindrical mast, red, and white triangular daymark, red triangle in center. 3.0	Privately maintained. Seasonal. Chart:4404 Edn 04/12 (G12-023) Edn 06/12 (G12-095)
895 <i>H1236</i>	Baillie Brook	On shore near wharf. 45 42 23.5 062 16 12.9	LFl W 6s	16.8	15	Square skeleton tower, red and white rectangular daymark. 8.4	Flash 2 s; eclipse 4 s. Seasonal. Chart:4404
896 <i>H1236.3</i>	Baillie Brook East Breakwater	On SW. corner of E. breakwater. 45 42 28 062 16 27.4	Fl G 4s	5.5	4	Cylindrical mast. 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4404
896.1 <i>H1236.4</i>	Baillie Brook West Breakwater	45 42 26.2 062 16 26.5	Fl R 4s	5.8	3	Cylindrical mast. 3.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4404
896.5	<i>Merigomish Harbour Approach light buoy SA2</i>	45 40 00.2 062 28 33.7	Fl R 4s	Red spar, marked "SA2".	Seasonal. Chart: 4445
896.6	<i>Kings Head light buoy SA6</i>	45 39 10.2 062 28 24.7	Fl R 4s	Red spar, marked "SA6".	Seasonal. Chart: 4445
896.8	<i>Savage Point light buoy SA14</i>	45 38 33.7 062 27 07.7	Q R 1s	Red spar, marked "SA14".	Seasonal. Chart: 4445
897 <i>H1244</i>	Pictou Island (West End)	On West Point of island. 45 48 14.7 062 36 08	Fl W 4s	14.0	9	Square skeleton tower, red and white rectangular daymark on three sides. 6.9	 Chart: 4483
898 <i>H1240</i>	Pictou Island Breakwater	On SE. corner of W. breakwater. 45 48 09.5 062 35 08.4	Fl G 4s	4.9	4	Pipe swing pole, green and white square daymark, black square in center. 4.0	Seasonal. Chart:4483 Edn 12/11 (G11-319)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
899 H1237	Pictou Island South	On SW. coast of island. 45 48 14.2 062 35 11.7	Iso W 4s	10.8	8	White square tower, red upper portion. 8.1	Seasonal. Chart:4483
899.5 H1238	Pictou Island (East End)	SE. point. 45 48 54.4 062 30 49.7	Fl W 4s	17.7	9	Square skeleton tower, red and white rectangular daymark on two sides. 9.9	Flash 1 s; eclipse 3 s. Chart:4404
900.2	<i>Pictou Island East East Cardinal light buoy SP</i>	45 49 36.2 062 29 48.7	Q(3) W 10s	<i>Black, yellow and black spar, marked "SP".</i>	<i>Seasonal.</i> Chart:4404
900.5	<i>Pictou light buoy SJ</i>	<i>On line of range. 45 42 10 062 36 45</i>	<i>Mo(A) W 6s</i>	<i>Red and white vertical stripes, marked "SJ".</i>	<i>Seasonal.</i> Chart:4437
901	<i>Pictou Harbour light buoy SJ4</i>	<i>S. of Cole Point. 45 41 33 062 38 37</i>	<i>VQ(3) R 5s</i>	<i>Red, marked "SJ4".</i>	<i>Seasonal.</i> Chart:4437
901.5	<i>Pictou Bar light buoy SJ7</i>	<i>Off bar. 45 41 23.3 062 39 37.7</i>	<i>Q G 1s</i>	<i>Green spar, marked "SJ7".</i>	<i>Seasonal.</i> Chart:4437
901.6	<i>Murdock Shoal light buoy SJ6</i>	45 41 27.3 062 39 30.7	<i>Fl R 4s</i>	<i>Red, marked "SJ6".</i>	<i>Seasonal.</i> Chart:4437 Edn 06/12 (G12-088)
903 H1256	Pictou Harbour range	On N. side of entrance to harbour. 45 41 18.3 062 40 42.9	F W	6.8	11	White square tower, red at top, red vertical stripe. 7.0	Visible in line of range. Year round. Mariners requiring the operation of the range light will have to select VHF channel 65A and key their microphones five (5) times in quick succession. The range light will be in operation for 30 minutes. If additional time is required, repeat the process above.
904 H1256.1		261°57' 140.6m from front.	F W	16.8	11	Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Year round. Mariners requiring the operation of the range light will have to select VHF channel 65A and key their microphones five (5) times in quick succession. The range light will be in operation for 30 minutes. If additional time is required, repeat the process above. Chart:4437 Edn 10/11 (G11-267) Edn 11/11 (G11-298, 299) Edn 12/11 (G11-299) Edn 11/12 (G12-199, 200) Edn 03/17 (G16-162, 163)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
905	Pictou Landing light buoy SJ11	S. of Grave Point. 45 40 52.3 062 40 43.7	Fl G 4s	Green spar, marked "SJ11".	Seasonal. Chart:4437
905.2	Pictou Harbour light buoy SJ12	45 40 51.5 062 41 30.5	Fl R 4s	Red spar, marked "SJ12".	Seasonal. Chart:4437
905.3	Pictou Harbour light buoy SJ15	45 40 38.7 062 41 04.7	Fl G 4s	Green spar, marked "SJ15".	Seasonal. Chart:4437
905.4	Pictou Landing East light buoy	45 40 33.6 062 40 59.7	Fl G 4s		Privately maintained. Seasonal. Operates at night only. Position is approximate. Owned by Small Craft Harbours. Chart:4405 Edn 06/16 (G16-029)
905.5	Pictou Landing West light buoy	45 40 33.5 062 41 00.7	Fl R 4s		Privately maintained. Seasonal. Operates at night only. Position is approximate. Owned by Small Craft Harbours. Chart:4437 Edn 06/16 (G16-030)
906 H1248.1	Pictou	45 40 37.6 062 42 08.8	Iso R 4s	28.7	16	Square skeleton tower. 12.7	Operates at night only. Year round. Chart:4437
906.4 H1248.5	Pictou Bar	S. side of entrance to harbour. 45 41 14.1 062 39 48.2	Fl W 4s	8.9	6	Square skeleton tower, red and white rectangular daymark. 7.2	 Chart:4437
906.6 H1260.5	Pictou Marina	End of the floating dock. 45 40 27.9 062 42 39.4	Q G 1s	2.0	Pier. 1.8	Maintained by Pictou Development Corporation. Seasonal. Chart:4437
908.3	Abercrombie Point light buoy SJ20	45 39 48 062 42 52.9	Fl R 4s	Red spar, marked "SJ20".	Seasonal. Chart:4437 Edn 10/13 (G13-099)
909	Norway Reach light Buoy SJ27/3	S. of Indian Cross Point. 45 38 28.3 062 41 26.7	Fl G 4s	Green spar, marked "SJ27/3".	Seasonal. Chart: 4437 Edn 10/13 (G13-119) Edn 08/15 (G13-119)
909.3	Dunbar Point light buoy SJ32	45 37 57.7 062 40 12.4	Fl R 4s	Red spar, marked "SJ32".	Seasonal. Chart:4443
909.5	Stonehouse Point light buoy SJ38	45 37 32.2 062 39 07.7	Q R 1s	Red spar, marked "SJ38".	Seasonal. Chart:4443

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE									
910 H1264	Trenton (East River) range	S. of Greens Point. 45 37 25.7 062 38 51.2	F	R	7.7	10	Red and white square tower, white daymark, red vertical stripe. 4.4	Visible in line of range. Seasonal.
911 H1264.1		119°43' 890.9m from front.	F	R	20.1	10	Square skeleton tower, white daymark, red vertical stripe in centre. 9.9	Visible in line of range. Seasonal.
									Chart:4443
911.5	MacDonald Reef light buoy SP6	E. of reef. 45 42 44.2 062 37 25.7	Fl	R	4s	Red spar, marked "SP6".	Seasonal.
									Chart:4404
912.5	Caribou light buoy SQ2	45 44 40.3 062 38 32.5	Q	R	1s	Red spar, marked "SQ2".	Seasonal.
									Chart:4483
913	Caribou Harbour light and bell buoy SS1	S. side of channel. 45 45 08 062 39 44	Fl	G	4s	Green, marked "SS1".	Seasonal.
	Racon - - (G) X & S Band								Chart:4483
913.2	Caribou Harbour Entrance light buoy SS2	N. side of channel. 45 45 10 062 39 54.7	Q	R	1s	Red spar, marked "SS2".	Seasonal (in place year round).
									Chart:4483 Edn 03/17 (G17-007)
913.4	Caribou Harbour light buoy SS3	S. side of channel. 45 45 03.2 062 40 10.2	Fl	G	4s	Green spar, marked "SS3".	Seasonal (in place year round).
									Chart:4483 Edn 03/17 (G17-007)
913.6	Caribou Harbour light buoy SS6	N. side of channel. 45 45 05.4 062 40 16.8	Fl	R	4s	Red spar, marked "SS6".	Seasonal (in place year round).
									Chart:4483 Edn 03/17 (G17-007)
914	Caribou Harbour light buoy SS7	S. side of channel. 45 44 58.7 062 40 35.2	Q	G	1s	Green spar, marked "SS7".	Seasonal (in place year round).
									Chart:4483 Edn 03/17 (G17-007)
915	Caribou Harbour light buoy SS8	45 45 01.7 062 40 36.9	Q	R	1s	Red spar, marked "SS8".	Seasonal (in place year round).
									Chart:4483 Edn 03/17 (G17-007)
915.4	Caribou Harbour light buoy SS10	45 44 56.6 062 40 46.2	Fl	R	4s	Red spar, marked "SS10".	Seasonal (in place year round).
									Chart:4483 Edn 03/17 (G17-007)
916	Caribou Harbour Inner light buoy SS11	Off NW. point of Doctor Island. 45 44 49.5 062 40 52.3	Q	G	1s	Green spar, marked "SS11".	Seasonal (in place year round).
									Chart:4483 Edn 03/17 (G17-007)
916.2	Caribou Harbour light buoy SS12	45 44 51.5 062 40 55.5	Q	R	1s	Red spar, marked "SS12".	Seasonal (in place year round).
									Chart:4483 Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GULF OF ST. LAWRENCE								
916.3 H1270	Caribou Harbour Inner range	45 44 23 62 41 15.8	Iso G 1s	6.5	4	Square skeleton tower, white daymark, red vertical stripe. 3.1	Visible in line of range.. Seasonal.	
916.35 H1270.1		209°31' 82.7m from front.	Iso G 4s	9.5	4	Square skeleton tower, white daymark, red vertical stripe. 6.2	Visible in line of range. Seasonal. Chart: 4483 Edn 03/11 (G11-009)	
916.4	Caribou Harbour light buoy SS16	NW. side of channel. 45 44 36.8 062 41 09.7	Fl R 4s	Red spar, marked "SS16".	Seasonal (in place year round). Chart: 4483 Edn 03/17 (G17-007)	
917	Caribou Harbour light buoy SS15	45 44 35.6 062 41 03.7	Fl G 4s	Green spar, marked "SS15".	Seasonal (in place year round). Chart: 4483 Edn 03/17 (G17-007)	
918 H1272	Caribou	On Caribou Point, NE. end of Gull Island. 45 45 52.2 062 40 50.4	Fl(3) W 20s	12.7	9	White square tower, red upper portion.	Flash 1 s; eclipse 1 s; flash 1 s; eclipse 1 s; flash 1 s; eclipse 15 s. Emergency light. Year round. Chart: 4483	
919	Gull Rock light and bell buoy SP2	NE. of Caribou Reef. 45 46 28.7 062 40 24.7	Fl R 4s	Red, marked "SP2".	Seasonal. Chart: 4483	
919.1	Toney River East	On East breakwater. 45 46 24.8 062 53 21.8	Fl G 5s	2	Post.	Seasonal. Chart: 4405 Edn 11/15 (G15-144)	
919.6	Toney River light buoy SU1	45 46 42.2 062 53 19.7	Fl G 4s	Green spar, marked "SU1".	Seasonal. Chart: 4405	
919.7 H1273	Toney River Wharf	Outer end of breakwater. 45 46 26 062 53 23.8	Fl R 4s	5.5	3	Cylindrical mast. 3.1	Flash 1 s; eclipse 3 s. Seasonal. Chart: 4405 Edn 11/12 (G09-030)	
920 H1274	Skinner Cove Sector	On NE. corner of W. breakwater. 45 47 40.2 063 02 40.6	F W G	R	6.2	5	Square skeleton tower, red and white rectangular daymark. 5.5	Red from 127° to 187°; white from 187° to 189°; green from 189° to 240°. White sector indicates preferred channel. Seasonal. Chart: 4405 Edn 01/13 (G12-107) Edn 05/15 (G15-011)
920.5	Eastern Passage light buoy UA2	NE. of Cape John. 45 49 13.4 063 07 42.7	Fl R 4s	Red spar, marked "UA2".	Seasonal. Chart: 4497	
920.6	Jollimore Reef light buoy UD3	45 46 15.9 063 12 59.5	Q G 1s	Green spar, marked "UD3".	Seasonal. Chart: 4497	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
920.7	Chamber Point light buoy UD4	45 45 06.4 063 14 21.7	Q R 1s	Red spar, marked "UD4".	Seasonal. Chart:4497
920.8	Barachois Harbour light buoy UD4/2	45 44 32.8 063 15 14.2	Fl R 4s	Red spar, marked "UD4/2".	Seasonal. Chart:4497
920.9	Malagash Point light buoy UE6	SW. of point. 45 47 45.4 063 13 04.7	Fl R 4s	Red spar, marked "UE6".	Seasonal. Chart:4497
921 H1276	Amet Island	Centre of island. 45 50 05.4 063 10 39.7	Fl W 4s	11.9	10	Square skeleton tower.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4497 Edn 07/10 (G10-091)
921.1	Malagash Wharf	On SE. end of wharf. 45 46 29 063 17 43.9	Iso G 2s	5.7	5	Red square skeleton tower.	Seasonal. Chart:4497
921.2	Cape John West	45 47 50.3 063 07 25.4	Fl G 4s	2	Green, White and Black square daymark.	Privately maintained. Seasonal. Operation at night only. Chart:4404 Edn 06/16 (G16-031)
921.21	Cape John East	45 47 51.0 063 07 23.4	Fl R 4s	2	Red triangular daymark.	Privately maintained. Seasonal. Operation at night only. Chart: 4404 Edn 06/16 (G16-032)
921.3	Wallace Harbour light buoy UH	E. of Oak Island Bar. 45 48 56.7 063 20 59	Mo(A) W 6s	Spar, red and white vertical stripes, marked "Wallace Harbour UH".	Seasonal. Chart:4402
921.4	Oak Island Bar light buoy UH2	45 48 26.3 063 22 00.7	Q R 1s	Red spar, marked "UH2".	Seasonal. Chart:4402
921.5	Horton Bank light buoy UH3	45 48 59.9 063 23 04.8	Q G 1s	Green spar, marked "UH3".	Seasonal. Chart:4402
921.6	Horton Bank light buoy UH5	N. of bank. 45 49 16.9 063 24 03.9	Q G 1s	Green spar, marked "UH5".	Seasonal. Chart:4402
923.3	Palmer Point light buoy UH12	Off point. 45 49 07.3 063 25 50.6	Fl R 4s	Red spar, marked "UH12".	Seasonal. Chart:4402
923.5	Wallace Harbour light buoy UH16	NE. of Macfarlane Point. 45 48 55.5 063 27 03.9	Q R 1s	Red spar, marked "UH16".	Seasonal. Chart:4402

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
923.7	Macfarlane Point light buoy UH17	N. of point. 45 48 56.6 063 27 45.4	Q G 1s	Green, marked "UH17".	Seasonal. Chart:4402
924 H1283	Wallace Harbour Sector	45 48 47 063 27 43.5	F AI RW AI GW R W G	12.4	21 White square tower, red horizontal band. 8.0	Red from 254° to 256°; AI RW from 256° to 257°; white from 257° to 258°; AI GW from 258° to 259°; green from 259° to 261°. White sector indicates preferred channel. Year round. Chart:4402
925.1	Wallace Wharf	On outer end of wharf. 45 48 55.9 063 28 25.1	Fl R 3s	6.3	6	Square skeleton tower, 3 red and white triangular daymark, red triangular in center. 5.4	Flash 1 s; eclipse 2 s. Seasonal. Chart:4402 Edn 12/11 (G10-244)
Pugwash Harbour							
925.2	Pugwash Harbour light buoy UK2	NW. of Pugwash Point. 45 54 06.3 063 41 18.8	Fl R 4s	Red spar, marked "UK2".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)
925.4	Pugwash Harbour Entrance light buoy UK3	N. of Pugwash Road. 45 52 54.2 063 41 40.0	Q G 1s	Green spar, marked "UK3".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)
925.6	Pugwash Reef West Cardinal light buoy UN	45 52 49.7 063 41 14.5	Q(9) W 15s	Yellow, black and yellow spar, marked "UN".	Seasonal. Chart:4498 Edn 08/12 (G12-139)
927 H1292	Biglow Point range	On the point, eastward of point. 45 51 16 063 40 56	F G	15.1	16 Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Seasonal.
928 H1292.1		160°32' 479.1m from front.	F G	28.2	16 Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Seasonal. Chart:4498 Edn 12/10 (G10-195) Edn 05/12 (G10-196)
929	Pugwash Road light buoy UK7	45 51 57.1 063 41 14.5	Q G 1s	Green spar, marked "UK7".	Seasonal. (In place Year round). Chart:4498 Edn 08/12 (G12-138)
929.2	Pugwash light buoy UK8	45 52 05.3 063 41 23.2	Fl R 4s	Red spar, marked "UK8".	Seasonal. Chart:4498 Edn 10/09 (G09-126)
929.3	Pugwash Road Turning light buoy UK9	45 51 51.2 063 41 01.8	Q G 1s	Green spar, marked "UK9".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
929.5	Pugwash Bar North light buoy UK11	45 51 51.6 063 40 52.3	Fl G 4s	Green spar, marked "UK11".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)
930	Pugwash Channel light buoy UK13	45 51 52.0 063 40 30.7	Q G 1s	Green spar, marked "UK13".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)
931 H1296	Steven Point range	On shore, N. of point. 45 51 52.3 063 40 03.4	F R	9.9	5	Square skeleton tower, white daymark red vertical stripe.	Visible in line of range. Seasonal.
932 H1296.1		086°22' 470.2m from front.	F R	27.3	5	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Seasonal. Chart:4498 Edn 12/10 (G10-193) Edn 11/13 (G13-147) Edn 01/15 (G14-192, 193)
933	Pugwash Channel 1 st Turn light buoy UK16	45 51 49.8 063 40 30.3	Q R 1s	Red spar, marked "UK16".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)
934	Pugwash Channel light buoy UK18	45 51 44.8 063 40 22.7	Q R 1s	Red spar, marked "UK18".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)
935 H1300	Fishing Point range	On point. 45 52 10.5 063 40 27.2	F G	8.4	10	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Seasonal.
936 H1300.1		350°30' 258.3m from front.	F G	11.9	10	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Seasonal. Chart:4498 Edn 12/10 (G10-197) Edn 11/12 (G10-198) Edn 12/13 (G13-066, 065)
937	Pugwash Channel light buoy UK19	45 51 39.7 063 40 17.9	Fl G 4s	Green spar, marked "UK19".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)
937.5	Pugwash Channel light buoy UK25	W. of Pineo Point. 45 51 11.3 063 40 11	Q G 1s	Green, marked "UK25".	Winter spar. Seasonal. Chart:4498 Edn 08/12 (G12-143)
937.8	Pugwash Harbour light buoy UK28	45 51 09.6 063 40 14.8	Fl R 4s	Red spar, marked "UK28".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)
938	Page Point North light buoy UK30	N. of point. 45 51 03.9 063 40 02.0	Fl R 4s	Red spar, marked "UK30".	Seasonal (in place year round). Chart:4498 Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GULF OF ST. LAWRENCE

938.5	Page Point East light buoy UK32	NE. of point. 45 51 00.3 063 39 56.4	Q R 1s	Red, marked "UK32".	Winter spar. Seasonal.	Chart:4498
939 H1291	Bergeman Point range	On point. 45 51 41.9 063 42 30.8	Iso Y 1s	12	16	Square skeleton tower, white daymark, red vertical stripe. 5.0	Visible in line of range. Seasonal.	
940 H1291.1		205°13' 169.3m from front.	Iso Y 4s	16.7	16	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Seasonal.	Chart:4498 Edn 10/10 (G10-147, 148) Edn 12/10 (G10-206, 207)
940.3	Northport Fairway light buoy UP	45 56 24.2 063 50 54.7	Mo(A) W 6s	Red and white vertical stripes, marked "UP".	Seasonal.	Chart:4406 Edn 11/13 (G13-151) Edn 03/14 (G13-151)

Miramichi Bay and River

1169.1	Huckleberry Gully light buoy MN25	Off McLeans Cove. 47 04 17 064 57 07	Q G 1s	Green boat type, marked "MN25".	Seasonal.	Chart:N/A
1169.2	Huckleberry Gully light buoy MN28	Off McLeans Cove. 47 04 06 064 57 12	Q R 1s	Red, marked "MN28".	Seasonal.	Chart:4911
1170	Miramichi Bar light buoy M2	S. end of outer bar. 47 05 51.9 064 56 30.0	Q R 1s	Red spar, marked "M2".	Seasonal (in place year round).	Chart:4911 Edn 03/17 (G17-007)
1170.5 H1440	Fox Island South range	SE. end of island. 47 05 14.5 064 58 42	Iso W 1s	8.7	15	Square skeleton tower, red daymark, black vertical stripe. 6.5	Visible in line of range. Operates at night only. Year round.	
1170.6 H1440.1		248°28' 214.6m from front.	Iso W 4s	13.6	15	Square skeleton tower, red daymark, black vertical stripe. 12.6	Visible in line of range. Operates at night only. Year round.	Chart:4911
1170.7	The Lump light buoy M3	47 06 14.3 064 57 42.8	Fl G 4s	Green spar, marked "M3".	Seasonal (in place year round).	Chart:N/A Edn 07/17 (G17-065)
1171	Miramichi Outer Bar light buoy M4	47 05 55.0 064 56 54.0	Q R 1s	Red spar, marked "M4".	Seasonal. (In place year round).	Chart:4911 Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1172	The Lump light buoy M5	47 06 21.8 064 57 56.0	Q G 1s	Green spar, marked "M5".	Seasonal (in place year round). Chart:N/A Edn 07/10 (G10-092) Edn 07/11 (G11-166) Edn 06/12 (G12-070) Edn 01/14 (G13-072) Edn 07/16 (G16-082) Edn 07/17 (G17-072)
1172.5	The Lump light buoy M6	47 06 26.3 064 58 10.2	Fl R 4s	Red spar, marked "M6".	Seasonal. (In place Year round). Chart:4911 Edn 07/10 (G10-096) Edn 07/11 (G11-168) Edn 06/12 (G12-072) Edn 01/14 (G13-055) Edn 11/14 (G14-168) Edn 11/15 (G15-148) Edn 07/16 (G16-083)
1172.51	The Lump light buoy M7	47 06 22.5 064 58 15.1	Fl G 4s	Green spar, marked "M7".	Seasonal (in place year round). Chart:N/A Edn 12/16 (G16-156) Edn 04/17
1172.6	The Lump light buoy M8	47 06 34.4 064 58 25.7	Q R 1s	Red spar, marked "M8".	Seasonal. (In place Year round). Chart:4911 Edn 11/14 (G14-169) Edn 11/15 (G15-135)
1173	The Swashway light buoy M10	47 06 55.1 064 58 41.8	Fl R 4s	Red, marked "M10".	Seasonal. (In place Year round). Chart:4911 Edn 07/10 (G10-097) Edn 07/11 (G11-169) Edn 01/14 (G13-055) Edn 11/14 (G14-171)
1173.01	The Swashway light buoy M12	47 07 21 064 59 02.2	Fl R 4s	Red, spar., arked "M12".	Seasonal. (In place Year round). Chart:4911 Edn 07/10 (G10-098) Edn 07/11 (G11-170) Edn 07/13 (G13-069) Edn 11/14 (G14-173)
1173.5	Miramichi Bar light buoy M14	47 07 46.6 064 59 22.6	Fl R 4s	Red spar, marked "M14".	Seasonal. (In place Year round.) Chart:4911 Edn 07/10 (G10-095) Edn 07/11 (G11-172) Edn 11/14 (G14-176)
1173.71	Miramichi Bar – Light buoy M15	47 08 8.7 064 59 50.2	Fl G 4s	Green spar marked "M15".	Seasonal. (In place Year round). Chart:4911 Edn 11/14 (G14-177)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1173.72	Miramichi Bar – Light buoy M15/1	47 08 22.8 065 00 07.4	Q G 1s	Green spar, marked "M15/1".	Seasonal. (In place Year round). Chart: N/A Edn 07/15
1173.8	Split Shoal light buoy M15/3	47 08 28.7 065 00 17.2	Q G 1s	Green spar, marked "M15/3".	Seasonal. (In place Year round). Chart:4911 Edn 06/12 (G12-075) Edn 11/14 (G14-179)
1173.81	Split Shoal light buoy M16	47 08 29.0 065 00 06.3	Fl R 4s	Red spar, marked "M16".	Seasonal. (In place Year round). Chart:4911 Edn 10/09 (G09-124) Edn 11/14 (G14-178)
1174	Portage Channel light buoy ME4	E. edge, Miramichi Bar. 47 09 17 064 58 14	Fl R 4s	Red spar, marked "ME4".	Seasonal. Chart:4911
1175	Portage Channel light buoy ME8	W. edge, Miramichi Bar. 47 08 35.7 065 00 04.2	Q R 1s	Red spar, marked "ME8".	Seasonal. Chart:4911
1176 H1446	Portage Island Channel range	N. end of Fox Island. 47 07 47.1 065 02 17.1	F W	11.5	18 Square skeleton tower, white daymark, red vertical stripe. 9.6	Visible in line of range. Operates at night only. Year round.
1176.1 H1446.1	Racon -- (G) X Band	243°41' 331.8m from front.	F W	19.1	18 Skeleton tower, enclose upper portion, white daymark, red vertical stripe. 19.9	Visible in line of range. The racon is operational year round. Radar reflector. Operates at night only. Year round. Chart:4911 Edn 01/11 (G10-199, 200)
1179	Miramichi Bar light buoy M17	47 08 40.9 065 01 02.0	Q G 1s	Green spar, marked "M17".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007)
1180.5	Miramichi Bar light buoy M19	47 08 37.5 065 02 51.0	Q G 1s	Green spar, marked "M19".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007)
1181	Horse Shoe Bar light buoy M21	47 08 31.7 065 03 18.6	Fl G 4s	Green spar, marked "M21".	Seasonal (in place year round). Chart:N/A Edn 11/15 (G15-134) Edn 03/17 (G17-007)
1181.5	Horse Shoe Bar light buoy M21/3	47 08 04.5 065 03 58	Fl G 4s	Green, marked "M21/3".	Seasonal. Chart:4911 Edn 08/12 (G12-165)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1182	Horse Shoe Bar light buoy M22	47 08 29.4 065 03 29.3	Fl R 4s	Red spar, marked "M22".	Seasonal (in place year round). Chart:N/A Edn 11/15 (G15-133) Edn 03/17 (G17-007)
1182.5	Horse Shoe Bar light buoy M22/2	47 08 02.5 065 04 09.0	Fl R 4s	Red spar, marked "M22/2".	Seasonal (in place year round). Chart:N/A Edn 07/17 (G17-071)
1184.5	Horse Shoe Bar light buoy M24	47 07 39.0 065 04 42.5	Q R 1s	Red spar, marked "M24".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007)
1186	Horse Shoe Bar light buoy M26	47 07 20.5 065 05 37.5	Q R 1s	Red spar, marked "M26".	Seasonal (in place year round). Chart:N/A Edn 11/15 (G15-132) Edn 03/17 (G17-007)
1187 H1452	Grand Dune Outer range	47 06 48.3 065 02 35.6	Iso W 1s	8.5	14	Pier, red daymark, black vertical stripe. 8.0	Visible in line of range. Operates at night only. Year round.
1187.1 H1452.1		102°11' 3499.8m from front.	Iso W 4s	32.5	17	Triangular skeleton tower, red daymark, black vertical stripe. 29.9	Visible in line of range. Operates at night only. Year round. Chart:4911
1188	Grand Dune Flats light buoy M28	47 07 18.8 065 05 52.8	Q R 1s	Red spar, marked "M28".	Seasonal (in place year round). Chart:4911 Edn 03/17 (G17-007)
1189.2	Grand Dune Channel Middle light buoy M30	47 07 45.2 065 08 53.9	Fl R 4s	Red spar, marked "M30".	Seasonal. (In place Year round). Chart:N/A Edn 06/12 (G12-078) Edn 11/15 (G15-136)
1190	French River Point light buoy MP22	47 05 20 065 01 22.6	Fl R 4s	Red, marked "MP22".	Seasonal. Chart:4911
1191	Bay du Vin Island Sector	On S. side of island opposite Point Gardiner. 47 05 20.7 065 06 06.8	F R W G	9.5 5	Triangular skeleton tower, red and white rectangular daymark. 6.8	Red from 284° 30' through N. to 042°; white from 042° to 044°; green from 0441° to 049°. White sector indicates preferred channel. Operates at night only. Seasonal. Chart:4912
1192	Bay du Vin Outer light buoy MS1	47 02 57.7 065 09 09	Fl G 4s	Green, marked "MS1".	Seasonal. Chart:4912
1193	Bay du Vin Inner light buoy MS9	47 02 52.5 065 08 33	Q G 1s	Green, marked "MS9".	Seasonal. Chart:4912
1194	Bay du Vin Wharf light buoy MQ2	47 03 27 065 08 19	Fl R 4s	Red, marked "MQ2".	Seasonal. Chart:4912

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1195	Grand Dune range turning light buoy M31	47 08 08.9 065 11 53.0	Q G 1s	Green spar, marked "M31".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1195.5	Grand Dune range turning light buoy M33	47 08 03.7 065 12 19.2	Q G 1s	Green spar, marked "M33".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1196 H1472	Grand Dune Flats range	Near shore on mainland. 47 08 25.4 065 13 38.3	F W	14.8	12	Triangular skeleton tower, red daymark, black vertical stripe. 14.1	Visible in line of range. Year round.
1197 H1472.1		282°04' 1211.3m from front.	F W	26.4	11	Triangular skeleton tower, red daymark, black vertical stripe. 20.9	Visible in line of range. Year round. Chart:4912
1198	Grand Dune Flats North light buoy M34	47 07 47.6 065 12 48.7	Fl R 4s	Red spar, marked "M34".	Seasonal (in place year round). Chart:4912 Edn 11/15 (G15-147) Edn 03/17 (G17-007)
1198.3	Grand Dune Flats South light buoy M35	47 07 17.0 065 13 28.8	Fl G 4s	Green spar, marked "M35".	Seasonal (in place year round). Chart:4912 Edn 11/15 (G15-146) Edn 03/17 (G17-007)
1198.6	Robichaud Spit light buoy M36	47 06 52.9 065 14 12.9	Q R 1s	Red spar, marked "M36".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1198.8 H1477	Moody Point range	47 06 02.1 065 19 28.5	Iso Y 1s	10.3	14	Triangular skeleton tower, red daymark, black vertical stripe. 8.9	Visible in line of range. Operates at night only. Year round.
1198.9 H1477.1		257°24' 1810.4m from front.	Iso Y 4s	18.6	17	Triangular skeleton tower, red daymark, black vertical stripe. 13.9	Visible in line of range. Operates at night only. Year round. Chart:4912 Edn 03/11 (G11-013)
1199	The Willows light buoy M37	47 06 30.6 065 16 04.0	Q G 1s	Green spar, marked "M37".	Seasonal (in place year round). Chart:4912 Edn 11/15 (G15-145) Edn 03/17 (G17-007)
1200 H1478	Oak Channel range	47 04 19.9 065 19 10.5	Iso Y 2s	8.9	12	Triangular skeleton tower, red daymark, black vertical stripe. 6.9	Visible in line of range. Year round.
1201 H1478.1		223°13' 1200.0m from front.	Fl Y 3s	21.1	13	Triangular skeleton tower, red daymark, black vertical stripe. 16.9	Flash 1 s; eclipse 2 s. Visible in line of range. Year round. Chart:4912 Edn 12/16 (G16-149, 150)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1202	Oak Channel light buoy M39	47 05 45.6 065 17 09.3	Q G 1s	Green spar, marked "M39".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1202.5 H1479	Oak Point range	47 06 48.9 065 16 30.0	Iso W 1s	8.5	14	Triangular skeleton tower, red daymark, black vertical stripe. 5.5	Visible in line of range. Year round.
1202.6 H1479.1		024°08' 1324.7m from front.	Iso W 4s	17.1	10	Triangular skeleton tower, red daymark, black vertical stripe. 7.5	Visible in line of range. Year round. Chart:4912 Edn 01/11 (G10-227) Edn 03/11 (G11-015) Edn 12/16 (G16-155)
1203	Oak Channel South light buoy M40	47 05 08.5 065 17 38.3	Q R 1s	Red spar, marked "M40".	Seasonal (in place year round). Chart:4912 Edn 12/15 (G15-141) Edn 03/17 (G17-007)
1203.1	Oak Channel light buoy M44	47 04 54.9 065 18 07.7	Fl R 4s	Red spar, marked "M44".	Seasonal. (In place Year round). Chart:4912 Edn 06/12 (G12-103) Edn 10/15 (G15-130)
1206	Sheldrake Channel East light buoy M46	47 04 44.8 065 18 51.0	Q R 1s	Red spar, marked "M46".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1207 H1491	Grants Beach range	47 05 02.9 065 22 29.4	Iso R 1s	21.0	10	Triangular skeleton tower, red daymark, black vertical stripe. 12.9	Visible in line of range. Year round.
1208 H1491.1		278°03' 875.6m from front.	Iso R 4s	40.8	16	Triangular skeleton tower, red daymark, black vertical stripe. 23.9	Visible in line of range. Year round. Chart:4912 Edn 03/11 (G11-016) Edn 12/16 (G16-148)
1208.8 H1493	St. Andrews Bank range	47 04 14.6 065 25 08.0	Iso Y 2s	9.2	6	Triangular skeleton tower, red daymark, black vertical stripe. 4.9	Visible in line of range. Year round.
1208.9 H1493.1		247°53' 294.2m from front.	Fl Y 3s	13.8	7	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Flash 1 s; eclipse 2 s. Visible in line of range. Year round. Chart:4912 Edn 12/16 (G16-143, 144)
1209	Sheldrake Channel West light buoy M51	47 04 56.7 065 21 47.3	Q G 1s	Green spar, marked "M51".	Seasonal. (In place Year round). Chart:4912 Edn 06/12 (G12-096) Edn 10/15 (G15-129)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1209.5 H1492	Lower Newcastle range	47 04 31.0 065 24 35.5	Iso W 1s	12.8	9	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Visible in line of range. Year round.
1209.6 H1492.1		256°15' 467.0m from front.	Iso W 4s	21.9	9	Triangular skeleton tower, red daymark, black vertical stripe. 5.9	Visible in line of range. Year round. Chart:4912 Edn 03/11 (G11-017) Edn 12/16 (G16-145, 146)
1209.7 H1494	Leggett Shoal range	On N. shore of river. 47 04 42.3 065 23 56.7	Iso R 1s	14.0	6	Pipe swing pole, red daymark, black vertical stripe.	Visible in line of range. Year round.
1209.8 H1494.1		043°27' 308.8m from front.	Iso R 4s	21.4	16	Triangular skeleton tower, red daymark, black vertical stripe. 5.4	Visible in line of range. Year round. Chart:4912 Edn 01/11 (G10-228) Edn 03/11 (G11-018) Edn 12/16 (G16-152)
1210	Gordon Point light buoy M53	47 04 41.4 065 23 27.6	Q G 1s	Green spar, marked "M53".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1211	Leggett Shoal light buoy M55	47 04 28.1 065 24 13.2	Q G 1s	Green spar, marked "M55".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1212	Leggett Shoal West light buoy M56	47 03 57.2 065 25 04.6	Q R 1s	Red spar, marked "M56".	Seasonal (in place year round). Chart:4912 Edn 10/15 (G15-126) Edn 03/17 (G17-007)
1212.5 H1496	Millbank range	47 03 21.8 065 27 34.0	Iso R 1s	16.1	8	Triangular skeleton tower, red daymark, black vertical stripe. 6.0	Visible in line of range. Year round.
1212.6 H1496.1		252°26' 305.6m from front.	Iso R 4s	31.1	9	Triangular skeleton tower, red daymark, black vertical stripe. 12.0	Visible in line of range. Year round. Chart:4912 Edn 03/11 (G11-019) Edn 12/16 (G16-153, 154)
1213	Millbank light buoy M57	47 03 27.4 065 27 03.0	Q G 1s	Green spar, marked "M57".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1214	Millbank Channel West light buoy M59	47 03 16.9 065 27 27.4	Q G 1s	Green spar, marked "M59".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1215	Middle Island light buoy M61	47 02 59.2 065 27 47.4	Q G 1s	Green spar, marked "M61".	Seasonal (in place year round). Chart:4912 Edn 10/15 (G15-127) Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1215.2	Chatham light buoy M62	47 02 13.3 065 28 07.0	Q R 1s	Red spar, marked "M62".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1215.5 H1505	Chatham Bridge Pier North	On bridge pier, N. side of channel. 47 01 39.5 065 28 46.5	Iso R 2s	7.9	4	Square skeleton tower. 5.2	Operates at night only. Year round. Chart:4912
1215.6 H1505.2	Chatham Bridge Pier South	On bridge pier, S. side of channel. 47 01 35.4 065 28 41.6	Iso G 2s	7.8	4	Square skeleton tower. 5.2	Operates at night only. Year round. Chart:4912
1216	Wright Bank light buoy M64	47 01 11.5 065 29 31.5	Q R 1s	Red spar, marked "M64".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1216.5	Wright Bank light buoy M66	47 00 58.0 065 30 56.5	Fl R 4s	Red spar, marked "M66".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1217	Wright Bank light buoy M68	47 00 54.4 065 31 46.7	Q R 4s	Red spar, marked "M68".	Seasonal (in place year round). Chart:4912 Edn 10/15 (G15-128) Edn 03/17 (G17-007)
1217.5	Newcastle Reach light buoy M67	47 00 51.1 065 31 49.9	Fl G 4s	Green spar, marked "M67".	Seasonal (in place year round). Chart 4912 Edn 11/15 (G15-143) Edn 03/17 (G17-007)
1220	Wright Bank West light buoy M69	47 00 55.1 065 32 28.0	Q G 1s	Green spar, marked "M69".	Seasonal (in place year round). Chart:4912 Edn 11/15 (G15-140) Edn 03/17 (G17-007)
1222	Newcastle North light buoy M71	47 00 29.8 065 33 33.3	Q G 1s	Green spar, marked "M71".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1223	Newcastle North light buoy M73	47 00 16.1 065 33 39.5	Fl G 4s	Green spar, marked "M73".	Seasonal (in place year round). Chart:4912 Edn 11/15 (G15-139) Edn 03/17 (G17-007)
1224	Newcastle Wharf light buoy M75	47 00 03.2 065 33 28.7	Q G 1s	Green spar, marked "M75".	Seasonal (in place year round). Chart:4912 Edn 03/17 (G17-007)
1228	Burnt Church Wharf	On E. side of wharf. 47 11 24.9 065 08 07.3	Fl R 4s	7.0	4	Square skeleton tower. 6.6	Flash 1s; eclipse 3 s. Operates at night only. Seasonal. Chart:4912

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1229	Neguac Wharf	Outer end of breakwater extension. 47 14 24.3 065 04 23.2	Fl R 4s	6.3	4	Cylindrical mast. 3.3	Operates at night only. Seasonal. Chart:4911
1230.1	Lower Neguac Wharf	W. end of wharf. 47 15 22.8 065 03 15.5	Fl R 4s	5.7	4	Square skeleton tower, red and white rectangular daymark, red triangle in centre. 5.1	Flash 1s; eclipse 3 s. Operates at night only. Seasonal. Chart:4911
1232	Hay Island light buoy MH31	E. of island. 47 14 04.6 065 03 26.4	Q G 1s	Green spar, marked "MH31".	Seasonal. Chart:4911
1233	Gammon Point West Cardinal light buoy MK	Off point. 47 11 38.2 065 04 20	Q(9) W 15s	Yellow. black and yellow spar, marked "MK".	Seasonal. Chart:4911
1234	Lower Portage Island light buoy MJ6	47 13 24 065 02 46.7	Fl R 4s	Red spar, marked "MJ6".	Seasonal. Chart:4911
1234.4	Portage Gully light buoy MJ2	47 13 07.4 065 02 31.9	Q R 1s	Red spar, marked "MJ2".	Seasonal. Chart:4911
1235	Portage Gully, North Side Channel Entrance bifurcation light buoy MJ	On N. side of gully. 47 12 29.3 065 02 20.9	Fl G (2+1)	6s	Green, red and green, marked "MJ".	Seasonal. Chart:4911
1235.9	Portage Gully light buoy MH26	47 12 46.9 065 03 58.7	Fl R 4s	Red spar, marked "MH26".	Seasonal. Chart:4911
1236	Portage Gully light buoy MH11	E. of N. point, Portage Island. 47 11 30.2 065 01 56.5	Fl G 4s	Green, marked "MH11".	Seasonal. Chart:4911
1236.3	Portage Gully light buoy MH6	47 10 38.6 065 01 48.4	Q R 1s	Red spar, marked "MH6".	Seasonal. Chart:4911
1236.5	Portage Gully light buoy MH3	47 10 27.1 065 01 22.7	Fl G 4s	Green spar, marked "MH3".	Seasonal. Chart:4911
1236.6	Portage Gully light buoy MH2	47 10 38.8 065 00 19.7	Q R 1s	Red spar, marked "MH2".	Seasonal. Chart:4911

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1237.99	Tabusintac light buoy TA1	47 18 51.7 064 55 20.3	Fl G 4s	Green spar, marked "TA1".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:4906 Edn 09/14 (G14-124) Edn 08/15 (G15-072)
1238	Tabusintac light buoy TA2	47 17 22 064 55 13	Fl R 4s	Red, marked "TA2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1238.05	Tabusintac Gully light buoy TA2/2	47 18 56.3 064 55 21.1	Q R 1s	Red, marked "TA2/2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 09/14 (G14-125) Edn 07/15 (G15-059)
1238.1	Tabusintac South Gully Approach light buoy TA4	47 18 59.3 064 55 24.0	Fl R 4s	Red, marked "TA4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: N/A Edn 04/10 (G10-030) Edn 01/14 (G13-124) Edn 09/14 (G14-109) Edn 12/14 (G14-184) Edn 07/15 (G15-061)
1238.13	Tabusintac light buoy TA6	47 19 01.7 064 55 27.2	Fl R 4s	Red spar, marked "TA6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: N/A Edn 09/14 (G14-117) Edn 07/15 (G15-060)
1238.16	Tabusintac South Gully Approach light buoy TA9	47 19 01.3 064 55 31.8	Fl G 4s	Green spar, marked "TA9".	Seasonal. Buoy may be repositioned due to shifting channel. Chart:N/A Edn 02/14 (G13-136) Edn 09/14 (G14-127) Edn 08/15 (G15-074)
1238.17	Tabusintac light buoy TA10	47 19 04.9 064 55 32.3	Fl R 4s	Red spar, marked "TA10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: N/A Edn 09/14 (G14-118) Edn 07/15 (G15-062)
1238.2	Tabusintac South Gully Approach light buoy TA12	47 19 07.3 064 55 37.3	Fl R 4s	Red, marked "TA12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: N/A Edn 04/10 (G10-031) Edn 01/14 (G13-125) Edn 09/14 (G14-110) Edn 07/15 (G15-063)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1238.21	Tabusintac light buoy TA13	47 19 06.7 064 55 47.6	Fl G 4s	Green, marked "TA13".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 09/14 (G14-119) Edn 08/15 (G15-075)
1238.23	Tabusintac light buoy TA15	47 19 08.0 064 55 56.5	Fl G 4s	Green spar, marked "TA15".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 09/14 (G14-120) Edn 11/14 (G14-182) Edn 08/15 (G15-076)
1238.24	Tabusintac light buoy TA16	47 19 09.7 064 55 50.1	Fl R 4s	Red, marked "TA16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: N/A Edn 09/14 (G14-121) Edn 07/15 (G15-064)
1238.26	Tabusintac South Gully light buoy TA18	47 19 09.7 064 55 57.2	Fl R 4s	Red, marked "TA18".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: N/A Edn 09/14 (G14-128) Edn 07/15 (G15-065)
1238.27	Tabusintac light buoy TA19	47 19 09.9 064 56 03.4	Fl G 4s	Green, marked "TA19".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 02/14 (G13-137) Edn 09/14 (G14-122) Edn 08/15 (G15-077)
1238.28	Tabusintac light buoy TA20	47 19 12.5 064 56 07.7	Q R 1s	Red, marked "TA20".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 09/14 (G14-123) Edn 07/15 (G15-066)
1238.29	Tabusintac light buoy TA21	47 19 11.9 064 56 07.4	Fl G 4s	Green, marked "TA21".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: 4906 Edn 09/14 (G14-126) Edn 07/15 (G15-078)
1238.3	Tabusintac South Gully light buoy TA22	47 19 17.8 064 56 08.1	Q R 1s	Red, marked "TA22".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 01/14 (G13-126) Edn 09/14 (G14-111) Edn 07/15 (G15-067)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GULF OF ST. LAWRENCE

1238.31	Tabusintac light buoy TA22/2	47 19 26.0 064 56 07.6	Fl R 4s	Red, marked "TA22/2".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 01/14 (G13-127) Edn 09/14 (G13-113) Edn 08/15 (G15-068)
1238.32	Tabusintac light buoy TA22/4	47 19 36.5 064 56 07.2	Fl R 4s	Red, marked "TA22/4".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 01/14 (G13-128) Edn 09/14 (G14-114) Edn 08/15 (G15-069)
1238.4	Tabusintac Gully light buoy TA23	47 19 19.7 064 56 12.8	Fl G 4s	Green spar, marked "TA23".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 01/14(G13-129) Edn 09/14(G14-112) Edn 07/15(G15-079)
1238.45	Tabusintac light buoy TA26/2	47 19 43.7 064 56 05.9	Q R 1s	Red, marked "TA26/2".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 01/14 (G13-130) Edn 09/14 (G14-115) Edn 08/15 (G15-070)
1238.5	Tabusintac Bay light buoy TA34	47 19 54.8 064 56 07.9	Fl R 4s	Red, marked "TA34".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 01/14 (G13-131) Edn 09/14 (G14-116) Edn 08/15 (G15-071)
1238.6	Tabusintac Bay light buoy TA37	47 19 51.4 064 56 10.0	Q G 1s	Green, marked "TA37".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 07/09 (G09-078) Edn 01/14 (G13-132) Edn 07/15 (G15-082)
1238.65	Tabusintac Bay light buoy TA39	47 20 02.5 064 56 18.4	Fl G 4s	Green spar, marked "TA39".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 01/14 (G13-133) Edn 07/15 (G15-081)
1238.66	Tabusintac Bay light buoy TA41	47 20 19.9 064 56 55.2	Fl G 4s	Green spar, marked "TA41".	Seasonal. Buoy may be repositioned due to shifting channel. Chart: N/A Edn 01/14 (G13-134) Edn 10/14 (G14-140) Edn 07/15 (G15-080)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1238.7 <i>H1520</i>	McEachern's Point Wharf	On SE. corner of wharf. 47 20 28.0 064 58 07.0	Iso R 2s	5.5	5	Square skeleton tower. 5.3	Visible from all points of approach to wharf inside Tabusintac Gully. Seasonal. Chart:4024 Edn 06/17 (G16-157)
1238.8	<i>South Tracadie light buoy TC</i>	47 28 40 064 50 58	Mo(A) W 6s	Spar, red and white vertical stripes, marked "TC".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1238.9	<i>South Tracadie Entrance light buoy TC6</i>	47 28 49.5 064 51 38.2	Q R 1s	Red, marked "TC6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239	South Tracadie	On the end of South breakwater. 47 28 47.4 064 52 15.8	Fl G 4s	5.8	5	Cylindrical mast. 3.4	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4906
1239.1	<i>South Tracadie Entrance light buoy TC12</i>	47 28 44.6 064 52 29.4 (approx.)	Q R 1s	Red, marked "TC12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.2	<i>South Tracadie light buoy TC14</i>	47 28 40.3 064 52 31.6 (approx.)	Q R 1s	Red, marked "TC14".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.3	<i>South Tracadie light buoy TC19</i>	47 28 30.7 064 52 32.4	Q G 1s	Green, marked "TC19".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.4	<i>South Tracadie light buoy TC22</i>	47 28 20.7 064 52 35.2	Q R 1s	Red, marked "TC22".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.44	<i>South Tracadie light buoy TC24</i>	47 28 00 064 52 57.3	Q R 1s	Red, marked "TC24".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 06/12 (G12-097) Edn 04/15 (G15-001)
1239.5	<i>South Tracadie bifurcation light buoy TD</i>	47 28 30 064 55 00 (approx.)	Fl R (2+1)	6s	Red, green and red, marked "TD".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1239.6	South Tracadie light buoy TD4	47 28 05.7 064 54 20.7	Q R 1s	Red, marked "TD4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.65	South Tracadie light buoy TD5	47 28 10.1 064 53 39	Q G 1s	Green, marked "TD5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.7	South Tracadie light buoy TD8	47 28 17.4 064 53 26.3	Fl R 4s	Red, marked "TD8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1239.8	Val Comeau Wharf	On outer end of wharf. 47 27 55.6 064 52 57.1	Fl G 4s	5.8	5	Square skeleton tower. 5.2	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4906 Edn 03/12 (G12-013)
1239.85	Val Comeau Cautionary Light	47 27 54.9 064 53 04.3	Fl Y 4s	2	Pipe Swing Pole.	Seasonal. In operation 24h. Private. Chart:4001 Edn 04/16 (G16-024)
1240.5	North Tracadie Approach light buoy TE4	47 28 51.8 064 52 33.7	Fl R 4s	Red, marked "TE4".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1241	North Tracadie Harbour Entrance light buoy TE12	47 29 08.7 064 52 50.3	Fl R 4s	Red, marked "TE12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1241.2	North Tracadie Harbour light buoy TE15	47 29 25.1 064 53 02.5	Q G 1s	Green, marked "TE15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1241.4	North Tracadie light buoy TE25	47 30 04.1 064 52 45.4	Q G 1s	Green, marked "TE25".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1241.6	Tracadie light buoy TE34	47 30 38 064 53 02.3	Q R 1s	Red, marked "TE34".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1241.8	North Tracadie Gully light buoy TE38	47 30 36 064 53 33.2	Q R 1s	Red, marked "TE38".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1242	North Harbour Gully light buoy TE46	47 30 46.8 064 54 13	Q R 1s	Red, marked "TE46".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1242.2	North Harbour Gully light buoy TE48	47 30 58.1 064 54 19.6	Q R 1s	Red, marked "TE48".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1242.4	Tracadie Gully light buoy TE49	47 31 09.5 064 54 16.5	Q G 1s	Green, marked "TE49".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4906 Edn 04/15 (G15-001)
1244.9	North Tracadie Wharf	SE. corner of wharf. 47 31 27.2 064 54 30.3	FI G 4s	5.9	5	Square skeleton tower. 5.3	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4024
1246.5	Pokemouche Gully light buoy TH2	47 38 59.8 064 46 08.8	FI R 4s	Red, marked "TH2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-082) Edn 04/15 (G15-001)
1246.71	Pokemouche Gully light buoy TH10	47 40 08.4 064 48 31.2	Q R 1s	Red, marked "TH10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-081) Edn 04/15 (G15-001)
1246.72	Pokemouche Gully light buoy TH11	47 39 49.9 064 47 27.8	Q G 1s	Green, marked "TH11".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-084) Edn 04/15 (G15-001)
1246.75	Pokemouche Gully light buoy TH12	47 39 00.4 064 46 54	Q R 1s	Red, marked "TH12".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-086) Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1246.76	Pokemouche Gully light buoy TH13	47 40 00.6 064 47 48.3	Q G 1s	Green, marked "TH13".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-083) Edn 04/15 (G15-001)
1246.77	Pokemouche Gully light buoy TH15	47 39 38.3 064 47 13.1	Q G 1s	Green, marked "TH15".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 06/10 (G10-085) Edn 02/14 (G13-139) Edn 04/15 (G15-001)
1246.8	Pokemouche Gully Wharf	On SW. corner. 47 40 14 064 48 40	Fl R 4s	5.7	4	Square skeleton tower. 4.7	Operates at night only. Seasonal. Chart:N/A
1248	Shippegan light and bell buoy TJ2	S. entrance to Shippegan Gully. 47 42 04 064 39 05	Fl R 4s	Red, marked "TJ2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001)
1248.12	Shippegan South Gully light buoy TJ5	47 42 53.9 064 39 29.2	Fl G 4s	Green spar, marked "TJ5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: N/A Edn 07/12 (G12-129) Edn 07/13 (G13-057) Edn 07/14 (G14-030) Edn 04/15 (G15-001) Edn 07/15 (G15-083) Edn 07/16 (G16-103)
1248.13	Shippegan South Gully Light Buoy TJ6	47 42 59.0 064 39 37.0	Fl R 4s	Red spar, marked "TJ6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: N/A Edn 07/09 (G09-079) Edn 06/10 (G10-070) Edn 06/11 (G11-134) Edn 07/12 (G12-131) Edn 07/13 (G13-030) Edn 07/14 (G14-032) Edn 04/15 (G15-001) Edn 07/15 (G15-084) Edn 07/16 (G16-104)
1248.133	Shippegan South Gully light buoy TJ7	47 42 56.1 064 39 37.1	Fl G 4s	Green spar, marked "TJ7".	Buoy may be repositioned due to shifting channel. Operates 24h. Seasonal. Chart: N/A Edn 07/16 (G16-105)
1248.51	Shippegan Gully light buoy TJ9	47 42 58.1 064 39 44.8	Fl G 4s	Green spar, marked "TJ9".	Operates 24h. Seasonal. Chart:N/A Edn 08/16 (G16-107)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1248.71	Shippegan Gully light buoy TJ12	47 43 08.0 064 40 00.0	Fl R 4s	Red, marked "TJ12".	Seasonal. Chart:N/A Edn 01/14 (G13-062) Edn 03/14 (G13-062) Edn 04/15 (G15-001) Edn 07/15 (G15-086) Edn 08/16 (G16-109) Edn 07/17 (G17-046)
1249.1	Shippegan Gully light buoy TJ10	47 43 03.0 064 39 53.6	Q R 1s	Red spar, marked "TJ10".	Seasonal. Chart: N/A Edn 08/16 (G16-108)
1250.5 H1531	Shippegan Gully Breakwater	Outer end of W. breakwater. 47 43 04.6 064 39 57.8	Fl W 4s	4.5	6	Cylindrical mast, green, white and black square daymark.	Flash 1 s; eclipse 3 s. Seasonal. Chart:4920 Edn 08/16 (G16-110)
1250.7	Shippegan Gully cautionary light buoy TJA	47 43 23.5 064 40 05.8	Fl Y 4s	Yellow, marked "TJA".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 03/10 (G10-003) Edn 07/13 (G13-003) Edn 04/15 (G15-001)
1253	Shippegan Gully light buoy TJ20	47 43 12.2 064 40 03.8	Q R 1s	Red, marked "TJ20".	(Winter spar). Buoy may be repositioned due to shifting channel. Seasonal. Chart:N/A Edn 06/11 (G11-140) Edn 07/12 (G12-135) Edn 01/14 (G13-045) Edn 04/15 (G15-001) Edn 08/15 (G15-091) Edn 07/17 (G17-047)
1254 H1530	Big Shippegan	On sand bar, E. side of S. entrance to Shippegan Gully. 47 43 19.7 064 39 38.2	Fl Y 5s	15.6	15	White octagonal tower, red upper portion. 16.1	Flash 0.2 s; eclipse 4.8 s. Year round. Chart:4920
1257.5	Shippegan South Gully light buoy TJ27	47 43 27.1 064 40 03.5	Fl G 4s	Green, marked "TJ27".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4920 Edn 06/10 (G10-073) Edn 06/11 (G11-143) Edn 04/15 (G15-001)
1257.7	Shippegan South Gully light buoy TJ29	47 43 33.8 064 40 02.3	Q G 1s	Green, marked "TJ29".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 07/13 (G13-070) Edn 09/13 (G13-070) Edn 04/15 (G15-001) Edn 07/16 (G16-102) Edn 07/17 (G17-049)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1258.1	Shippegan South Gully light buoy TJ31	47 43 41.6 064 40 04.9	Fl G 4s	Green, spar "TJ31".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 09/13 (G13-073) Edn 04/15 (G15-001)
1258.12	Shippegan South Gully light buoy TJ32	47 43 42.1 064 40 02.8	Fl R 4s	Red, spar "TJ32".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 09/13 (G13-071) Edn 07/13 (G13-071) Edn 04/15 (G15-001)
1258.125	Shippegan South Gully lighted spar buoy TJ35	47 43 48.7 064 40 08.6	Fl G 4s	Green spar, marked "TJ35".	Seasonal. Buoy may be repositioned due to shifting channel. Chart 4920 Edn 09/13 (G13-083) Edn 04/15 (G15-001) Edn 08/15 (G15-098)
1260	Shippegan Harbour light buoy TJ38	47 43 52.2 064 40 08.7	Q R 1s	Red, marked "TJ38".	Seasonal. (Winter spar). Buoy may be repositioned due to shifting channel. Winter spar. Chart:4920 Edn 04/15 (G15-001) Edn 08/15 (G15-097)
1261	Shippegan Harbour light buoy TJ42	47 44 03.2 064 40 30.1	Fl R 4s	Red spar, marked "TJ42".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1261.5	Shippegan Harbour light buoy TJ47	47 44 08.2 064 40 52.8	Fl G 4s	Green spar, marked "TJ47".	Seasonal. (In place year round). Buoy may be repositioned due to shifting channel. Chart: 4920 Edn 04/15 (G15-001) Edn 08/15 (G15-088)
1261.55	Shippegan Harbour light buoy TJ55	47 44 21.0 064 41 06.9	Fl G 4s	Green spar, marked "TJ55".	Seasonal. (In place year round). Buoy may be repositioned due to shifting channel. Chart:4920 Edn 04/15 (G15-001) Edn 08/15 (G15-095)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GULF OF ST. LAWRENCE

1261.6	Shippegan Harbour light buoy TJ60	47 44 33.2 064 41 15.9	Q R 1s	Red spar, marked "TJ60".	Seasonal. (In place year round). Buoy may be repositioned due to shifting channel. Winter spar.	Chart: 4920 Edn 04/15 (G15-001) Edn 08/15 (G15-096)
1262	Ste-Marie-sur-Mer Breakwater	On outer end of breakwater. 47 46 47.3 064 33 49	Fl R 4s	7.0	4	Square skeleton tower. 3.5	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.	Chart:4913
1262.14	Fox Dens Gully light buoy TK8	47 53 08.2 064 30 11.4	Fl R 4s	Red, marked "TK8".	Seasonal. Operates 24h.	Chart:4913 Edn 07/16 (G16-090)
1262.15	Fox Dens Gully light buoy TK9	47 53 06.6 064 30 15.1	Fl G 4s	Green, marked "TK9".	Seasonal. Operates 24h.	Chart:N/A Edn 07/16 (G16-091)
1262.16	Fox Dens Gully light buoy TK10	47 53 07.9 064 30 19.6	Fl R 4s	Red, marked "TK10".	Seasonal. Operates 24h.	Chart:N/A Edn 07/16 (G16-093)
1262.3	Ste-Marie-sur-Mer	47 46 52.1 064 34 05.2	LFl W 6s	15.5	13	Square skeleton tower. 13.0	Flash 2 s; eclipse 4 s. Operates at night only. Year round.	Chart:4913
1262.5	Fox Dens Gully light buoy TK2	Off NE. tip of Shippegan Island. 47 53 12.7 064 29 30.6	Fl R 4s	Red spar, marked "TK2".	Buoy may be repositioned due to shifting channel. Seasonal.	Chart:4913 Edn 04/15 (G15-001)
1262.6	Fox Dens Gully light buoy TK3	At Gully entrance. 47 53 06.2 064 29 50.4	Fl G 4s	Green, marked "TK3".	Buoy may be repositioned due to shifting channel. Seasonal.	Chart:N/A Edn 10/11 (G11-272) Edn 07/16 (G16-094)
1262.75	Fox Dens Gully light buoy TK15	47 53 05.8 064 30 27.8	Q G 1s	Green spar, marked "TK15".	Buoy may be repositioned due to shifting channel. Seasonal.	Chart:N/A Edn 10/11 (G11-291) Edn 04/15 (G15-001) Edn 07/16 (G16-095)
1262.8	Fox Dens Gully	47 53 12.1 064 30 15.2	Fl R 4s	4.5	4	Square skeleton tower. 3.1	Operates at night only. Seasonal.	Chart:4913

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1262.9	Pigeon Hill Wharf	47 52 43.7 064 30 26.1	Iso R 2s	4.0	5	Pipe swing pole, red and white triangular daymark, red triangle in center. 3.6	Operates at night only. Seasonal. Chart:4913 Edn 06/12 (G12-089)
1263.2	Fox Dens Gully light buoy EA21	47 53 07.2 064 33 19.6	Fl G 4s	Green, marked "EA21".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001)
1264	Fox Dens Gully light buoy EA24	47 53 12.2 064 32 48.6	Fl R 4s	Red, marked "EA24".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001)
1264.1	Fox Dens Gully light buoy EA30	47 52 50.8 064 31 37.1	Q R 1s	Red, marked "EA30".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001) Edn 03/16 (G16-018)
1264.2	Miscou Island Bridge Pier light buoy	47 53 17 064 34 42	Fl G 4s	Green.	Privately maintained. Seasonal. Chart:4913
1264.3	Miscou Island Bridge Pier light buoy	47 53 17 064 34 39.5	Fl G 4s	Green.	Privately maintained. Seasonal. Chart:4913
1264.4	Miscou Island Bridge Pier light buoy	47 53 11.9 064 34 41.5	Fl R 4s	Red.	Privately maintained. Seasonal. Chart:4913
1264.5	Miscou Island Bridge Pier light buoy	47 53 11.9 064 34 39	Fl R 4s	Red.	Privately maintained. Seasonal. Chart:4913
1264.7 H1552	Miscou Island Racon -- (K) X & S Bands	On Birch point. 48 00 33.7 064 29 34.7	Oc W 5s	24.5	12	White octagonal tower. 25.3	Flash 4 s; eclipse 1 s. Year round. Chart:4486 Edn 05/12 (G12-048)
1265	Miscou Island West Cardinal light and whistle buoy EB	N. of island. 48 01 50.2 064 32 45.7	Q(9) W 15s	Yellow, black and yellow, marked "EB".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4486 Edn 04/15 (G15-001)

Chaleur Bay (Baie des Chaleurs)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1266	Miscou Flat light and bell buoy EA3	NW. of Goose Lake. 47 56 54.2 064 38 21.6	Fl G 4s	Green, marked "EA3".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 06/11 (G11-120) Edn 04/15 (G15-001)
1267	Miscou Channel Entrance light buoy EA	47 55 10.2 064 40 27.6	Mo(A) W 6s	Red and white vertical stripes, marked "EA".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001)
1269.2	Miscou Channel light buoy EA5	47 54 19.8 064 37 59.2	Fl G 4s	Green spar, marked "EA5".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 07/11 (G11-173) Edn 04/15 (G15-001)
1269.4	Miscou Island light buoy EA6	47 53 36.2 064 37 01.7	Fl R 4s	Red spar, marked "EA6".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 07/11 (G11-174) Edn 04/15 (G15-001)
1270	Miscou Channel light buoy EA7	N. side of channel. 47 53 44.8 064 36 57.5	Fl G 4s	Green spar, marked "EA7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 06/10 (G10-078) Edn 04/15 (G15-001)
1270.2	Miscou Channel light buoy EA8	47 53 25.7 064 36 28.9	Fl R 4s	Red spar, marked "EA8".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 07/11 (G11-175) Edn 04/15 (G15-001)
1271	Miscou Channel light buoy EA9	N. side of channel. 47 53 28.6 064 36 21.2	Fl G 4s	Green spar, marked "EA9".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 06/10 (G10-079) Edn 04/15 (G15-001)
1272	Miscou Channel light buoy EA16	47 53 15.2 064 35 46.6	Q R 1s	Red spar, marked "EA16".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4913 Edn 04/15 (G15-001)
1272.1	Miscou Harbour Light buoy EA36	Fox Dens Gully. 47 52 56.4 064 30 58.7	Q R 1s	Red spar, marked "EA36".	Seasonal. Chart: 4913 Edn 03/16 (G16-017)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1272.12	Miscou Channel light buoy EA40	Fox Dens Gully. 47 53 0.7 064 30 37.1	Q R 1s	Red spar, marked "EA40".	In operation 24h. Seasonal. Chart: 4913 Edn 03/16 (G16-015)
1272.13	Miscou Channel South cardinal Light spar EAB	Fox Dens Gully. 47 52 56.4 064 30 58.7	VQ(6) W + LFL	10s	Black and yellow spar marked "EAB".	In operation 24h. Seasonal. Chart: 4913 Edn 03/16 (G16-020)
1272.14	Miscou Channel North cardinal Light spar EAA	Fox Dens Gully. 47 53 0.7 064 30 37.1	Q W 1s	Black and yellow spar marked "EAA".	In operation 24h. Seasonal. Chart: 4913 Edn 03/16 (G16-019)
1272.26	Miscou harbour light spar EA31	Fox Dens Gully. 47 52 51.4 064 31 37.4	Fl G 4s	Green spar marked "EA31".	Seasonal. Chart: 4913 Edn 03/16 (G16-013)
1272.29	Miscou harbour light spar EA37	Fox Dens Gully. 47 52 57.2 064 30 59.5	Fl G 4s	Green spar marked "EA37".	In operation 24h. Seasonal. Chart: 4913 Edn 03/16 (G16-014)
1272.3	Miscou Channel light buoy EA39	47 52 58.6 064 30 43.2	Q G 1s	Green, marked "EA39".	Seasonal. Chart: 4913 Edn 03/16 (G16-016)
1273	Miscou Channel light buoy EA20	47 53 12.2 064 34 21.6	Q R 1s	Red spar, marked "EA20".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: 4913 Edn 04/15 (G15-001)
1273.2	Harper Point Ferry Cable	47 53 24.7 064 34 37.5	F R G	11.6	Cylindrical mast.	Red (stop) cable is up. Green (go) cable is down. Privately maintained. Year round. Chart: 4913
1273.3	Little Shippegan Ferry Cable	47 53 06.3 064 34 41.8	F R G	12.4	Cylindrical mast.	Red (stop) cable is up. Green (go) cable is down. Privately maintained. Year round. Chart: 4913
1273.4	Miscou Channel light buoy ED1	47 53 21.2 064 34 14.6	Q G 1s	Green spar, marked "ED1".	Buoy may be repositioned due to shifting channel. Seasonal. Chart: 4913 Edn 08/12 (G12-151) Edn 04/15 (G15-001)
1273.5 H1564.2	Shippegan Island West Wharf	On NW. corner of wharf. 47 53 00.2 064 34 32.0	Iso G 2s	4.2	5	Pipe swing pole, green, white and black square daymark.	Seasonal. Chart: 4913 Edn 05/12 (G12-050) Edn 08/16 (G16-111)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1274.1 H1559	Harper Point	W. side of Miscou Harbour entrance. 47 53 38.6 064 34 39.7	Fl G 4s	3.7	4	Pipe swing pole, green, white and green square daymark. 3.6	Operates at night only. Seasonal. Chart:4913 Edn 05/12 (G12-056)
1274.2	Miscou Wharf	On outer end of wharf. 47 53 40.1 064 34 37.5	Iso R 2s	4.9	3	Pipe swing pole, red and white triangular daymark, red triangle in center. 3.7	Operates at night only. Seasonal. Chart:4913 Edn 05/12 (G12-046)
1275 H1556	Black Point	47 53 03.8 064 37 25	Oc(2) Y 10s	17.6	12	Skeleton tower, enclosed central portion, red and white rectangular daymark. 17.7	Flash 4 s; eclipse 2 s; flash 2 s; eclipse 2 s. Year round. Chart:4913
1276.2	Shippegan North Channel light and whistle buoy EE Racon - -. (G) X Band	47 53 14.2 064 45 47.6	Mo(A) W 6s	Red and white vertical stripes, marked "EE".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)
Chaleur Bay (Baie des Chaleurs)							
1277	Pointe de Petite- Lamèque range	N. of point. 47 48 56.4 064 42 16.8	F W	8.8	11	Square skeleton tower, black daymark, red vertical stripe. 8.1	Visible in line of range. Seasonal.
1278		151°15' 281.3m from front.	F W	16.5	11	Square skeleton tower, black daymark, red vertical stripe. 16.4	Visible in line of range. Seasonal. Chart:4913 Edn 12/13 (G13-158, 157)
1282	Shippegan Channel light buoy EG5	E. side of channel. 47 51 11.2 064 43 57.6	Fl G 4s	Green spar, marked "EG5".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 03/17 (G17-007)
1282.5	Shippegan Channel light buoy EG8	47 50 40.2 064 43 43.6	Q R 1s	Red spar, marked "EG8".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1283 H1568	Pointe à Marcelle range	On point. 47 47 10.3 064 44 58.4	F W	7.9	9	Square skeleton tower, black daymark, red vertical stripe. 6.8	Visible from line of range. Seasonal.
1283.1 H1568.1		194°15' 28m from front.	F W	17.9	9	Square skeleton tower, black daymark, red vertical stripe. 17.8	Visible from line of range. Seasonal. Chart:4913 Edn 05/13 (G13-013) Edn 05/13 (G13-014)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1284	Shippegan Channel light buoy EG11	47 49 54.2 064 43 50.6	Q G 1s	Green spar, marked "EG11".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1286	Shippegan Channel light buoy EG14	47 48 53.2 064 43 27.6	Fl R 4s	Red spar, marked "EG14".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1286.3 H1567.3	Pointe à Bernache range	47 45 27.9 064 43 17	F R	13	Square skeleton tower, black daymark, red vertical stripe. 6.6	Seasonal.
1286.4 H1567.31		179°25' 170.2m from front.	F R	16.2 13	Square skeleton tower, black daymark, red vertical stripe. 15.8	Seasonal. Chart:4913 Edn 06/13 (G13-034)
1286.6	Shippegan Channel light buoy EG17	47 47 03.2 064 43 17.6	Fl G 4s	Green spar, marked "EG17".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1286.8	Shippegan Channel light buoy EG18	47 46 48.2 064 43 36.6	Q R 1s	Red spar, marked "EG18".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1287 H1567.36	Shippegan Harbour West Entrance range	On outer end of wharf. 47 44 50.2 064 42 08.3	F R	10.9 10	Square skeleton tower, white daymark, red vertical stripe. 9.5	Visible in line of range. Seasonal.
1288 H1567.37		154°24' 452.6m from front.	F R	16.9 10	Square skeleton tower, white daymark, red vertical stripe. 16.4	Visible in line of range. Seasonal. Chart:4920
1289	Shippegan Channel light buoy EG21	47 46 07.2 064 42 59.6	Fl G 4s	Green spar, marked "EG21".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1290	Shippegan Channel light buoy EG24	47 45 34.2 064 42 43.6	Fl R 4s	Red spar, marked "EG24".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1291	Shippegan Channel light buoy EG25	47 45 02 064 42 15.7	Fl G 4s	Green spar, marked "EG25".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1291.5	Shippegan Wharf	Outer end of wharf extension. 47 44 52.2 064 42 08.1	Iso R 1s	6.4	5	Square skeleton tower. 5.1	Operates at night only. Seasonal. Chart:4920
1292	Savoy Landing	Outer end of wharf. 47 44 56.9 064 41 29.3	Fl W 3s	5.6	7	Square skeleton tower. 5.2	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal. Chart:4920
1293	Shippegan Sound light buoy EJ3	Off Pointe Alexandre. 47 46 44.2 064 42 16.6	Q G 1s	Green spar, marked "EJ3".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1295.3	Baie de Lamèque light buoy EJ5	At entrance to bay. 47 46 24.2 064 41 21.6	Fl G 4s	Green spar, marked "EJ5".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1295.4	Baie de Lamèque light buoy EJ7	N. side of channel leading to wharf. 47 46 32.2 064 40 45.6	Q G 1s	Green spar, marked "EJ7".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1296.1 H1571	Lamèque Wharf Light	47 47 25.9 064 39 32.6	Iso R 1s	4	Pipe swing pole, red, white and red triangular daymark.	Seasonal. Chart:4920 Edn 03/17 (G16-142)
1298	Baie de Lamèque light buoy EJ10	S. side of channel leading to wharf. 47 46 43.2 064 40 20.6-	Fl R 4s	Red spar, marked "EJ10".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1299	Baie de Lamèque light buoy EJ11	N. side of channel leading to wharf. 47 47 00.2 064 40 08.6	Fl G 4s	Green spar, marked "EJ11".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4913 Edn 04/15 (G15-001) Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1300	Baie de Lamèque light buoy EJ14	S. side of channel leading to wharf. 47 47 15.5 064 39 44.4	Fl R 4s	Red spar, marked "EJ14".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4920 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1301 H1571	Lamèque Breakwater Light	On SE. corner of wharf. 47 47 25.7 064 39 35.7	Iso G 2s	7.3	4	Pipe swing pole, green, white and black square daymark.	Seasonal. Chart:4920 Edn 12/16 (G16-141)
1306 H1566	Pointe de Pokesudie	NE. point of island. 47 49 10.3 064 45 16	Iso W 4s	12.5	10	Square skeleton tower, red and white rectangular daymark. 12.9	Operates at night only. Seasonal. Chart:4913
1306.2	Caraquet Channel light buoy EM4	47 51 10.2 064 46 16.6	Fl R 4s	Red spar, marked "EM4".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)
1306.3	Caraquet Channel light buoy EM2	47 52 03 064 45 12	Q R 1s	Red, marked "EM2".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)
1307	Caraquet Channel light buoy EM7	47 50 16.5 064 47 37.4	Fl G 4s	Green spar, marked "EM7".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)
Chaleur Bay (Baie des Chaleurs)							
1308	Caraquet Channel light buoy EM8	NW. side of channel. 47 49 57.4 064 48 10.9	Fl R 4s	Red spar, marked "EM8".	Buoy may be repositioned due to shifting channel. Seasonal. Winter spar. Chart:4913 Edn 02/15 (G14-220) Edn 04/15 (G15-001)
1308.5	Caraquet Channel light buoy EM10	47 49 37 064 49 00	Q R 1s	Red spar, marked "EM10".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1310 H1580	Caraquet range	NE. of Stoke Point. 47 48 30 064 50 27.8	F Y	8.1	13	White square tower, red vertical stripe. 8.2	Seasonal.
1311 H1580.1		226°47' 1091.4m from front.	F Y	20.3	13	Square skeleton tower, white daymark, red vertical stripe. 11.3	Seasonal.
1312	Caraquet Harbour light buoy EM18	47 48 28.4 064 52 14.3	Fl R 4s	Red spar, marked "EM18".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal.
							Chart:4913
1313	Caraquet Harbour East light buoy EM20	NE. of Middle Caraquet. 47 48 25.1 064 52 39.6	Fl R 4s	Red spar, marked "EM20".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal.
							Chart:4913 Edn 04/15 (G15-001)
1313.2 H1581.5	Middle Caraquet range	47 48 09.7 064 53 09	F R	8.6	Square skeleton tower, red daymark, white vertical stripe. 5.1	Seasonal.
1313.3 H1581.51		244°07' 355m from front.	F R	19.6	Square skeleton tower, red daymark, white vertical stripe. 14.2	Seasonal.
							Chart:4913
1314 H1582	Middle Caraquet Wharf	On outer end of E. section of wharf. 47 48 13.4 064 52 22.4	Fl W 3s	7.3	9	Square skeleton tower. 6.7	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal.
							Chart:4920
1314.1 H1582.4	Middle Caraquet East Wharf	47 48 14.3 064 52 22.6	Fl G 4s	4.3	4	Pipe swing pole.	Seasonal.
							Chart:4920 Edn 09/16 (G16-122)
1314.2 H1581.7	Stoke Point range	47 48 21.4 064 51 34.2	F R	8.1	14	Square skeleton tower, red daymark, white vertical stripe. 3.6	Visible in line of range. Seasonal.
1314.3 H1581.71		093°46' 124.2m from front.	F R	12.8	14	Square skeleton tower, red daymark, white vertical stripe. 8.2	Visible in line of range. Seasonal.
							Chart:4920
1317	Caraquet Harbour West light buoy EM23	S. of Caraquet Island. 47 48 24.7 064 53 34.6	Fl G 4s	Green spar, marked "EM23".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal.
							Chart:4913 Edn 04/15 (G15-001)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GULF OF ST. LAWRENCE								
1318	Caraquet Harbour light buoy EM28	SW. of Caraquet Island. 47 48 22 064 54 17	Q R 1s	Red spar, marked "EM28".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)	
1318.2	Caraquet Harbour light buoy EM31	47 47 53.5 064 55 23.3	Q G 1s	Green boat type, marked "EM31".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)	
1319	Young Wharf	On SE. corner of wharf. 47 47 48.9 064 55 31.3	Q R 1s	7.5	9	Pipe swing pole Triangular day mark, red white and red. 7.1	Seasonal. Chart:4920 Edn 11/14 (G14-172) Edn 07/15 (G15-055)	
1319.1	Young Wharf West	On NW. corner of wharf. 47 47 51.3 064 55 46.7	Iso G 2s	5.4	5	Square skeleton tower. 4.9	Operates at night only. Seasonal. Chart:4920	
1319.2 H1585	Pointe à Brideau range	47 47 46.9 064 56 12.9	F W	7.5	19	Square skeleton tower, white daymark, red vertical stripe. 3.6	Operates 24hrs. Seasonal.
1319.3		248°04' 374.8m from front.	F W	13.5	19	White square tower, red vertical stripe. 12.8	Seasonal. Chart:4913 Edn 03/17 (G17-006)
1320	Baie de Caraquet light buoy EM42	47 48 03.2 064 57 27.6	Fl R 4s	Red, marked "EM42".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)	
1320.5	Caraquet Island light buoy EN5	47 49 27 064 55 00	Fl G 4s	Green spar, marked "EN5".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)	
1321.5	Caraquet Harbour light buoy EN9	47 48 48 064 54 11	Q G 1s	Green spar, marked "EN9".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)	
1322 H1588	Caraquet Island	On W. side of island. 47 49 21.2 064 54 16	Fl W 4s	22.3	9	Rectangular skeleton tower, white rectangular daymark. 20.1	Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4913	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1322.5	Maisonnette Ledge light buoy EN	E. of ledge. 47 50 42.2 064 55 15.6	Mo(A) W 6s	Spar, red and white vertical stripes, marked "EN".	Buoy may be repositioned due to shifting channel. Winter spar. Seasonal. Chart:4913 Edn 04/15 (G15-001)
1324 H1590	Maisonnette	On N. extremity of Maisonnette Point. 47 50 15 065 00 13	Fl W 2.4s	17.0	14	Square skeleton tower. 13.1	Flash 0.4 s; eclipse 2 s. Year round. Chart:4913
1325	Blue Cove (Anse- Bleue) range	On outer end of wharf. 47 49 55.5 065 04 47.8	F R	6.4	10	Square skeleton tower, white daymark, red vertical stripe. 5.3	Visible in line of range. Year round.
1325.1		195°04' 338.6m from front.	F R	13.0	10	Square skeleton tower, white daymark, red vertical stripe. 9.9	Visible in line of range. Year round. Chart:4486
1325.4	Blue Cove (Anse- Bleue) Breakwater	On outer end of breakwater. 47 49 55.8 065 04 50.8	Fl R 4s	7.8	4	Square skeleton tower. 3.7	Operates at night only. Year round. Chart:4486
1325.5	Blue Cove (Anse- Bleue) Wharf	On end of wharf extension. 47 49 53.7 065 04 48.8	Fl G 4s	6.3	4	Pipe swing pole. 5.2	Operates at night only. Seasonal. Chart:4486 Edn 09/10 (G10-144)
1326.1	Grande-Anse East Breakwater	On outer end of E. breakwater. 47 49 07.9 065 10 35.1	Fl G 4s	7.4	10	Square skeleton tower. 5.1	Seasonal. Chart:4486
1327.1	Grande-Anse West Breakwater	On outer end of W. breakwater. 47 49 09.3 065 10 34.8	Q R 1s	6.8	3	Square skeleton tower, white rectangular daymark, red bands at top and bottom, red triangle in centre. 5.1	Seasonal. Chart:4486
1328 H1596	Stonehaven	On hill overlooking wharf. 47 45 12.3 065 21 42.3	Fl W 4s		10	Pipe Swing Pole.	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4486\ Edn 10/13 (G12-140)
1328.5	Stonehaven Breakwater	47 45 17.6 065 21 49.1	Fl G 4s	7.0	5	Pipe swing pole, 2 square green and white daymarks. 3.7	Operates at night only. Seasonal. Chart:4486 Edn 12/10 (G10-205) Edn 12/13 (G13-160)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1330.4	Bathurst Entrance light buoy EP10	47 40 27.1 065 36 21.1	Fl R 4s	Red, marked "EP10".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)
1330.6	Bathurst Entrance light buoy EP25	47 39 53 065 36 44.4	Fl G 4s	Green, marked "EP25".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)
1330.7	Bathurst Entrance light buoy EP28	47 39 30.7 065 37 05.5	Q R 1s	Red, marked "EP28".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)
1330.8	Bathurst Entrance light buoy EP29	47 39 17 065 37 12.8	Q G 1s	Green, marked "EP29".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)
1331 H1600	Carron Point range	On NW. extremity of point. 47 39 06.5 065 37 23.4	Iso R 1s	7.5	8	Square skeleton tower, white daymark, red vertical stripe. 6.6	Visible in line of range. Operates at night only. Year round.
1332 H1600.1		208°22' 527.5m from front.	Iso R 4s	17.9	16	Square skeleton tower, white daymark, red vertical stripe. 15.8	Visible in line of range. Operates at night only. Year round. Chart:4920
1332.6	Bathurst Harbour light buoy EP38	47 38 52 065 37 59.9	Q R 1s	Red, marked "EP38".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 10/14 (G14-092) Edn 04/15 (G15-001)
1334.5	Bathurst Harbour bifurcation light buoy EP	47 38 01.9 065 39 06.9	Fl (2+1) R 6s	Red, green and red, marked "EP".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)
1336.8	Bathurst Harbour light buoy EP65	47 36 56 065 38 30.6	Q G 1s	Green spar, marked "EP65".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)
1339	Petit-Rocher	On outer end of wharf ell. 47 46 54.6 065 42 27.1	Fl Y 5s	7.5	15	Square skeleton tower. 6.9	Flash 0.2 s; eclipse 4.8 s. Seasonal. Chart:4920

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1339.5	Petit-Rocher light buoy ES2	47 46 55.2 065 42 08.7	Fl R 4s	Red, marked "ES2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4920 Edn 04/15 (G15-001)
1339.8	Pointe-Verte Breakwater	On outer end of breakwater. 47 51 43.2 065 45 39.4	Fl R 4s	7.1	4	Square skeleton tower. 3.7	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4486
1340	Pointe-Verte	On NW. corner of wharf. 47 51 40.8 065 45 43.1	F R	7.4	10	Square skeleton tower. 6.9 Year round. Chart:4486
1340.05	Pointe-Verte light buoy ET2	47 51 46.5 065 45 25	Fl R 4s	Red, marked "ET2".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4486 Edn 04/15 (G15-001)
1340.1 H1609	Belledune Point	47 54 27.1 065 49 55	Oc G 3s	11.1	10	Square skeleton tower, green and white rectangular daymarks. 9.9	Flash 2 s; eclipse 1 s. Year round. Chart:4920 Edn 07/13 (G13-088)
1340.2 H1610	Belledune Wharf	On extreme outer end of breakwater. 47 54 47 065 50 18.7	Oc R 3s	10	10	Square skeleton tower, red and white rectangular daymark. 10	Flash 2 s; eclipse 1 s. Year round. Chart:4920 Edn 07/13 (G13-089)
1340.8	New Mills West	Outer end of wharf. 47 58 28.2 066 11 19.8	Fl G 4s	6.1	Square skeleton tower. 5.4	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4486
1343 H1616	Inch Arran Point range	On the point. 48 03 39.4 066 21 03.4	Iso W 6s	13.7	11	White square tower, red upper portion, red vertical stripe. 10.9	Year round.
1343.1 H1616.1		286°45' 364.5m from front.	F W	24.0	11	Square skeleton tower, white daymark, red vertical stripe. Visible in line of range. Year round. Chart:4426 Edn 12/10 (G10-223)
1343.2	Dalhousie Harbour light buoy EX2	NE. of Dalhousie Island. 48 04 25.3 066 21 25.8	Q R 1s	Red spar, marked "EX2".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1343.3	Dalhousie Harbour light buoy EX4	48 04 25.4 066 21 44.9	Fl R 4s	Red spar, marked "EX4".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1343.4	Dalhousie Harbour light buoy EX6	48 04 25.5 066 21 55.9	Fl R 4s	Red spar, marked "EX6".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1343.6 H1618	Dalhousie Wharf	Outer end of wharf. 48 04 17.8 066 21 37	Fl G 4s	9.0	7	Square skeleton tower, red and white rectangular daymark.	Flash 1 s; eclipse 3 s. Operates at night only. Year round. Chart:4426 Edn 04/15 (G15-001)
1343.7 H1619	Dalhousie Harbour East range	48 04 15.2 066 21 57.3	Iso G 1s	14.5	16	Square skeleton tower, white daymark, red vertical stripe. 12.7	Visible in line of range. Year round.
1343.8 H1619.1		268°10' 49.4m from front.	Iso G 4s	17.8	16	Square skeleton tower, white daymark, red vertical stripe. 15.8	Visible in line of range. Year round. Chart:4426
1344 H1620	Dalhousie (Douglas) Island	On N. point of island. 48 04 20.2 066 21 51.5	Fl W 5s	21.0	15	Square skeleton tower, red and white rectangular daymark, green square in centre. 19.2	Flash 0.2 s; eclipse 4.8 s. Year round. Chart:4426
1345.4 H1620.4	Dalhousie Harbour range	On International Paper Co. wharf. 48 04 20.6 066 22 10.4	Iso R 1s	7.1	5	Square skeleton tower, white daymark, red vertical stripe. 6.8	Visible in line of range. Operates at night only. Year round.
1345.5 H1620.41		264°24' 614.4m from front.	Iso R 4s	9.0	13	Square skeleton tower, white daymark, red vertical stripe.	Visible in line of range. Operates at night only. Year round. Chart:4426 Edn 04/13 (G10-229)
1345.6	Dalhousie Harbour light buoy EX7	48 04 16.2 066 23 14.9	Q G 1s	Green spar, marked "EX7".	Buoy may be repositioned due to shifting channel. Seasonal. Chart:4426
1352.2	Campbellton Wharf	On outer end of wharf. 48 00 47.8 066 39 53.8	Fl G 4s	5.4	4	Square skeleton tower.	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal. Chart:4426

Chaleur Bay (Baie des Chaleurs)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1362	Banc Miguasha light buoy EV2	At S. extremity of spit. 48 03 24.2 066 18 57.9	Q R 1s	Red spar, marked "EV2".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1362.1	Rivière Restigouche light buoy EY1	48 04 12.2 066 21 21.9	Fl G 4s	Green spar, marked "EY1".	Buoy may be repositioned due to shifting channel. Seasonal (in place year round). Chart:4426 Edn 04/15 (G15-001) Edn 03/17 (G17-007)
1364 H1640	Carleton	Near outer end of wharf. 48 06 00.8 066 07 51.7	Iso Y 2s	11.7	8	Square skeleton tower. 9.6	Operates at night only. Seasonal. Chart:4921 Edn 10/11 (Q11-114)
1365 H1638	Carleton	On Pointe Tracadigache. 48 05 13 066 07 29.6	Fl R 5s	9.2	15	White square skeleton tower, red upper top. 8.6	Flash 1 s; eclipse 4 s. Operates at night only. Privately maintained by Ville de Carleton. Seasonal. Chart:4486
1369 H1655	Bonaventure range	Havre de Beaubassin. 48 02 09.3 065 28 56.8	Iso R 2s	6.3	13	Square skeleton tower, orange daymark, black vertical stripe. 4.6	Visible in line of range. Operates at night only. Seasonal.
1369.1 H1655.1		009°52' 141.7m from front.	Iso R 2s	8.9	13	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal. Chart:4921 Edn 10/11 (Q11-114)
1370	Pointe de Beaubassin light buoy AB1	48 01 52.7 065 29 02.2	Fl G 4s	Green marked "AB1".	Seasonal. Chart:4486
1373	Paspébiac light buoy AP2	Off sand banks. 48 00 15.2 065 15 30.7	Fl R 4s	Red, marked "AP2".	Seasonal. Chart:4921 Edn 05/15 (Q14-045)
1373.3 H1665	Paspébiac Breakwater	On outer end of breakwater. 48 01 06.1 065 15 34.3	Fl G 6s	10.7	7	Square skeleton tower. 8.1	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:4921 Edn 10/10 (Q10-128)
1374 H1666	Paspébiac West	On outer end of wharf. 48 01 07.9 065 15 29.3	Fl R 6s	9.9	6	Square mast. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:4921 Edn 10/10 (Q10-126)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1376 H1674	St. Godefroi FQ	On outer end of wharf. 48 04 23.4 065 06 52.1	Fl R 6s	7.9	5	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Seasonal. Chart:4486 Edn 09/11 (Q11-086) Edn 12/13 (Q13-071) Edn 09/16 (Q16-137)
1377	St. Godefroi light buoy AG1	48 04 21.9 065 06 57.4	Fl G 4s	Green, marked "AG1".	Seasonal. Chart:4486
1378	St. Godefroi light buoy AG2	48 04 21.4 065 06 56.8	Fl R 4s	Red, marked "AG2".	Seasonal. Chart:4486
1379 H1680	Port Daniel West	On South-West Point. 48 09 04.8 064 56 59.1	Fl W 5s	23.1	20	White octagonal tower. 7.8	Flash 1 s; eclipse 4 s. Year round. Chart:4921 Edn 01/12 Edn 04/14
1379.5	Port Daniel Est FR	On outer end of breakwater. 48 10 54.8 064 57 42.0	Iso R 2s	4.0	3	Cylindrical mast. 2.3	Seasonal. Chart:4921 Edn 06/16 (Q16-066) Edn 09/16 (Q16-138)
1380	Port Daniel light buoy AD4	48 10 43.9 064 57 34	Fl R 4s	Red, marked "AD4".	Seasonal. Chart:4921
1381	Port Daniel light buoy AD2	48 10 35.2 064 57 11	Fl R 4s	Red, marked "AD2".	Seasonal. Chart:4921
1382 H1687	Anse aux Gascons range	48 11 28.6 064 51 46.7	F R	9.3	16	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Operates at night only. Seasonal.
1382.1 H1687.1		319°26' 70.3m from front.	F R	13.5	16	Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Operates at night only. Seasonal. Chart:4486 Edn 10/11 (Q11-114)
1383 H1686	Reddish Point Breakwater	On outer end of breakwater. 48 11 23.8 064 51 38.6	Fl G 6s	4.9	3	Cylindrical mast. 1.5	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:4486
1388	Fairway light and bell buoy NEWPO	S. of la pointe de Newport. 48 16 38 064 43 01.1	Mo(A) W 6s	Red and white vertical stripes, marked "NEWPO".	Seasonal. Chart:4921 Edn 12/11 (Q11-161)
1388.2	Light buoy AN1	Newport Point. 48 16 53.3 064 43 10.8	Q G 1s	Green, marked "AN1".	Winter spar. Year round. Chart:4921 Edn 12/11

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GULF OF ST. LAWRENCE								
1388.4	Light buoy AN3	Newport Point. 48 16 58.3 064 43 13.2	Q G 1s	Green, marked "AN3".	Winter spar. Year round. Chart:4921 Edn 12/11	
1388.5	Light buoy AN4	Newport Point. 48 16 58.3 064 43 08.7	Fl R 4s	Red, marked "AN4".	Seasonal. Chart:4921 Edn 12/11	
1389 H1700	Pointe de Newport	On extremity S. of point. 48 17 02.7 064 43 05.6	Fl Y 6s	13.2	6	Square skeleton tower.	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:4921 Edn 01/12 (Q11-Q163)	
1390 H1701	Pointe de Newport - range	On outer end of wharf. 48 17 05.5 064 43 14.5	F R	7.2	16	White square skeleton tower, red horizontal band, orange daymark, black vertical stripe. 6.7	Visible in line of range. Operates at night only. Seasonal.
1391 H1701.1		341°50' 235.4m from front.	F R	17.2	16	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal. Chart:4921 Edn 10/11 (Q11-114) Edn 01/12 (Q11-143, 144)
1392.7 H1703	Chandler East	Outer end of wharf. 48 20 28.1 064 39 29.5	Fl W 5s	14.1	20	Square skeleton tower. 9.7	Flash 1 s; eclipse 4 s. Year round. Chart:4921	
1393 H1706	Île Dupuis	On island. 48 20 23.7 064 40 09.5	Fl R 6s	12.6	6	Square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4921 Edn 04/12 (Q12-034)	
1394	Anse à l'Îlot	South end of Marina de Chandler jetty. 48 20 38.1 064 40 09.2	Fl Y 4s	7.0	4	Mast. 5.0	Flash 0.5 s; eclipse 3.5 s. Operates at night only. Privately maintained by the Municipality of Chandler. Year round. Chart:4921 Edn 03/11 (Q10-150)	
1395 H1704	Chandler range	On shore. 48 20 49.5 064 40 24.6	Iso W 1s	10.2	19	Square skeleton tower, orange daymark, black vertical stripe. 7.9	Visible in line of range. Emergency light. Year round.	
1396 H1704.1		321°08' 198.2m from front.	Iso W 1s	18.8	19	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round. Chart:4921 Edn 02/12 (Q12-002, 003)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1399	Grande-Rivière North Breakwater	48 23 34.3 064 29 40.2	Iso G 2s	6.0	3	Cylindrical mast. 1.5	Seasonal. Chart:4921 Edn 01/12 (Q11-145)
1399.2	Grande-Rivière South Breakwater	48 23 31.7 064 29 41.6	Iso R 2s	8.7	5	Square mast. 2.0	Seasonal. Chart:4921 Edn 01/12 (Q11-125)
1400.2	Grande-Rivière ODAS light buoy IML-9	48 23 20.1 064 29 31.7	Fl(5) Y 20s	Yellow, marked "IML-9".	Seasonal. Chart:4921 Edn 06/11 (Q11-048) Edn 04/12 (Q12-049) Edn 10/15
1401.3	Sainte-Thérèse de Gaspé North Breakwater FR	On outer end of breakwater. 48 24 51.7 064 23 34.6	Iso R 2s	3.1	3	Mast. 2.2	Seasonal. Chart:4921 Edn 09/16 (Q16-136)
1401.5 H1715	Sainte-Thérèse de Gaspé FR	On outer end of breakwater. 48 24 50.5 064 23 32.4	Iso G 2s	6.1	3	Mast.	Seasonal. Chart:4921 Edn 09/16 (Q16-134)
1403 H1718	Cap d'Espoir PH	Near extremity. 48 25 09.3 064 19 01.7	Fl(4) W 30s	25.5	21	White octagonal tower. 11.3	Flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 3 s; flash 2 s; eclipse 13 s. Chart:4485 Edn 05/15 (Q15-055)
1404	Anse à Beaufile light buoy AF-1	48 28 14.2 064 18 04.5	Fl G 4s	Green, marked "AF-1".	Seasonal. Chart:4485
1408	Récif de Percé light buoy AA1	Off E. Limit of Percé Reef. 48 30 56.6 064 12 09.8	Fl G 4s	Green, marked "AA1".	Seasonal. Chart:4485
1409 H1727	Percé	On outer end of wharf. 48 31 13.5 064 12 39	Fl R 6s	8.0	6	Black square mast. 6.1	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal. Chart:4485 Edn 10/11 (Q11-114)
1410	Mal-Bay FQ	On the wharf. 48 37 12.3 064 11 57.3	Fl G 6s	9.2	Pipe swing pole. 7.8	Flash 1 s; eclipse 5 s. Seasonal. Chart:4921 Edn 09/16 (Q16-135)
1412 H1738	Île Plate	On small islet off Pointe St-Pierre. 48 37 37.2 064 09 22.7	Fl W 6s	20.6	9	Square skeleton tower, two rectangular orange daymarks. 12.8	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4485
1412.5	Scientific light buoy IML-11	Off American Bank. 48 35 00.0 063 53 00.0	Fl(5) Y 20s	ODAS, yellow, marked "IML-11".	Seasonal. Chart:4024 Edn 07/17 (Q17-024)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1413.1	L'Anse-à-Brillant light buoy BR2	48 43 42.8 064 17 06.6	Q R 1s	Red, marked "BR2".	Seasonal. Chart:4485 Edn 06/09 (Q09-048)
1414 H1740	L'Anse-à-Brillant range	48 43 13.7 064 17 24.4	F G	7.9	16 Square skeleton tower, orange daymark, black vertical stripe. 5.1	Visible in line of range. Operates at night only. Seasonal.
1415 H1740.1		205°10' 31m from front.	F G	9.7	16 Square skeleton tower, orange daymark, black vertical stripe. 8.2	Visible in line of range. Operates at night only. Seasonal. Chart:4485 Edn 10/11 (Q11-114)
Gaspé Basin							
1417.4 H1752.2	Marina de Gaspé Breakwater	On N. breakwater. 48 49 40.5 064 28 26.5	Iso Y 2s	7.0	5	Red and white square skeleton tower. 4.9	Operates at night only. Privately maintained by Club nautique Jacques-Cartier de Gaspé. Seasonal. Chart:4416
1417.5 H1752.4	Marina de Gaspé entrance	On S. breakwater. 48 49 39.3 064 28 28.7	Fl G 6s	7.0	5	Red and white square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Privately maintained by Club nautique Jacques-Cartier de Gaspé. Seasonal. Chart:4416
1417.8	Gaspé Bridge	48 49 43.7 064 28 48.8	F 2W F 2R F 2G	6.7 6.1 5.7	Privately maintained by Transports Québec. Year round. Chart:4416
1419.6 H1754	Presqu'île de Penouille range	48 51 07.3 064 25 27.4	F W	7.1	19 Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Emergency light. Year round.
1419.7 H1754.1		Racon --. (G) X & S Band	307°25' 229.3m from front.	F W	17.9	19 Square skeleton tower, orange daymark, black vertical stripe.
1419.8	Bassin de Gaspé light buoy HD9	48 50 37.6 064 24 45.1	Fl G 4s	Green, marked "HD9".	Winter spar. Year round. Chart:4416
1420	Penouille light buoy HD8	N. side of channel. 48 50 46.2 064 24 26.1	Fl R 4s	Red, marked "HD8".	Seasonal. Chart:4416
1420.5 H1756	Gros Cap aux Os	On cape. 48 49 29.9 064 18 58.9	Fl R 5s	27.2	18	Square skeleton tower. 15.7	Flash 1 s; eclipse 4 s. Year round. Chart:4485 Edn 08/12 (Q12-082)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GULF OF ST. LAWRENCE

1421	Grande-Grève	48 47 33.3 064 13 36.4	Iso R 2s	8.0	4	Pipe swing pole.	Operates at night only. Seasonal.
------	--------------	---------------------------	----------	-----	---	------------------	--------------------------------------

Chart:4485
Edn 10/11 (Q11-114)

1426 H1762	Cap Gaspé	Close to S. face. 48 45 04 064 09 45.5	Fl W 5s	106.9	12	White octagonal tower. 12.8	Flash 1 s; eclipse 4 s. Operates at night only. Year round.
---------------	-----------	--	---------	-------	----	--------------------------------	---

Chart:4485

Magdalen Islands (îles-de-la-Madeleine)

1477.5	Old Harry scientific light buoy IML- 10	48 00 00 060 30 00	Fl(5) Y 20s	ODAS yellow, marked "IML- 10".	Seasonal.
--------	---	-----------------------	-------------	-------	-------	-----------------------------------	-----------

Chart: 4022
Edn 08/15 (Q15-129)

1478 H882	Rocher aux Oiseaux	On summit of Rocher aux Oiseaux. 47 50 18.8 061 08 40.7	LFl W 8s	49.0	9	Square skeleton tower. 10.7	Flash 2 s; eclipse 6 s. Operates at night only. Year round.
--------------	-----------------------	---	----------	------	---	--------------------------------	---

Chart:4950

1479 H886	Île Brion	Near extreme W. point of island. 47 46 54.3 061 30 30.7	Fl W 3s	40.0	9	White octagonal tower. 13.6	Flash 1 s; eclipse 2 s. Visible 360°. Operates at night only. Year round.
--------------	-----------	--	---------	------	---	--------------------------------	--

Chart:4950

1480	Pointe de l'Est East Cardinal light buoy YY	SE. of point. 47 36 45.2 061 19 39.4	Q(3) W 10s	Black, yellow and black, marked "YY".	Seasonal.
------	---	--	------------	-------	-------	--	-----------

Racon - -. (G)
X & Y Band

Chart:4950

1480.5	Old Harry Ledge light buoy YA2	SE. of Old Harry Head. 47 33 42.2 061 27 27.4	Q R 1s	Red, marked "YA2".	Seasonal.
--------	-----------------------------------	--	--------	-------	-------	--------------------	-----------

Chart:4950

1481	Old Harry Head light buoy Y8	S. of Old Harry Head. 47 31 06.2 061 26 45.4	Fl R 4s	Red, marked "Old Harry Head Y8".	Seasonal.
------	---------------------------------	---	---------	-------	-------	-------------------------------------	-----------

Chart:4950

1481.6	Grosse Île South Breakwater	47 37 39.9 061 30 48.5	Fl G 4s	4.3	4	Mast. 1.3	Operates at night only. Seasonal.
--------	--------------------------------	---------------------------	---------	-----	---	--------------	--------------------------------------

Chart:4950
Edn 01/11 (Q10-152)
Edn 01/13

1482.1	Havre de la Grande Entrée light buoy YC4	47 32 11.9 061 34 33.8	Q R 1s	Red, marked "YC4".	Winter spar. Year round.
--------	--	---------------------------	--------	-------	-------	--------------------	-----------------------------

Chart:4954
Edn 06/12 (Q12-084)
Edn 09/15 (Q15-101)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GULF OF ST. LAWRENCE								
1482.2	Havre de la Grande Entrée light buoy YC5	47 32 13.3 061 34 38.1	Fl G 4s	Green, marked "YC5".	Winter spar. Year round. Chart:4954 Edn 06/12 (Q12-085) Edn 09/15 (Q15-101)	
1482.3	Havre de la Grande Entrée light buoy YC9	47 32 31.6 061 34 23.2	Fl G 4s	Green, marked "YC9".	Winter spar. Year round. Chart:4954 Edn 06/12 (Q12-086) Edn 09/15 (Q15-101) Edn 10/15 (Q15-080)	
1482.4	Havre de la Grande Entrée light buoy YC10	47 32 40.2 061 34 11.3	Fl R 4s	Red, marked "YC10".	Winter spar. Year round. Chart:4954 Edn 06/12 (Q12-087) Edn 09/15 (Q15-101) Edn 10/15 (Q15-083)	
1482.5	Havre de la Grande Entrée light buoy YC11	47 33 13.7 061 34 04.7	Fl G 4s	Green, marked "YC11".	Winter spar. Year round. Chart:4954 Edn 06/12 (Q12-088) Edn 09/15 (Q15-101)	
1482.55	Havre de la Grande Entrée light buoy YC12	47 33 04.5 061 34 02.3	Fl R 4s	Red, marked "YC12".	Winter spar. Year round. Chart:4954 Edn 06/12 (Q12-089) Edn 09/15 (Q15-101) Edn 10/15 (Q15-078)	
1482.6	Havre de la Grande Entrée light buoy YC14	47 33 14.8 061 33 57.5	Fl R 4s	Red, marked "YC14".	Winter spar. Year round. Chart:4954 Edn 06/12 (Q12-090) Edn 09/15 (Q15-101) Edn 10/15 (Q15-077)	
1482.7	Havre de la Grande Entrée light buoy YC15	47 33 26.2 061 33 40.8	Q G 1s	Green, marked "YC15".	Seasonal. Chart:4954	
1483 H888	Grande Entrée range	On E. side of entrance. 47 33 22.9 061 33 44.4	F R	6.3	15	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Year round.
1484 H888.1		025°57' 62.6m from front.	F R	9.8	15	Square skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Operates at night only. Year round. Chart:4954
1485.45	Havre de la Grande Entrée light buoy CB3	47 32 51.9 061 34 11.6	Fl G 4s	Green, marked "CB3".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954 Edn 10/15 (Q15-081)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1485.49	Havre de la Grande Entrée – light buoy CB5	47 33 16.5 061 34 02.9	Fl G 4s	Green spar, marked "CB5".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954 Edn 07/12 (Q12-098) Edn 10/15 (Q15-076)
1485.495	Havre de la Grande Entrée light buoy CB6	47 33 24.9 061 33 50.9	Fl R 4s	Red, marked "CB6".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954 Edn 10/15 (Q15-082)
1485.51	Havre de la Grande Entrée light buoy CB7	47 33 36.5 061 33 47	Fl G 4s	Green, marked "CB7".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954 Edn 06/12 (Q12-091)
1485.52	Havre de la Grande Entrée light buoy CB8	47 33 45.3 061 33 34.8	Fl R 4s	Red, marked "CB8".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.53	Havre de la Grande Entrée light buoy CB9	47 33 47.1 061 33 38.8	Fl G 4s	Green, marked "CB9".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.54	Havre de la Grande Entrée light buoy CB10	47 34 12.8 061 33 07.4	Fl R 4s	Red, marked "CB10".	Privately maintained by Les Mines Seleine. Seasonal. Chart:4954
1485.55	Havre de la Grande Entrée light buoy CB11	47 33 04.5 061 34 02.3	Fl G 4s	Green, marked "CB11".	Privately maintained by Les Mines Seleine. Seasonal. Chart:4954 Edn 10/15 (Q15-078)
1485.56	Havre de la Grande Entrée light buoy CB12	47 34 37.4 061 32 42.9	Fl R 4s	Red, marked "CB12".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.57	Havre de la Grande Entrée light buoy CB13	47 34 39.2 061 32 46.9	Fl G 4s	Green, marked "CB13".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1485.58	Havre de la Grande Entrée light buoy CB14	47 35 01.9 061 32 18.4	Fl R 4s	Red, marked "CB14".	Privately maintained by Les Mines Seleine. Seasonal. Chart:4954
1485.59	Havre de la Grande Entrée light buoy CB15	47 35 03.7 061 32 22.4	Fl G 4s	Green, marked "CB15".	Privately maintained by Les Mines Seleine. Seasonal. Chart:4954
1485.6	Havre de la Grande Entrée light buoy CB16	47 35 25.4 061 31 55	Q R 1s	Red, marked "CB16".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.61	Havre de la Grande Entrée light buoy CB17	47 35 26.3 061 31 59.7	Q G 1s	Green, marked "CB17".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.62	Havre de la Grande Entrée light buoy CB18	47 35 38.5 061 31 48.1	Q R 1s	Red, marked "CB18".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.63	Havre de la Grande Entrée light buoy CB19	47 35 37.1 061 31 56.2	Q G 1s	Green, marked "CB19".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.64	Havre de la Grande Entrée light buoy CB20	47 35 51.1 061 31 51	Q R 1s	Red, marked "CB20".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.65	Havre de la Grande Entrée light buoy CB21	47 35 47.9 061 31 58.6	Q G 1s	Green, marked "CB21".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954
1485.66	Havre de la Grande Entrée light buoy CB22	47 36 01.4 061 32 01.8	Q R 1s	Red, marked "CB22".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954 Edn 08/12 (Q12-114)
1485.67	Havre de la Grande Entrée light buoy CB23	47 35 57.4 061 32 06.8	Q G 1s	Green, marked "CB23".	Privately maintained by Les Mines Seleine. Winter spar. Year round. Chart:4954

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1486	Mine Seleine range	47 36 29.5 061 34 12	F G	12.2	White cylindrical mast.	Visible in line of range. Privately maintained. Year round.
1486.1		287°13' 201m from front.	F G	16.0	White cylindrical mast.	Visible in line of range. Privately maintained. Year round.
Chart:4954							
1486.51	Havre de la Grande Entrée light buoy CB24	47 36 07.1 061 32 16.7	Q R 1s	Red, marked "CB24".	Privately maintained by Les Mines Seleine. Winter spar. Year round.
Chart:4954							
1486.52	Havre de la Grande Entrée light buoy CB25	47 36 04.3 061 32 19.4	Q G 1s	Green, marked "CB25".	Privately maintained by Les Mines Seleine. Winter spar. Year round.
Chart:4954							
1486.53	Havre de la Grande Entrée light buoy CB26	47 36 12.4 061 32 42.2	Fl R 4s	Red, marked "CB26".	Privately maintained by Les Mines Seleine. Winter spar. Year round.
Chart:4954							
1486.54	Havre de la Grande Entrée light buoy CB27	47 36 12.8 061 33 00.1	Fl G 4s	Green, marked "CB27".	Privately maintained by Les Mines Seleine. Winter spar. Year round.
Chart:4954							
1486.55	Havre de la Grande Entrée light buoy CB28	47 36 20.1 061 33 03.5	Fl R 4s	Red, marked "CB28".	Privately maintained by Les Mines Seleine. Winter spar. Year round.
Chart:4954							
1486.56	Havre de la Grande Entrée light buoy CB29	47 36 24.2 061 33 17.5	Fl G 4s	Green, marked "CB29".	Privately maintained by Les Mines Seleine. Winter spar. Year round.
Chart:4954							
1486.57	Havre de la Grande Entrée light buoy CB30	47 36 25.8 061 33 12.1	Fl R 4s	Red, marked "CB30".	Privately maintained by Les Mines Seleine. Winter spar. Year round.
Chart:4954							
1486.58	Havre de la Grande Entrée light buoy CB31	47 36 27.5 061 33 27.4	Fl G 4s	Green, marked "CB31".	Privately maintained by Les Mines Seleines. Winter spar. Year round.
Chart:4954							
Edn 08/09 (Q09-062)							
Edn 08/12 (Q12-115)							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1486.59	Havre de la Grande Entrée light buoy CB32	47 36 32.5 061 33 14.9	Fl R 4s	Red, marked "CB32".	Privately maintained by Les Mines Seleines. Winter spar. Year round. Chart:4954 Edn 08/09 (Q09-063) Edn 08/12 (Q12-116)
1486.6	Havre de la Grande Entrée light buoy CB34	47 36 37.2 061 33 21.6	Fl R 4s	Red, marked "CB34".	Privately maintained by Les Mines Seleine. Seasonal. Chart:4954 Edn 08/09 (Q09-064)
1487	Récif Alright light buoy Y12	SE. of reef. 47 23 32 061 40 00	Fl R 4s	Red, marked "Y12".	Seasonal. Chart:4950
1489.1	Étang du Nord light buoy YS3	47 22 08.4 061 58 12.5	Fl G 4s	Green, marked "YS3".	Seasonal. Chart:4950
1489.2	Étang du Nord light buoy YS4	47 22 04.9 061 58 07.7	Fl R 4s	Red, marked "YS4".	Seasonal. Chart:4950
1489.3	Étang du Nord light buoy YS5	47 22 09.2 061 58 02.7	Fl G 4s	Green, marked "YS5".	Seasonal. Chart:4950
1489.5	Étang du Nord light buoy YS9	47 22 10.6 061 57 57.2	Fl G 4s	Green, marked "YS9".	Seasonal. Chart:4950
1489.6	Étang du Nord light buoy YS10	47 22 07.9 061 57 56.4	Fl R 4s	Red, marked "YS10".	Seasonal. Chart:4950
1491.1	Étang du Nord North Breakwater	47 22 12.3 061 57 42.1	Fl G 3s	4.6	4	Mast. 2.1	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal. Chart:4950 Edn 10/11 (Q11-114) Edn 03/12 (Q12-028)
1491.2 H913.5	Étang du Nord South Breakwater	47 22 10.1 061 57 41.5	Fl R 3s	4.2	4	Mast. 2.1	Flash 1 s; eclipse 2 s. Operates at night only. Seasonal. Chart:4950 Edn 10/11 (Q11-114) Edn 03/12 (Q12-029)
1491.3	Étang du Nord Centre Breakwater	On outer end. 47 22 11.5 061 57 36.1	Q(3) Y 5s	5.0	4	Square mast. 1.6	Operates at night only. Seasonal. Chart:4950 Edn 08/11 (Q11-061) Edn 12/11 (Q11-061)
1494	Havre-aux-Maisons Entrance light buoy YE2	Entrance to channel. 47 23 04.3 061 50 36.2	Fl R 4s	Red, marked "YE2".	Seasonal. Chart:4950 Edn 09/16 (Q16-118)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1494.2	Havre-aux-Maisons light buoy YE4	47 23 23.6 061 50 37.5	Fl R 4s	Red, marked "YE4".	Seasonal. Chart:4955 Edn 05/15 (Q15-031) Edn 09/16 (Q16-119)
1494.4	Havre-aux-Maisons light buoy YE6	47 23 33.9 061 50 26.4	Fl R 4s	Red, marked "YE6".	Seasonal. Chart:4955 Edn 10/12 (Q12-122) Edn 05/15 (Q15-030) Edn 09/16 (Q16-120)
1494.45	Havre-aux-Maisons light buoy YE7	47 23 40.0 061 50 22.9	Fl G 4s	Green, marked "YE7".	Seasonal. Chart:4955 Edn 09/16 (Q16-121)
1494.6	Havre-aux-Maisons light buoy YE9	47 23 50.3 061 50 20.4	Fl G 4s	Green, marked "YE9".	Seasonal. Chart:4955
1494.7	Havre-aux-Maisons light buoy YE8	47 23 50.3 061 50 16.1	Fl R 4s	Red, marked "YE8".	Seasonal. Chart:4955
1494.81	Havre-aux-Maisons light buoy YE10	47 23 59.7 061 50 20.7	Fl R 4s	Red, marked "YE10".	Seasonal. Chart:4955
1494.91	Havre-aux-Maisons light buoy YE12	47 24 04.3 061 50 22.3	Fl R 4s	Red, marked "YE12".	Seasonal. Chart:4955 Edn 08/11 (Q11-066)
1494.915	Pont Havre-aux-Maisons - Bâbord	47 24 07.7 061 50 25.2	Iso G 2s	5	On bridge, square green, white and black daymark.	Operates at night only. Seasonal. Chart:4955 Edn 10/14 (Q13-074)
1494.918	Pont Havre-aux-Maisons - Tribord	47 24 08.1 061 50 23.6	Iso R 2s	5	On bridge, triangular red, white and red daymark.	Operates at night only. Seasonal. Chart:4955 Edn 10/14 (Q13-075)
1494.92	Havre-aux-Maisons light buoy YE14	47 24 14.7 061 50 22.7	Fl R 4s	Red, marked "YE14".	Seasonal. Chart:4955 Edn 06/14 (Q014-030)
1494.94	Havre-aux-Maisons – Marina entrance	Extremity west breakwater. 47 24 21.1 061 50 09.0	F R	Post.	Seasonal. Chart:4955 Edn 09/13 (Q13-001)
1496.4	Cap-aux-Meules light buoy YD4	47 22 35.8 061 51 06.4	Fl R 4s	Red, marked "YD4".	Seasonal. Chart:4956

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1496.5 H915	Cap-aux-Meules Breakwater	47 22 32.7 061 51 06.3	Fl R 6s	7.5	4	Cylindrical mast.	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4956 Edn 08/11 (Q11-081)
1497 H914	Cap-aux-Meules, Wharf	47 22 36.8 061 51 13.3	Iso G 1s	7.1	13	Square skeleton tower, orange daymark trapezoid, black vertical stripe. 4.9	Visible in line of range.
1498 H914.1		330°13' 133.2m from front.	Iso G 1s	11.6	13	Square skeleton tower, orange daymark trapezoid, black vertical stripe. 9.5	Visible in line of range. Chart:4956 Edn 02/10 (Q09-137, 138) Edn 03/11 (Q10-164, 165) Edn 03/12 Edn 08/15 (Q15-111, 112)
1498.5 H915.4	Cap-aux-Meules West Breakwater	47 22 35.1 061 51 25.3	Iso R 2s	5.5	4	Cylindrical mast. 3.1	Operates at night only. Seasonal. Chart:4956 Edn 08/11(Q11-082)
1499.3	Millerand East Breakwater	47 12 56.4 061 59 02.8	Iso R 2s	11.1	4	Mast.	Operates at night only. Seasonal. Chart:4950 Edn 02/10 (Q09-118) Edn 10/11 (Q11-114)
1499.35	Millerand West Breakwater	On outer end of W. breakwater. 47 12 59.3 061 59 04.3	Fl G 4s	4.9	4	Mast.	Operates at night only. Seasonal. Chart:4950 Edn 04/12 (Q12-037)
1501	Havre-Aubert light buoy YK1	47 16 50.4 061 46 40.2	Fl G 4s	Green, marked "YK1".	Seasonal. Chart:4950
1502.2	Cap Gridley light buoy YK5	Cape Gridley. 47 14 15.3 061 49 27.1	Q G 1s	Green, marked "YK5".	Winter spar. Seasonal. Chart:4957
1503	Light buoy YK12	Cape Gridley. 47 14 11 061 49 33	Fl R 4s	Red, marked "YK12".	Winter spar. Year round. Chart:4957
1504	Havre-Aubert light buoy YK22	47 13 57.5 061 49 50.1	FL R 4s	Red, marked "YK22".	Privately maintained. Seasonal. Chart:4957 Edn 01/15 (Q14-100)
1505.5 H910	Havre-Aubert Sector light	47 13 42.9 061 50 02.5	Iso R W G 4s	5.2	12	Square skeleton tower white and red stripes. 4.5	Red from 211.8° to 322°50' White from 212.8° to 213.8° Green from 213.8° to 214.8° White sector indicate preferred channel. Privately maintained. Seasonal. Chart:4957 Edn 04/16

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1507	Sandy Hook Channel South light buoy YM1	S. entrance to channel. 47 15 16.6 061 42 55.4	Fl G 4s	Green, marked "YM1".	Seasonal. Chart:4950
1507.5	Sandy Hook Channel light buoy YM7	47 16 07 061 43 28.6	Fl G 4s	Green, marked "YM7".	Seasonal. Chart:4950 Edn 04/13 (Q12-138)
1507.6	Sandy Hook light buoy YM4	47 15 43.2 061 43 00	Fl R 4s	Red, marked "YM4".	Seasonal. Chart:4950
1507.7	Sandy Hook Channel light buoy YM9	47 16 33.1 061 43 54.3	Fl G 4s	Green, marked "YM9".	Seasonal. Chart:4950 Edn 01/13 (Q12-139)
1508	Sandy Hook Channel light buoy YM12	47 16 43.9 061 43 49.7	Fl R 4s	Red, marked "YM12".	Winter spar. Seasonal. Chart:4950 Edn 01/13 (Q12-141)
1508.5	Sandy Hook Channel light buoy YM11	47 16 51 061 44 11.9	Q G 1s	Green, marked "YM11".	Seasonal. Chart:4950 Edn 01/13 (Q12-140)
1510.3	Île d'Entrée North Breakwater	On outer end of N. breakwater. 47 16 40 061 43 09.7	Iso G 2s	4.4	3	Mast. 1.2	Operates at night only. Seasonal. Chart:4950
1510.6	Île d'Entrée South Breakwater	On outer end of S. breakwater. 47 16 38.2 061 43 08.9	Iso R 2s	4	3	Mast. 1.2	Operates at night only. Seasonal. Chart:4950
1511	Île d'Entrée North side	On top of cliff, NE. end of island. 47 17 17 061 41 22.1	Fl W 3s	71.5	8	Square skeleton tower. 4.6	Flash 1 s; eclipse 2 s. Operates at night only. Year round. Chart:4950
1512	La Perte light buoy Y16	Off S. side of reef. 47 19 28.2 061 34 18.4	Fl R 4s	Red, marked "Y16".	Seasonal. Chart:4950
Anticosti (South Side)							
1514 H1864	Escarpe ment Bagot	NW. of island. 49 03 57.5 062 15 35.2	Fl W 6s	17.2	7	Square skeleton tower.	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4025
1515 H1866	Pointe du Sud- Ouest	On extremity. 49 23 29.1 063 35 40.9	Fl W 6s	20.7	8	Square skeleton tower. 15.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4430 Edn 02/10 (Q09-134)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1516	Port Menier light buoy MENIER	49 46 13.5 064 20 37.3	Mo(A) W 6s	Red and white vertical stripes, marked "MENIER".	Seasonal. Chart:4430 Edn 11/15 (G15-040)
1517	Baie Ellis light buoy PM9	W. side of channel. 49 47 16.7 064 21 21.8	Fl G 4s	Green, marked "PM9".	Seasonal. Chart:4430 Edn 02/10 (Q09-134)
1518	Port Menier light buoy PM11	W. side of dredged channel. 49 48 30.2 064 22 03.6	Fl G 4s	Green, marked "PM11".	Seasonal. Chart:4430 Edn 02/10 (Q09-134)
1519 H1870	Baie Ellis Main range	NW. corner of bay. 49 49 30.5 064 22 31.3	F G	12.1	20 Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Seasonal.
1520 H1870.1		339°26' 1041.5m from front.	F G	26.7	20 Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Seasonal. Chart:4430 Edn 02/10 (Q09-134) Edn 10/11 (Q11-114)
1523 H1878	Pointe Ouest	On W. extremity of island. 49 51 50.6 064 31 23.7	Fl W 5s	27.5	12	Skeleton tower. 19.8	Flash 1 s; eclipse 4 s. Operates at night only. Year round. Chart:4430 Edn 02/10 (Q09-134) Edn 11/14 (Q14-046)
1524 H122	Blanc-Sablon range	Midway between Blanc-Sablon village and Pointe. St. Charles. 51 25 12.8 057 07 06.2	F W	35.5	19 Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.
1525 H122.1		063°16' 230.6m from front.	F W	56.8	19 Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round. Chart:4980
1526 H123	Blanc-Sablon Wharf	Outer end of wharf. 51 24 54.1 057 08 58.7	Fl R 6s	10.4	9	Mast. 8.1	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4980
1528.5	Lourdes-de-Blanc- Sablon light and bell buoy	51 23 58.3 057 11 38.8	Mo(A) W 6s	Red and white vertical stripes, marked "SABLO".	Seasonal. Chart:4470
1528.6	Lourdes-de-Blanc- Sablon light buoy CY9	51 24 25.6 057 11 42.7	Fl G 4s	Green, marked "CY9".	Seasonal. Chart:4470
1528.7	Light buoy CY10	51 24 23.2 057 11 40.8	Fl R 4s	Red, marked "CY10".	Seasonal. Chart:4470

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1528.8	Brador light and bell buoy BRA	51 25 32.4 057 15 34.3	Mo(A) W 6s	Red and white vertical stripes, marked "BRA".	Seasonal. Chart:4470
1528.9	Île Greenly	On SW part of island. 51 22 29.4 057 11 26.7	Fl W 15s	34.7	15	Skeleton tower. 22.3	Flash 0.5 s; eclipse 14.5 s. Operates at night only. Seasonal. The light of Île Greenly is obscured by Île au Bois through an arc of 015°, from 064° to 079°. Chart:4470 Edn 10/12 (Q12-130)
1529	Baie de Brador light buoy CB-2	51 27 03.8 057 15 19.4	Fl R 4s	Red, marked "CB-2".	Seasonal. Chart:4470
1530 H124	Baie de Brador range	On the bluff in Brador Bay. 51 29 28.3 057 15 01.9	Iso R 2s	20.0	12	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
1531 H124.1		005°06' 95.9m from front.	Iso R 2s	31.0	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal. Chart:4470 Edn 10/11 (Q11-114)
1531.2	Middle Bay Sector	51 28 01.7 057 29 29.5	Iso R W G 4s	38.7	16	Square skeleton tower. 6.4	Green from 002°12' to 000°12', white from 000°12' to 357°12', red from 357°12' to 355°12'. White sector indicates preferred channel. Operates at night only. Seasonal. Chart:4470 Edn 11/11 (Q11-120)
1531.5	Charlie Knob light buoy C10	Off Bonne Espérance Bay. 51 22 30 057 37 55	Fl R 4s	Red, marked "C10".	Seasonal. Chart:4471
1531.7	Baie Bonne Espérance light buoy C12	51 25 02.9 057 39 17.7	Fl R 4s	Red, marked "C12".	Seasonal. Chart:4471
1531.8	Baie de Bonne-Espérance light buoy CX2	51 25 12.2 057 39 15.9	Q R 1s	Red, marked "CX2".	Seasonal. Chart:4471 Edn 06/14 (Q14-008) Edn 05/17
1531.9	Baie chevalier - light buoy CX4	51 25 41.6 057 38 34.2	Fl R 4s	Red, marked "CX4".	Seasonal. Chart:4471 Edn 06/14 (Q14-010)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1532 H1887	Baie au Saumon range	51 25 45.5 057 39 13.6	Iso G 2s	20.2	12	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Seasonal.
1533 H1887.1		348°52' 249 m from front.	Iso G 2s	29.6	12	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Seasonal.
1538 H1889.5	Rivière Saint-Paul	E. side of Passage Champlain approach. 51 25 10.6 057 41 59.7	Fl R 6s	5.5	6	Red and white square skeleton tower. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.
1539 H1890	Île à la Baleine	On summit of island. 51 21 21.7 057 41 37	Fl W 6s	28.1	7	Square skeleton tower.	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.
1539.1 H1889.7	Chenal du Vieux Fort range	On small island SW. of Thomas Channel. 51 23 51.7 057 48 16.4	F R	19.7	14	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
1539.12 H1889.71		011°01' 336.4m from front.	F R	29.8	14	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
1539.123 H1889.8	Baie du Vieux Fort Wharf	Baie du Vieux Fort. 51 25 18.6 057 48 55.3	Fl Y 6s	9.7	7	Mast.	Flash 1 s; eclipse 5 s. Operates at night only. Seasonal.
1539.13 H1890.1	Île Mermettes Racon - - (M) X & S Band	Centre of island. 51 19 20.5 057 50 34.6	Iso W 2s	11.8	6	Square skeleton tower. 6.5	Operates at night only. Year round.
1539.15	Fairway light buoy STAUG	Saint-Augustin. 51 10 32.5 058 18 06	Mo(A) W 6s	Red and white vertical stripes, marked "STAUG".	Seasonal.
1539.16 H1890.44	Pointe du Nord- Est range	On small island E. of Outer Island. 51 10 31.5 058 25 24.6	F R	9.8	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
1539.17 H1890.45		269°37' 273.9m from front.	F R	19.3	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.

Chart:4471
Edn 10/11 (Q11-114)

Chart:4471
Edn 10/11 (Q11-114)

Chart:4471
Edn 10/11 (Q11-114)
Edn 03/13 (Q12-148)

Chart:4471
Edn 10/11 (Q11-114)

Chart:4471
Edn 10/11 (Q11-114)

Chart:4471
Edn 10/12 (Q12/131)

Chart:4472
Edn 03/12 (Q12-014)

Chart:4472

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1539.2 <i>H1890.42</i>	Pointe du Nord-Est Racon -. (N) X & S Band	On NE. point of Outer Island. 51 10 37.4 058 25 42.7	Fl W 6s	17.8	7	Square skeleton tower, 2 orange rectangular daymarks. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4472
1539.4 <i>H1890.5</i>	Île Paul-Nadeau	On SE. extremity of island. 51 10 45.5 058 27 39.9	Fl W 6s	12.8	7	Red and white square skeleton tower. 4.9	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4473 Edn 02/13 (Q12-149)
1539.41 <i>H1890.55</i>	Île Paul-Nadeau range	51 11 02.5 058 28 50.3	Iso G 2s	18.5	4	Square skeleton tower, orange daymark, black vertical stripe. 8.0	Visible 360°. Increased intensity on range. Operates at night only. Year round.
1539.42 <i>H1890.56</i>		044°43' 538.9m from front.	Iso G 2s	43.6	12	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round. Chart:4473
1539.45 <i>H1890.57</i>	Île Bursey range	N. end of island. 51 10 37.5 058 28 37.3	Iso Y 2s	13.0	5	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible 360°. Increased intensity on range. Operates at night only. Year round.
1539.46 <i>H1890.58</i>		266°31' 483.1m from front.	Iso Y 2s	18.9	15	Square skeleton tower, orange daymark, black vertical stripe. 6.5	Visible in line of range. Operates at night only. Year round. Chart:4473
1539.48	Rocher Clinch light buoy CU2	51 10 52.2 058 29 00.8	Fl R 4s	Red, marked "CU2".	Seasonal. Chart:4473
1539.5 <i>H1890.2</i>	Île Mistanoque	SSE. extremity of island. 51 15 20 058 12 39.6	Iso W 2s	41.8	6	Square skeleton tower. 6.5	Operates at night only. Seasonal. Chart:4472 Edn 10/11 (Q11-114)
1539.6 <i>H1890.6</i>	Île Tickle range	SE. end of island. 51 10 22.1 058 31 24.8	Iso G 2s	10.6	5	Square skeleton tower, orange daymark, black vertical stripe.	Visible 360°. Operates at night only. Year round.
1539.7 <i>H1890.61</i>		271°32' 624.1m from front.	F G	37.3	14	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Year round. Chart:4473
1539.9	Île Driscoll light buoy CU27	51 10 26.2 058 33 49.8	Fl G 4s	Green, marked "CU27".	Seasonal. Chart:4473
1539.95	Passage Saint- Augustin	On new wharf of Pointe à la Truite. 51 10 53 058 34 04.5	Fl Y 6s	9.2	7	Mast. 8.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4473
1540	Rivière Saint- Augustin light buoy CUS2	51 12 27 058 35 36.9	Fl R 4s	Red, marked "CUS2".	Seasonal. Chart:4473

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1541	Rivière Saint-Augustin light buoy CUS3	51 12 30 058 35 54.3	Fl G 4s	Green, marked "CUS3".	Seasonal. Chart:4473
1542	Rivière Saint-Augustin light buoy CUS4	51 12 33.5 058 36 06.7	Fl R 4s	Red, marked "CUS4".	Seasonal. Chart:4473
1542.01 H1890.77	Saint-Augustin	Near rivière Saint-Augustin mouth. 51 13 21.2 058 38 39.2	Fl Y 6s	23.5	7	Square skeleton tower. 4.8	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4473
1542.05	Rivière Saint-Augustin light buoy CUS5	51 12 41.4 058 36 12.5	Fl G 4s	Green, marked "CUS5".	Seasonal. Chart:4473
1542.051	Rivière Saint-Augustin light buoy CUS7	51 12 46.5 058 36 13.2	Fl G 4s	Green, marked "CUS7".	Seasonal. Chart:4473
1542.052	Rivière Saint-Augustin light buoy CUS9	51 13 02.3 058 36 35.3	Fl G 4s	Green, marked "CUS9".	Seasonal. Chart:4473
1542.053	Rivière Saint-Augustin light buoy CUS10	51 13 02.2 058 36 53.1	Q R 1s	Red, marked "CUS10".	Seasonal. Chart:4473
1542.054	Rivière Saint-Augustin light buoy CUS11	51 12 53.4 058 37 04.6	Q G 1s	Green, marked "CUS11".	Seasonal. Chart:4473
1542.055	Rivière Saint-Augustin light buoy CUS13	51 12 44.2 058 37 07.3	Q G 1s	Green, marked "CUS13".	Seasonal. Chart:4473
1542.056	Rivière Saint-Augustin light buoy CUS14	51 12 39 058 37 25.3	Fl R 4s	Red, marked "CUS14".	Seasonal. Chart:4473
1542.057	Rivière Saint-Augustin light buoy CUS15	51 12 52.6 058 37 46.1	Fl G 4s	Green, marked "CUS15".	Seasonal. Chart:4473
1542.058	Rivière Saint-Augustin light buoy CUS17	51 13 10.5 058 37 54.2	Fl G 4s	Green, marked "CUS17".	Seasonal. Chart:4473
1542.059	Rivière Saint-Augustin light buoy CUS19	51 13 12.2 058 38 19.5	Fl G 4s	Green, marked "CUS19".	Seasonal. Chart:4473

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1542.1 <i>H1890.7</i>	Île Robin range	S. side of island. 51 08 59 058 33 18.4	Iso R 2s	9.6	12	Square skeleton tower, orange daymark, black vertical stripe. 7.8	Visible in line of range. Operates at night only. Seasonal.
1542.2 <i>H1890.71</i>		021°10' 86.2m from front.	Iso R 2s	17.5	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.
Chart:4473 Edn 10/11 (Q11-114)							
1542.3 <i>H1890.74</i>	Île Inner range	SE. side of island. 51 08 45.9 058 33 38	F W	7.7	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.
1542.4 <i>H1890.75</i>		242°10' 155.3m from front.	F W	22.8	15	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
Chart:4473 Edn 10/11 (Q11-114)							
1542.45 <i>H1890.65</i>	Île Robin East range	51 09 09.8 058 32 57.3	Iso R 2s	16.8	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.
1542.46 <i>H1890.66</i>		269°38' 99m from front.	Iso R 2s	20.4	12	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal.
Chart:4473 Edn 10/11 (Q11-114)							
1542.48	<i>Grand Rigolet light buoy CU35</i>	51 03 43.1 058 40 36.6	Fl G 4s	Green, marked "CU35".	Seasonal.
Chart:4473							
1542.5 <i>H1890.8</i>	Île du Guet	W. extremity of island. 50 55 48.7 058 52 44.7	Iso W 2s	32.0	6	Square skeleton tower. 4.9	Operates at night only. Year round.
Chart:4474							
1543 <i>H1894</i>	Île Plate	On S. summit of island. 50 45 12.4 058 45 20.9	Fl W 15s	22.6	13	Cylindrical mast. 7.6	Flash 1 s; eclipse 14 s. Operates at night only. Seasonal.
Chart:4474							
1544 <i>H1892</i>	Île de la Boule	On summit. 50 50 10.5 058 52 31.2	Fl W 6s	73.9	8	Square skeleton tower. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
Chart:4474							
1545 <i>H1891</i>	Île Cormandière	On highest point of island. 50 51 31.7 058 55 52.5	Fl R 6s	15.4	6	Square skeleton tower. 5.0	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
Chart:4474							
1545.5	<i>Baie de Tabatière Outer light buoy CT7</i>	50 51 12.2 058 57 00.8	Fl G 4s	Green, marked "CT7".	Seasonal.
Chart:4474							

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics			Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE									
1546 <i>H1891.2</i>	Baie de Tabatière Outer range	On shore line. 50 50 36.1 058 58 28.7	F	G	43.8	14	Skeleton tower, orange daymark, black vertical stripe. 31.2	Visible in line of range. Operates at night only. Year round.
1547 <i>H1891.3</i>		234°46' 143.5 m from front.	F	G	51.6	15	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
1547.5	<i>Light buoy CT11</i>	<i>Baie de la Tabtière.</i> 50 50 41.9 058 58 06.3	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>Green, marked "CT11".</i>	<i>Seasonal.</i>
Chart:4474									
1548 <i>H1891.5</i>	Baie de Tabatière Inner range	Near shore line. 50 50 10.6 058 58 22.7	F	R	17.3	14	Square skeleton tower, orange daymark, black vertical stripe. 15.5	Visible in line of range. Operates at night only. Year round.
1549 <i>H1891.6</i>		193°31' 75.6 m from front.	F	R	23.9	14	Square skeleton tower, orange daymark, black vertical stripe. 4.7	Visible in line of range. Operates at night only. Year round.
Chart:4474									
1550 <i>H1898</i>	Île Entrance	On summit of island. 50 44 03.9 059 00 24.3	Fl	W	6s	18.0	8	Square skeleton tower. 6.5	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
Chart:4474									
1551 <i>H1896</i>	Baie des Moutons range	On W. side of entrance. 50 46 10.6 059 01 59.6	F	G	13.3	16	Square skeleton tower, orange daymark, black vertical stripe. 12.5	Visible in line of range. Operates at night only. Seasonal.
1552 <i>H1896.1</i>		322°31' 338.2m from front.	F	G	22.8	16	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Seasonal.
Chart:4474									
1552.5	<i>Baie des Moutons light buoy MB1</i>	50 46 20.2 059 01 52.4	<i>Fl</i>	<i>G</i>	<i>4s</i>	<i>Green, marked "MB1".</i>	<i>Privately maintained. Seasonal.</i>
Chart:4474									
Edn 01/10 (Q09-094)									
1553 <i>H1899.4</i>	Tête-à-la-Baleine Inner range	On S. end of Île du Grand Rigolet. 50 40 45.9 059 14 35.5	F	G	8.4	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1554 <i>H1899.5</i>		330°04' 96.4m from front.	F	G	20.1	13	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
Chart:4469									
1554.3 <i>H1899.9</i>	Tête-à-la-Baleine Wharf	On seaward end of wharf. 50 40 47 059 14 24	Fl	Y	3s	8.2	6	Square skeleton tower. 6.3	Flash 1 s; eclipse 2 s. Operates at night only. Year round.
Chart:4469									

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GULF OF ST. LAWRENCE

1555 <i>H1899.7</i>	Tête-à-la-Baleine Centre range	On small island, W. of île Beaulieu. 50 39 43.5 059 14 09.1	F R	4.5	13	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1556 <i>H1899.8</i>		293°34' 422m from front.	F R	11.8	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
								Chart:4469
1557 <i>H1899</i>	Tête-à-la-Baleine range	NW end of Vatcher Island. 50 39 38.6 059 12 01.8	F W	8.7	15	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
1558 <i>H1899.1</i>		001°09' 110.4m from front.	F W	14.2	15	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible in line of range. Operates at night only. Year round.
								Chart:4469
1558.7 <i>H1901</i>	Cap Airey	S. end of île du Cap. 50 28 13.7 059 27 26.2	Fl G	6s	17.6	6	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Year round. Position in NAD83.
								Chart:4468 Edn 11/16
1559 <i>H1900</i>	Falaise de l'Entrée	S. side of île de l'Entrée, N. side of channel, Havre de Harrington entrance. 50 29 19.5 059 27 40.7	Fl W	6s	41.7	8	Square skeleton tower. 9.6	Flash 1 s; eclipse 5 s. Year round. Position in NAD83.
								Chart:4468 Edn 11/16
1559.2 <i>H1900.4</i>	île de l'Entrée	NW. point of island. 50 29 33.6 059 28 09.2	Fl G	6s	7.8	6	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Year round. Position in NAD83.
								Chart:4468 Edn 11/16
1559.5	Harrington Harbour	50 29 46.6 059 28 32.1	Fl Y	6s	8.9	8	Square mast. 8.0	Flash 1 s; eclipse 5 s. Year round. Position in NAD83.
								Chart:4468 Edn 11/16
1560 <i>H1902</i>	Harrington Harbour range	On N. side of small island, SW. of île Hospital. 50 29 34.3 059 29 00.8	F R	10.2	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Year round. Position in NAD83.
1561 <i>H1902.1</i>		288°44' 188.9m from front.	F R	15.4	13	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Year round.
								Chart:4468 Edn 11/16
1561.5 <i>H1903</i>	Rivière Nétagamiou	50 28 21.2 059 36 20.0	Fl R	6s	8.8	5	Square mast. 6.5	Flash 1 s; eclipse 5 s. Seasonal. Position in NAD83.
								Chart:4468 Edn 11/16

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1561.6	Rivière Nétagamiou Upstream light	50 28 49.1 059 35 56.6	Fl Y 4s	4	Cylindrical mast. 1.2	Privately maintained. Seasonal. Chart:4468 Edn 02/17 (Q16-199)
1561.7	Rivière Nétagamiou Entrance light buoy CS2	50 27 08.9 059 36 39.8	Fl R 4s	Red, marked "CS2".	Seasonal. Position in NAD83. Chart:4468 Edn 11/16
1561.71	Fairway light buoy CHE	At river entrance. 50 27 13.3 059 37 23.4	Mo(A) W 6s	Red and white vertical stripes, marked "CHE".	Seasonal. Position in NAD83. Chart:4468 Edn 11/16
1561.72	Light buoy CS3	At river entrance. 50 27 26.7 059 37 17.7	Fl G 4s	Green, marked "CS3".	Seasonal. Position in NAD83. Chart:4468 Edn 11/16
1562 H1904	Île Sainte-Marie	On the summit of the W. île Sainte- Marie. 50 18 15.2 059 39 20.4	Fl W 2.5s	44.4	12	Square skeleton tower. 16.4	Flash 0.1 s; eclipse 2.4 s. Seasonal. Position in NAD83. Chart:4468 Edn 11/16
1563 H1906	Rochers au Cormoran	On Rochers au Cormoran. 50 09 45.4 060 03 38.7	Fl W 15s	24.1	15	Square skeleton tower. 15.4	Flash 1 s; eclipse 14 s. Operates at night only. Seasonal. Chart: 4440
1563.2	Rochers au Cormoran ODAS light buoy IML-2	49 30 04.4 060 04 01.9	Fl(5) Y 20s	Yellow, marked "IML-2".	Seasonal. Chart:4025
1563.5	Rocher Cairntorr light buoy C64	Off rock. 50 07 18.3 060 18 34.9	Fl R 4s	Red, marked "C64".	Seasonal. Chart:4452 Edn 02/10 (Q09-134)
1563.7 H1907	Pointe Milne range	Baie Coacoachou. 50 13 21.6 060 18 53.1	F R	16.8	13 Square skeleton tower, orange daymark, black vertical stripe. 10.9	Visible in line of range. Operates at night only. Seasonal.
1563.8 H1907.1		004°40' 294.9m from front.	F R	30.8	13 Square skeleton tower, orange daymark, black vertical stripe. 9.6	Visible in line of range. Operates at night only. Seasonal. Chart:4452 Edn 02/10 (Q09-134) Edn 10/11 (Q11-114)
1564 H1908	Îles Triples	On S. side of island. 50 10 06.1 060 41 49.3	Fl W 6s	18.9	7	Square skeleton tower. 6.4	Flash 1 s; eclipse 5 s. Operates at night only. Year round. Chart:4453 Edn 03/13 (Q12-151) Edn 10/14 (Q14-034)

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
GULF OF ST. LAWRENCE							
1565 H1909.7	Pointe Mackenzie range	On point. 50 12 49.7 060 41 49.6	F Y	9.5	15	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1566 H1909.71		325°44' 105.7m from front.	F Y	12.6	15	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1567 H1909.8	Pointe du Petit Lac range	Near wharf. 50 12 49.5 060 41 21.6	F G	12.0	13	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Year round.
1568 H1909.81		013°11' 75.1m from front.	F G	13.8	13	Square skeleton tower, orange daymark, black vertical stripe. 3.3	Visible in line of range. Operates at night only. Year round.
1568.5	Havre Gethsémani Entrance light buoy CJ5	Harbour entrance. 50 12 20.7 060 41 22.8	Fl G 4s	Green, marked "CJ5".	Seasonal.
1569 H1909	Havre Gethsémani range	W. side of Dos-de- Cheval Island. 50 12 26 060 41 12.4	F R	10.0	13	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1570 H1909.1		357°22' 80.4m from front.	F R	12.9	13	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Year round.
1572 H1910	Kégaska range	N. side of bay. 50 11 46.4 061 15 33.7	F W	13.6	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1573 H1910.1		359°17' 90.3m from front.	F W	18.2	16	Square skeleton tower, orange daymark, black vertical stripe. 6.3	Visible in line of range. Operates at night only. Year round.
1573.3 H1910.4	Kégaska Wharf	On inner SE. corner of wharf. 50 11 04.2 061 15 48.2	Fl R 6s	8.6	6	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.
1574 H1911	Pointe de Kégaska	On point. 50 10 32.2 061 15 57.3	Fl W 6s	13.7	8	Square skeleton tower. 6.6	Flash 1 s; eclipse 5 s. Operates at night only. Year round.

Chart:4452
Edn 02/10 (Q09-134)

Chart:4452
Edn 02/10 (Q09-134)

Chart:4452
Edn 02/10 (Q09-134)

Chart:4452
Edn 02/10 (Q09-134)

Chart:4452
Edn 02/10 (Q09-134)
Edn 12/14

Chart:4452
Edn 02/10 (Q09-134)
Edn 12/14

Chart:4452
Edn 02/10 (Q09-134)
Edn 04/13 (Q12-152)
Edn 12/14

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
GULF OF ST. LAWRENCE								
1574.3	Pointe de Kégaska light and bell buoy CK1	Off point. 50 10 09.2 061 15 37.2	Fl G 4s	Green, marked "CK1".	Seasonal. Chart:4452 Edn 02/10 (Q09-134)	
1575.8	Rocher South Sphinx light buoy CN2	50 10 40.3 061 50 48.2	Fl R 4s	Red, marked "CN2".	Seasonal. Chart:4428 Edn 02/10 (Q09-134)	
1576 H1914	Île Joncas	On W. extremity of island. 50 10 56.9 061 50 38.9	Iso G 2s	13.5	6	Square skeleton tower. 9.5	Operates at night only. Radar reflector. Year round. Chart:4428 Edn 02/10 (Q09-134)	
1576.2	Havre de Natashquan light buoy CN8	50 11 12.3 061 50 40.3	Fl R 4s	Red, marked "CN8".	Seasonal. Chart:4428 Edn 02/10 (Q09-134)	
1578 H1918	Petite Natashquan range	N. of wharf. 50 11 35.9 061 50 35.4	F W	10.1	13	Square skeleton tower, orange daymark, black vertical stripe. 6.7	Visible in line of range. Operates at night only. Year round.
1579 H1918.1		009°56' 92.7m from front.	F W	17.1	13	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Year round. Chart:4428 Edn 02/10 (Q09-134)
1580 H1922	Aguanish range	E. side of entrance to rivière Aguanish. 50 13 05.8 062 05 00.4	F G	10.9	16	Square skeleton tower, orange day mark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal.
1581 H1922.1		330°29' 478.7m from front.	F G	18.1	16	Square skeleton tower, orange daymark, black vertical stripe.	Visible in line of range. Operates at night only. Seasonal. Chart:4455 Edn 10/11 (Q11-114) Edn 11/14 (Q14-035, 036)
1582	Baies Piashti Approach light buoy C80	50 15 42.3 062 49 33.4	Fl R 4s	Red, marked "C80".	Seasonal. Chart:4456	
1582.1	Baie Johan-Beetz light buoy C81	50 16 48.3 062 48 21.9	Fl G 4s	Green, marked "C81".	Seasonal. Chart:4452 Edn 02/10 (Q09-134)	
1582.5 H1930	Baie Johan-Beetz Inner range	On outer end of wharf. 50 17 02.6 062 48 36.8	Iso R 2s	7.5	4	Square skeleton tower, orange daymark, black vertical stripe. 4.9	Visible 360°. Increased intensity on line of range. Operates at night only. Seasonal.	
1582.6 H1930.1		319°02' 125.7m from front.	Iso R 2s	12.9	16	Square skeleton tower, orange daymark, black vertical stripe. 4.8	Visible in line of range. Operates at night only. Seasonal. Chart:4452 Edn 02/10 (Q09-134) Edn 10/11 (Q11-114)	

ATLANTIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

GULF OF ST. LAWRENCE

1583 H1928	Baie Johan-Beetz range	N. shore of bay. 50 17 00.9 062 47 51.2	F Y	12.2	15	Square skeleton tower, orange daymark, black vertical stripe. 9.4	Visible in line of range. Operates at night only. Seasonal.
1584 H1928.1		043°04' 162.3m from front.	F Y	21.1	15	Square skeleton tower, orange daymark, black vertical stripe. 6.4	Visible in line of range. Operates at night only. Seasonal.

Chart:4452
Edn 02/10 (Q09-134)
Edn 10/11 (Q11-114)