

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>ST. MARYS RIVER</b>							
1059.6	Hay Point range	On the point, St. Joseph Island. 46 07 36.7 083 59 58.8	F W .....	13.9	12	White cylindrical tower, white daymark, orange vertical stripe. 12.2	Year round.
1059.7		128°37' 329.5m from front.	F W .....	22.5	.....	Skeleton tower, white daymark, orange vertical stripe. 20.9	Year round.  <b>Chart:14882(U.S.) Edn 10/09 (D09-028, 029) Edn 06/16 (D16-005)</b>
1059.8	Everens Point light buoy Q16	NE. of point. 46 14 47.6 084 06 12	Fl R 4s	.....	.....	Red, marked "Q16".	(Winter spar.) Seasonal.  <b>Chart:14883(U.S.)</b>
1060	Sailors Encampment Upbound range	46 15 40.6 084 05 53.6	F W .....	19.4	.....	White cylindrical tower, white daymark, orange vertical stripe. 12.6	Year round.
1061		016°56' 671.8m from front.	F W .....	35.0	13	Skeleton tower, white daymark, orange vertical stripe. 20.7	Year round.  <b>Chart:14883(U.S.) Edn 10/09 (D09-024, 025)</b>
1061.5	Sailors Encampment light buoy Q22	46 15 37 084 06 02.5	Fl R 4s	.....	.....	Red, marked "Q22".	(Winter spar.) Seasonal.  <b>Chart:14883(U.S.)</b>
1062	Rains Wharf range	46 15 15.2 084 05 43	F W .....	10	.....	Cylindrical mast, white daymark, orange vertical stripe. 9.6	Year round.
1063		134°56' 267.9m from front.	F W .....	16.6	.....	Square tower, white daymark, orange vertical stripe. 13.8	Year round.  <b>Chart:14883(U.S.)</b>
1063.5	Coyle Point light buoy Q28	46 16 17 084 06 55	Q R 1s	.....	.....	Red spar, marked "Q28".	(Winter spar.) Seasonal.  <b>Chart:14883(U.S.)</b>
1063.6	Coyle Point North light buoy Q30	46 16 52.3 084 06 57.6	Fl R 4s	.....	.....	Red, marked "Q30".	Seasonal (in place year round).  <b>Chart:14883(U.S.)</b>
1063.8	Green Point light buoy Q34	46 17 26.8 084 07 01	Fl R 4s	.....	.....	Red, marked "Q34".	(Winter spar.) Seasonal.  <b>Chart:14883(U.S.)</b>
1063.9	Munuscong Channel light buoy Q36	46 18 01.3 084 07 03.5	Fl R 4s	.....	.....	Red, marked "Q36".	(Winter spar.) Seasonal.  <b>Chart:14883(U.S.)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>ST. MARYS RIVER</b>								
1064	Stribling Point Upbound range	46 18 47.1 084 06 55.4	F W	.....	15.1	12	White cylindrical tower, white daymark, orange vertical stripe. 15.7	Year round.
1065		111°59' 957.4m from front.	F W	.....	26.2	12	White cylindrical tower, white daymark, orange vertical stripe. 11.6	Year round.  <b>Chart:14883(U.S.) Edn 10/09 (D09-026, 027)</b>
1065.5	Birch Point light buoy QV18	S. entrance to Lake George. 46 22 15 084 08 12.5	Fl R	4s	.....	.....	Red spar, marked "QV18".	Seasonal (in place year round).  <b>Chart:14883(U.S.)</b>
1065.7	Pumpkin Point light buoy QX2	SW. of point. 46 23 28 084 08 27	Fl R	4s	.....	.....	Red spar, marked "QX2".	Seasonal (in place year round).  <b>Chart:14883(U.S.)</b>
1065.8	Bellevue Marine light buoy QC1	46 29 45.5 084 18 08.5	Q G	1s	.....	.....	Green spar, marked "QC1".	Seasonal (in place year round).  <b>Chart:14883(U.S.)</b>
1065.9	Bellevue Marine Breakwater	On E. end of breakwater. 46 30 02 084 18 23.7	Iso G	2s	8.0	.....	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 5.3	Seasonal.  <b>Chart:14884(U.S.)</b>
1066	Bayfield Dyke	On N. side of channel. 46 29 54 084 18 58	Iso R	4s	8.1	6	Cylindrical mast, red and white rectangular daymark, red triangle in centre. 5.4	Seasonal.  <b>Chart:14884(U.S.) Edn 07/12 (D12-001)</b>
1066.2	Bayfield light buoy 108 (U.S.)	46 30 03 084 19 38	Fl R	2.5s	.....	.....	Red, marked "108".	Seasonal.  <b>Chart:14884(U.S.)</b>
1066.4	Bayfield Channel light buoy 110 (U.S.)	Off Can. Soo wharf. 46 30 12 084 19 57	Fl R	4s	.....	.....	Red, marked "110".	Seasonal.  <b>Chart:14884(U.S.)</b>
<b>Sault Ste. Marie</b>								
<b>The Canadian canal and approaches are illuminated by two rows of arc lights, one on each side of the canal. The most easterly and the most westerly lights in each row are yellow lights.</b>								
1070	Canadian Canal, Upper Entrance range	On pier. 46 30 53.1 084 22 17.5	F R	.....	12.3	.....	Square tower, red daymark, white vertical stripe. 10.5	Visible in line of range. Year round.
1071		050°48' 247.2m from front.	F R	.....	19.1	.....	Square tower, red daymark, white vertical stripe. 16.8	Visible in line of range. Year round.  <b>Chart:14884(U.S.)</b>

**INLAND WATERS – List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>ST. MARYS RIVER</b>							
1072	Upper Turning light buoy QM11	E. side of channel. 46 30 43 084 22 31	Q G 1s	.....	.....	Green, marked "QM11".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1073	Vidal Shoals North light buoy QM14	W. side of channel. 46 30 25 084 23 13	Fl R 4s	.....	.....	Red, marked "QM14".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1074	Vidal Shoals Northeast light buoy QM13	E. side of channel. 46 30 29.5 084 22 55.5	Fl G 4s	.....	.....	Green, marked "QM13".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1075	Vidal Shoals West light buoy QM24	W. side of channel. 46 30 02 084 23 53	Fl R 4s	.....	.....	Red, marked "QM24".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1076	Vidal Shoals West Cardinal light buoy P	E. side of channel. 46 30 06 084 23 35	Q(9) W 15s	.....	.....	Yellow, black and yellow, marked "P".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1076.5	Pointe aux Pins light buoy 10 (U.S.)	46 29 41 084 25 31	Fl R 4s	.....	.....	Red, marked "10".	Seasonal.  Chart:14884(U.S.)
1076.6	Pointe aux Pins Bay light buoy P12	46 28 45.3 084 27 13.1	Fl R 4s	.....	.....	Red, marked "P12".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1076.7	Pointe aux Pins Bay light buoy P14	46 28 22 084 27 52	Fl R 4s	.....	.....	Red, marked "P14".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1077	Pointe aux Pins range	On extremity of Point Louise. 46 28 04 084 28 20	F G	.....	9.1	White tower orange vertical stripe. 9.6	Visible in line of range. Year round.
1078		233°06' 280.6m from front.	F G	.....	17.6	Steel tower, white daymark, orange vertical stripe. 16.8	Visible in line of range. Year round.  Chart:14884(U.S.)
1078.5	Pointe des Chênes light buoy P34	46 27 55 084 33 31	Fl R 4s	.....	.....	Red, marked "P34".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1079	Pointe aux Pins Main	On outer end of low sand point. 46 27 50.8 084 28 22.3	Iso R 4s	8.2	7	Red and white cylindrical tower.	Year round.  Chart:14884(U.S.) Edn 01/10 (D09-048)
1079.5	Point Louise light buoy P20	46 27 40 084 28 44	Fl R 4s	.....	.....	Red, marked "P20".	(Winter spar.) Seasonal.  Chart:14884(U.S.)
1079.6	Brush Point light buoy P19	SW. of point. 46 27 27 084 28 40	Fl G 4s	.....	.....	Green, marked "P19".	(Winter spar.) Seasonal.  Chart:14884(U.S.)

INLAND WATERS – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

ST. MARYS RIVER

1079.7	Cedar Point light buoy P22	N. of point. 46 27 27 084 29 48	Fl R 4s	.....	.....	Red, marked "P22".	(Winter spar.) Seasonal.  <b>Chart:14884(U.S.)</b>
1080	Sault Ste. Marie Airport Beacon	NE. of Pointe aux Chênes. 46 29 11 084 29 32	Fl W 10s	.....	.....	On top of water tank.	Flash every 10 s. Privately maintained. Seasonal.  <b>Chart:14884(U.S.)</b>
1080.5	Point Iroquois light buoy P38	46 29 10 084 35 06	Fl R 4s	.....	.....	Red, marked "P38".	(Winter spar.) Seasonal.  <b>Chart:14884(U.S.)</b>
1081	Gros Cap Reefs	On crib, SW. extremity of reefs. 46 30 43.7 084 36 55	Fl W 10s	18.1	9	White tower. 18.3	Flash 1 s; eclipse 9 s. Seasonal.  <b>Chart:14884(U.S.) Edn 09/14 (D14-011)</b>