

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
471.7	Grates Cove	48 10 11.8 052 56 09.1	LFI W 10s	46.6	7	Square skeleton tower, red and white rectangular daymark. 4.7	Flash 2 s; eclipse 8 s. Seasonal. Chart:4853
471.8	<i>Martin Ledge North Cardinal light buoy TG</i>	48 11 41.5 052 54 57.1	Q W 1s	<i>Black and yellow, marked "TG".</i>	<i>Seasonal.</i> Chart:4850
471.9	Thornlea Wharf	Entrance to harbour. 47 36 23.5 053 43 08.6	FI R 4s	3.1	4	Mast. 2.6	Year round. Chart:4851 Edn 02/11(N10-066)
472 H498	Baccalieu Island (Northeast End)	48 08 59.7 052 47 53.3	FI W 6s	176.0	7	Square skeleton tower, red and white rectangular daymark. 19.2	Flash 1 s; eclipse 5 s. The light is often obscured by fog when the lower part of the island is clear. Year round. Chart:4853
473 H500	Baccalieu Island (Southwest Point)	On SW. extremity of island. 48 06 26 052 48 39.1	FI W 10s	53.3	15	White structure. 4.3	Flash 1 s; eclipse 9 s. Year round. Horn - Blast 4 s; sil. 56 s. Horn points 202°30'. Chart:4850
473.1	Grates Cove Wharf	48 09 52.9 052 56 15.8	FI R 4s	5.7	4	Mast. 3.0	Year round. Chart:4853 Edn 02/11 (N10-066)
474	<i>Bay de Verde light buoy CV2</i>	<i>East coast. 48 05 01.5 052 54 04.9</i>	<i>FI R 4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "CV2".</i>	<i>Seasonal.</i> Chart:4850 Edn 10/16 (N16-055)
474.1	<i>Karl's Gateway light buoy CV3</i>	<i>Bay de Verde. 48 05 03.3 052 54 06.6</i>	<i>FI G 4s</i>	<i>.....</i>	<i>.....</i>	<i>Green spar, marked "CV3".</i>	<i>Seasonal.</i> Chart:4850 Edn 12/16 (N16-039)
474.3	Bay de Verde Wharf	Entrance to harbour. 48 05 03.2 052 54 00	FI G 4s	5.5	2	Mast. 6.0	Year round. Chart:4850 Edn 01/12 (N11-094)
474.4	Bay De Verde Breakwater	Entrance to harbour. 48 05 00.4 052 54 03.2	FI R 6s	4.7	3	Mast. 2.6	Flash 0.5s; eclipse 5.5s. Year round. Chart:4850 Edn 02/11 (N10-066) Edn 01/12 (N11-107)
475	Western Bay Head	47 53 11.2 053 03 23.4	FI W 10s	28.8	13	Skeleton tower, red daymark, white horizontal band. 6.6	Flash 7.5 s; eclipse 2.5 s. Year round. Chart:4850
475.1	Ochre Pit Cove Breakwater	47 54 46.3 053 04 00.1	FI G 4s	3.6	4	Mast. 2.6	Year round. Chart:4850 Edn 02/11 (N09-056)(N10-066)

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
475.3	Job's Cove Wharf	47 58 11.2 053 00 59.4	Fl R 4s	2	Mast. 2.1	Year round. Chart:4850
475.4	Salvage Shoal light buoy CJ4	47 55 24.2 053 03 27	Fl R 4s	Red spar, marked "CJ4".	Seasonal. Chart:4850
475.5	Ochre Pit Cove East light buoy CJ5	47 54 58 053 03 38	Fl G 4s	Green spar, marked "CJ5".	Seasonal. Chart:4850
475.6	Ochre Pit Cove West light buoy CJ6	47 55 07 053 03 46	Fl R 4s	Red spar, marked "CJ6".	Seasonal. Chart:4850
476.1	Bradley Rock light buoy CR2	47 45 09.6 053 10 18	Fl R 4s	Red, marked "CR2".	Seasonal. Chart:4847
477	Carbonear Island	NE. end of island. 47 44 22.6 053 09 51.7	Fl W 6s	54.3	7	Square skeleton tower, red and white rectangular daymark. 4.3	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4849
477.5	Carbonear Breakwater Light	47 44 13.0 053 13 23.6	Fl R 5s	4	Cylindrical mast. 2.1	Flash 1 s; eclipse 4 s. Operates 24 h. Year round. Chart:4849 Edn 05/17 (N16-054)
478 H0492	Carbonear Wharf Light	East Coast. 47 44 14.5 053 13 26.4	Fl Y 5s	4.3	Mast. 2.6	Flash 1 s; eclipse 4 s. Year round. Chart:4849 Edn 10/16 (N16-053)
478.5	Harbour Grace Channel light buoy CG	47 44 06 053 07 42	Mo(A) W 6s	Red and white vertical stripes, marked "CG".	Seasonal. Chart:4849
479	Harbour Grace Islands	47 42 42.4 053 08 30.5	Fl W 4s	41.4	7	Square skeleton tower, red and white rectangular daymark. 4.3	Year round. Chart:4849
480	The Bar Harbour Grace light buoy CG3	W. end of The Bar. 47 41 37.5 053 12 11.7	Fl G 4s	Green spar, marked "CG3".	Year round. Chart:4849
480.5	Caplin Cove Point light buoy CG4	47 41 42 053 12 15	Q R 1s	Red spar, marked "CG4".	Year round. Chart:4849
480.7	Point of Beach light buoy CG6	47 41 30 053 12 35	Fl R 4s	Red spar, marked "CG6".	Year round. Chart:4849

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
481.1	Point of Beach Sector	47 41 24 053 12 52	F R Al W RW G Al GW	6.3	14	Square skeleton tower. 6.0	Red 234°30' to 235°30'; Al RW 235°30' to 236°; white 236° to 238°; Al GW 238° to 238°30'; green 238°30' to 239°30'. Year round.
							Chart:4849
482.5	Harbour Grace light buoy CG7	47 40 28 053 14 27.5	Fl G 4s	Green spar, marked "CG7".	Seasonal.
							Chart:4849
482.708	Harbour Grace Inner light buoy CG9	47 40 25.1 053 14 28	Fl G 4s	Green spar, marked "CG9".	Seasonal.
							Chart:4849
482.71	Long Beach Breakwater	47 40 23.3 053 14 23	Fl R 4s	2	Cylindrical Mast. 2.4	Seasonal.
							Chart:4849 Edn 02/11 (N10-066)
482.72 H0486.3	Long Beach North Breakwater Light	Harbour Grace. 47 40 24.2 053 14 22.2	Fl G 4s	3.4	2	Mast. 2.4	Seasonal.
							Chart:4849 Edn 02/11 (N10-066) Edn 03/18 (N18-009)
482.73	Harbour Grace Small Boat Basin South Wharf	47 40 23.7 053 14 21	Fl R 4s	3.3	2	Mast. 2.1	Year round.
							Chart:4849 Edn 02/11 (N10-066)
482.74	Harbour Grace Small Boat Basin North Wharf	47 40 24.2 053 14 21.5	Fl G 4s	3.5	2	Cylindrical Mast. 2.1	Year round.
							Chart:4849 Edn 02/11 (N10-066)
482.789 H0485.6	Harbour Grace Marina	47 40 24.5 053 14 27.6	Fl R 4s	3.7	2	Mast. 2.6	Year round.
							Chart:4849 Edn 03/18 (N18-008)
483	Spaniards Bay Wharf	47 37 20.5 053 16 15.6	Fl R 4s	2	Cylindrical mast. 2.1	Year round.
							Chart:4847
484	Bay Roberts Wharf	At outer end of wharf. 47 35 31 053 15 48.5	Fl R 4s	4.0	4	Cylindrical mast. 2.9	Year round.
							Chart:4847
484.1	Bay Roberts Channel East light buoy CB2	47 35 37.8 053 14 54	Fl R 4s	Red spar, marked "CB2".	Year round.
							Chart:4847
484.2	Bay Roberts Channel West light buoy CB4	47 35 37.2 053 15 06	Fl R 4s	Red spar, marked "CB4".	Year round.
							Chart:4847
484.3	Bay Roberts Inner Channel light buoy CB5	47 35 32 053 15 00.7	Fl G 4s	Green spar, marked "CB5".	Year round.
							Chart:4847

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
485	Coley's Point	On rock off point. 47 35 22.5 053 15 10.6	Fl G 4s	6.1	5	Square skeleton tower, green and white rectangular daymark. 4.3	Year round. Chart:4847
486	Green Point (Bay Roberts)	NW. of point. 47 36 41.3 053 10 36.1	LFl W 10s	17.1	7	Cylindrical tower, red and white horizontal bands. 7.5	Flash 2 s; eclipse 8 s. Year round. Chart:4849
486.1	Port de Grave Breakwater East	47 35 02.5 053 12 44	Fl R 4s	7.4	4	Cylindrical mast. 2.6	Year round. Chart:4847
486.2	Port de Grave Breakwater West	Entrance to harbour. 47 35 03 053 12 47	Fl G 4s	5.1	2	Mast. 2.6	Year round. Chart:4847 Edn 02/11 (N10-066)
486.65	Mouse Rock light buoy CP2	47 26 53 053 11 35	Fl R 4s	Red spar, marked "CP2".	Seasonal. Chart:4847
487	Terry's Shoal light buoy CP4	47 35 04.6 053 12 30.2	Q R 1s	Red, marked "CP4".	Seasonal. Chart:4847
487.1	Port de Grave Inner East Breakwater	Entrance to harbour. 47 35 05.7 053 12 42	Fl R 4s	3.0	2	Mast. 1.6	Year round. Chart:4847 Edn 02/11 (N10-066)
487.2	Port de Grave Inner West Breakwater	47 35 06.5 053 12 43.7	Fl G 4s	3.0	Cylindrical mast. 1.6	Year round. Chart:4847
487.28	Cupids Inner #2 light buoy CC4	47 32 56.4 053 13 57.6	Fl R 4s	Red spar, marked "CC4".	Seasonal. Chart:4847 Edn 09/11 (N11-055)
487.29	Cupids Inner #1 light buoy CC3	47 32 56.4 053 13 56.4	Fl G 4s	Green spar, marked "CC3".	Seasonal. Chart:4847 Edn 09/11 (N11-053)
487.3	Cupids Outer #1 light buoy CC1	47 32 57.6 053 13 54.6	Fl G 4s	Green spar, marked "CC1".	Seasonal. Chart:4847 Edn 09/11 (N11-054)
487.4	Cupids Outer #2 light buoy CC2	47 32 58.2 053 13 55.2	Fl R 4s	Red spar, marked "CC2".	Seasonal. Chart:4847 Edn 09/11 (N11-052)
487.5	Cupids Gut Wharf	47 32 48.1 053 14 02.9	Fl G 4s	2	Mast. 2.6	Year round. Chart:4847 Edn 10/11 (N11-011)
488	Brigus	On North Head, entrance to Brigus Bay. 47 32 54.6 053 10 55.3	Fl W 3s	34.4	7	Cylindrical tower, red and white vertical stripes. 9.4	Flash every 3 s. Year round. Chart:4847

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
CONCEPTION BAY								
488.1	Cupids Wharf	47 33 03.3 053 13 24.8	Fl G 4s	2	Mast. 2.1	Year round. Chart:4847	
488.2	Brigus Wharf	On outer end of wharf. 47 32 21.8 053 12 20.6	Fl R 4s	5.2	4	Triangular skeleton mast. 3.4	Year round. Chart:4847	
488.7	Harbour Main Wharf	47 26 07.6 053 09 30.7	Fl R 4s	2	Mast. 2.1	Year round. Chart:4847	
489	Ballyhack Point	On point, Gasters Bay. 47 26 46 053 11 27.8	Fl W 6s	11.3	5	Skeleton mast, red daymark, white horizontal band. 4.9	Flash 0.5 s; eclipse 5.5 s. Year round. Chart:4847	
490 H477	Conception Harbour Wharf	At eastern end of public wharf. 47 26 26 053 12 32	Fl R 4s	3.6	3	Triangular skeleton mast. 3.3	Year round. Chart:4847	
491	Salmon Cove Point	47 27 47.7 053 08 59.8	Fl W 5s	25.9	7	Square skeleton tower, red and white rectangular daymark. 6.4	Flash 1 s; eclipse 4 s. Year round. Chart:4848	
491.5 H474.4	Holyrood Generating Plant	47 26 37.8 053 06 26.5	F R	9.6	Mast. Floodlit. Privately maintained. Year round. Chart:4848	
491.57	Kelligrews Point light buoy CW9	47 30 30 053 01 48	Fl G 4s	Green spar, marked "CW9".	Seasonal. Chart:4847	
491.58	St. Phillips Wharf	47 35 34 052 53 12	Fl G 4s	Cylindrical mast.	Year round. Chart:4847	
491.6 H474.42	Holyrood Generating Plant Wharf	47 26 35.7 053 06 27.8	F R	9.6	Mast. Floodlit. Privately maintained. Year round. Chart:4848	
492.5	South Arm light buoy CH4	47 23 57.5 053 08 04.8	Fl R 4s	Red, marked "CH4".	Seasonal. Chart:4848	
492.6	Holyrood Breakwater	47 23 19.2 053 07 40.4	Iso G 1s	3.7	2	Mast. 2.3	Year round. Chart:4848 Edn 02/11 (N10-066)	
492.7	Holyrood Bay range	In South Arm. 47 23 19.6 053 07 39.8	F R	8.3	13	Skeleton tower, red daymark, white vertical stripe. 6.4	Visible in line of range. Year round.
492.8 H474.71		183°32' 279.6m from front.	F R	19.4	13	Skeleton tower, red daymark, white vertical stripe. 17.0	Visible in line of range. Year round. Chart:4848

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
493 H470	Bell Island	47 39 18.1 052 54 59.2	Fl W 6s	52.7	17	White block. 3.0	Flash 1 s; eclipse 5 s. Year round. Chart:4847 Edn 08/09 (N04-004)
493.5	Bauline	47 43 23 052 50 05	Fl (2) W 8s	9.9	6	Square skeleton tower, red and white rectangular daymark. 4.7	Year round. Chart:4847
493.52	Bauline North Breakwater	47 43 22 052 50 05	Fl G 4s	3.2	2	Mast. 2.3	Year round. Chart:4847 Edn 02/11 (N10-066)
493.54	Bauline Wharf Light	47 43 21.7 052 50 04.3	Fl R 4s	2	Cylindrical mast. 2.3	Flash 1 s; eclipse 3 s. Radar reflector. Year round. Chart:4847 Edn 01/14 (N13-026) Edn 11/17 (N17-055)
494 H0471	Bell Island Ferry Wharf Light & Fog Signal	E. coast. 47 37 45.9 052 55 26.0	Iso R 6s	7.0	4	Square skeleton tower, red and white rectangular daymark. 5.2	Year round. Whistle - Blast 3 s; sil. 27 s. Chart:4847 Edn 10/18 (N18-064)
495	Portugal Cove range	On shore. 47 37 30.6 052 51 22.6	F G	10.4	14	Square skeleton tower, white daymark, red vertical stripe. 6.5	Visible in line of range. Year round.
496		093°41' 62.4m from front.	F G	20.8	14	Square skeleton tower, white daymark, red vertical stripe. 3.9	Visible in line or range. Year round. Chart:4847
496.8	Long Pond Harbour Turning light buoy CN1	47 31 02.4 052 58 33.3	Fl G 4s	Green spar, marked "CN1".	Seasonal. Chart:4848
496.9	Long Pond Harbour Turning light buoy CN3	47 30 59 052 58 34.2	Fl G 4s	Green spar, marked "CN3".	Seasonal. Chart:4848
497	Portugal Cove	On outer end of breakwater. 47 37 34.7 052 51 31.2	Iso G 6s	6.1	4	Square skeleton tower, green and white rectangular daymark. 3.9	Year round. Whistle - Blast 3 s; sil. 27 s. Chart:4847
497.01	Long Pond Beach light buoy CB	47 31 28.2 052 58 22.2	Fl Y 4s	Yellow spar, marked "CB".	Seasonal. Chart:4848
497.02	Long Pond Beach light buoy CBB	47 31 33.6 052 58 30	Fl Y 4s	Yellow spar, marked "CBB".	Seasonal. Chart:4848
497.1	Bell Rocks light buoy CX2	47 34 45 053 01 20.4	Fl R 4s	Red, marked "CX2".	Seasonal. Chart:4847

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
CONCEPTION BAY							
497.11	Manuels River light buoy CW5	47 32 25 052 57 12	Fl G 4s	Green spar, marked "CW5".	Seasonal. Chart:4847
497.12	Little Bell Island light buoy CW4	47 34 21 052 57 28	Fl R 4s	Red, marked "CW4".	Seasonal. Chart:4847
497.14	Kellys Island light buoy CW8	47 32 15 053 02 45	Fl R 4s	Red spar, marked "CW8".	Seasonal. Chart:4847
497.2	Long Pond Channel light buoy CL3	East coast of bay. 47 31 13.4 052 58 47.2	Fl G 4s	Green spar, marked "CL3".	Year round. Chart:4848 Edn 01/18 (N17-076)
497.3	Long Pond Channel light buoy CL2	Entrance to dredged channel. 47 31 12.5 052 58 50	Fl R 4s	Red spar, marked "CL2".	Year round. Chart:4848
497.4	Long Pond Harbour light buoy CL12	47 31 04.6 052 58 33.9	Fl R 4s	Red spar, marked "CL12".	Year round. Chart:4848
497.5	Long Pond Yacht Channel light buoy CL14	47 31 10.2 052 58 28.5	Fl R 4s	Red spar, marked "CL14".	Seasonal. Chart:4848
498	Long Pond East Breakwater	On E. breakwater. 47 31 08.6 052 58 41.8	Fl G 3s	5.9	4	Square skeleton tower, green and white rectangular daymark. 4.3	Flash every 3 s. Year round. Chart:4848
498.01	Long Pond Channel light buoy CL15	47 31 10.7 052 58 29	Fl G 4s	Green spar, marked "CL15".	Seasonal. Chart:4848
498.04	Long Pond Channel light buoy CL19	47 31 15.2 052 58 20.8	Fl G 4s	Green spar, marked "CL19".	Seasonal. Chart:4848
498.05	Long Pond Yacht Channel light buoy CL20	47 31 14.9 052 58 19.2	Fl R 4s	Red spar, marked "CL20".	Seasonal. Chart:4848
498.06	Long Pond Yacht Channel light buoy CL23	47 31 18.4 052 58 14.7	Fl G 4s	Green spar, marked "CL23".	Seasonal. Chart:4848
498.09	Long Pond Harbour light buoy CL	47 31 14.6 052 57 52.6	Fl Y 4s	Yellow spar, marked "CL".	Seasonal. Chart:4848
498.1	Foxtrap Outer Breakwater	47 30 49.6 052 59 45.5	Fl R 4s	3.4	4	Cylindrical mast. 2.6	Seasonal. Chart:4847
498.16	Topsail Head light buoy CW3	47 33 11 052 55 20	Fl G 4s	Green spar, marked "CW3".	Seasonal. Chart:4847

NEWFOUNDLAND AND LABRADOR COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

CONCEPTION BAY

498.2	Foxtrap Inner Breakwater	47 30 49 052 59 45.4	Fl G 4s	4.2	4	Cylindrical mast. 2.6	Year round. Chart:4847
498.5	<i>Chimney Cove East Cardinal light buoy CCV</i>	47 33 02 053 00 09	Q(3) W 10s	<i>Black, yellow and black spar, marked "CCV".</i>	<i>Seasonal.</i> Chart:4847