

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--------------------|--|---|--------------------------|--|-----------------------|--|--|
| HARO STRAIT | | | | | | | |
| 222.8 | <i>Little Zero Rock light buoy V30</i> | <i>W. of Little zero rock, Cordova Bay.</i> 48 31 54.3 123 19 44.7 | Q R 1s | | 3 | <i>Red, marked "V30".</i> | <i>Year round.</i> Chart:3440 |
| 223 G5336 | Zero Rock | 48 31 25.3 123 17 30.7 | Fl W 4s | 8.5 | 7 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3440 |
| 224 G5337 | Kelp Reefs | On the NE. reef. 48 32 51.3 123 14 12.7 | Q W 1s | 10.7 | 10 | White cylindrical tower. | Year round. Chart:3440 |
| 225 G5339 | Tom Point Sector | On small islet E. of point. 48 39 44.4 123 16 25.6 | Fl W G 4s | 7.4 | 7 | White cylindrical tower, green band at top. | Green from 181° to 171°, White from 171° to 181°. Chart:3479 Edn 08/15 (P15-062) |
| 225.1 | <i>Mandarte Island East Cardinal light buoy UT</i> | <i>N. of Halibut Island.</i> 48 37 33.3 123 15 59.7 | Q(3) W 10s | | 5 | <i>Black, yellow and black, marked "UT".</i> | <i>Year round.</i> Chart:3479 |
| 225.2 G5339.4 | Mandarte Island North | 48 38 18 123 17 51.6 | Fl G 4s | 5.5 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3479 |
| 225.3 | <i>South Cod Reef South Cardinal light buoy US</i> | <i>Off Miners Channel.</i> 48 38 59.4 123 18 04.7 | Q(6) W 15s +LFI | | 6 | <i>Yellow and black, marked "US".</i> | <i>Year round.</i> Chart:3479 |
| 225.4 G5341 | Forrest Island | 48 39 17.8 123 19 24 | Fl R 4s | 8.3 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3479 |
| 226 G5337.5 | D'Arcy Island | On SW. side of island. 48 33 55.3 123 17 06.1 | Fl R 4s | 7.9 | 7 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3441 |
| 226.3 | <i>D'Arcy Shoals light buoy U1</i> | <i>E. of D'arcy shoals, Sidney Channel.</i> 48 34 14.5 123 18 05.6 | Fl G 4s | | | <i>Green, marked "U1".</i> | <i>Year round.</i> Chart:3441 Edn 10/10 (P10-114) |
| 227 G5345 | James Island | Off NW. point of island. 48 37 02.9 123 22 47.2 | Fl W 4s | 5.5 | 4 | Mast on a 3-pile dolphin. | Year round. Chart:3479 Edn 02/14 (P14-007) Edn 04/16 (P16-029) |
| 228 | <i>Sidney Channel light buoy U2</i> | <i>SW. of Western Shoal, N. entrance to channel.</i> 48 37 27.3 123 20 46.7 | Fl R 4s | | 4 | <i>Red, marked "U2".</i> | <i>Year round.</i> Chart:3479 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--------------------|------------------------------|--|--------------------------|--|-----------------------|--|---|
| HARO STRAIT | | | | | | | |
| 229 G5338 | Kellett Bluff (U.S.) | On SW. of Henry Island. 48 35 18.8 123 12 07.2 | Fl W 4s | 24.4 | 7 | On white building, white and black diamond daymark. | Year round. Chart:3441 |
| 230 G5342 | Dock Island | On E. end of NE. islet of Little Group. 48 40 17.2 123 21 24.6 | Q G 1s | 11.4 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3479 |
| 230.3 G5341.4 | Sidney Spit | On extreme NW. end of spit. 48 39 13.4 123 20 45.8 | Fl(3) R 12s | 6.9 | 4 | White cylindrical tower, red band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3479 |
| 230.5 G5342.4 | Little Group Rock | Centre of passage between Coal and Ker Islands. 48 40 33.9 123 22 04.4 | Fl W 4s | 4.9 | 6 | White cylindrical tower. | Radar reflector. Year round. Chart:3479 |
| 230.6 G5344.56 | Roberts Bay | Graham Rock off. Entr. to Roberts Bay, Tsehum Harbour. 48 39 57.4 123 23 31.8 | Fl G 4s | 8.8 | 4 | Square skeleton tower, green, white and black square daymarks. | Year round. Chart:3479 |
| 230.7 G5341.6 | Sidney Breakwater | On S. extremity of breakwater extension. 48 39 09.2 123 23 31 | Fl R 4s | 6.3 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3479 |
| 233 G5344.6 | Tsehum Harbour | 48 40 17.5 123 24 10.8 | Fl R 4s | 4.8 | 3 | 3-pile dolphin, red, white and red triangular daymark. | Year round. Chart:3479 Edn 11/17 (P17-068) |
| 234.1 G5344.62 | Tsehum Harbour Entrance | 48 40 20 123 24 19.8 | Q R 1s | 3.8 | 3 | 1-pile dolphin, red and white triangular daymark. | Year round. Chart:3479 Edn 11/11 (P11-052) |
| 234.3 G5344.7 | Blue Heron Basin Entrance | At channel entrance. 48 40 23.6 123 24 44.8 | Fl W 4s | 4.7 | 3 | 3-piles dolphin, green, white and black square daymark. | Year round. Chart:3479 |
| 234.5 G5344.74 | Blue Heron Basin | Boat basin entrance. 48 40 24.6 123 25 07.3 | Q G 1s | 3.7 | 2 | 3-piles dolphin, green, white and black square daymark. | Year round. Chart:3479 |
| 235 G5343 | Victoria Aero Beacon | 48 38 43 123 25 16.8 | Fl W 10s | | | | Flash every 10 s. Privately maintained. Year round. Chart:3479 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--------------------|--------------------------------|--|--------------------------|--|-----------------------|--|--|
| HARO STRAIT | | | | | | | |
| 236 G5343.5 | Fernie Island | On island, SE. of island. 48 40 42.9 123 23 29.5 | Fl G 4s | 6.7 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3479 |
| 237 G5345.3 | Goudge Island | NW. of Goudge Island. 48 41 19.5 123 23 46.0 | Fl W 4s | 7.0 | 5 | White square skeleton tower. | Radar reflector. Year round. Chart:3479 Edn 08/17 (P17-042) |
| 238 G5345.2 | Coal Island | On Fir Cone Point. 48 41 28.2 123 23 17.2 | Fl G 4s | 7.2 | 4 | White cylindrical tower, green band at top. | Year round. Chart:3479 |
| 240 | Coal Island light buoy U8 | NE. of Fir Cone Point. E. entrance to Colburne Passage. 48 41 37.3 123 23 06.7 | Fl R 4s | | | Red, marked "U8". | Year round. Chart:3479 |
| 240.5 | Celia Reef light buoy U14 | S. of Portland Island, Shute Passage. 48 42 38.3 123 22 57.8 | Fl R 4s | | | Red, marked "U14". | Year round. Chart:3479 |
| 241 G5343 | Kanaka Bluff | On W. point of Portland Island. 48 43 33.5 123 23 12.9 | Fl W 4s | 7.6 | 6 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3479 |
| 242 G5351 | Isabella Island | On SE. extremity of island. 48 43 43.4 123 25 49.3 | Q W 1s | 8.5 | 6 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3479 |
| 243 G5351.6 | Jackson Rock | W. of rock. 48 45 19.3 123 26 03.3 | Q R 1s | 5.8 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3478 |
| 244 G5352 | Fulford Harbour | On ferry landing slip. 48 46 10.8 123 27 06.7 | Fl W 4s | | | | Privately maintained. Year round. Chart:3478 |
| 244.1 G5352.5 | Fulford Harbour Dolphin | Off end of ferries wharf. 48 46 11.1 123 27 08 | Fl Y | | | On dolphin. | Privately maintained. Year round. Chart:3478 |
| 245 | Piers Island light buoy U12 | N. of Knapp Island. N. entrance to Gosse Passage. 48 42 14.5 123 23 58.6 | Fl R 4s | | 3 | Red, marked "U12". | Year round. Chart:3479 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--------------------|------------------------------------|---|--------------------------|--|-----------------------|---|---|
| HARO STRAIT | | | | | | | |
| 246 G5345.7 | Clive Island | On rock SE. of Piers Island. 48 42 04.3 123 24 18.3 | Q G 1s | 5.3 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3479 |
| 247 | Knapp Island light buoy U10 | Gosse Passage, W. of island. 48 41 56.4 123 24 16.8 | Q R 1s | | 3 | Red, marked "U10". | Year round. Chart:3479 |
| 247.3 | Gosse Passage light buoy U9 | SE. of Clive Island. 48 42 00.3 123 24 19.2 | Fl G 4s | | 4 | Green, marked "U9". | Year round. Chart:3479 |
| 248 | Colburne Passage light buoy U18 | S. of Piers Island. 48 41 53.3 123 25 18.8 | Fl R 4s | | 3 | Red, marked "U18". | Year round. Chart:3479 |
| 248.1 G5345.8 | Colburne Passage South | 48 41 50.7 123 25 33 | Fl G 4s | 4.5 | 3 | White cylindrical tower, green band at top on 4-pile dolphin. | Year round. Chart:3479 |
| 248.2 | Patrol Islet light buoy U16 | S. of Indian Point, Colburne Passage. 48 41 57.2 123 25 29.8 | Q R 1s | | 3 | Red, marked "U16". | Year round. Chart:3479 |
| 248.3 G5345.9 | Shute Reef | On rock. 48 42 36.8 123 25 54.9 | Q R 1s | 7.0 | 4 | White cylindrical tower. | Radar reflector. Year round. Chart:3479 |
| 248.6 G5349 | Wain Rock | 48 41 14.4 123 29 22.7 | Fl G 4s | 7.0 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3441 |
| 249 G5346 | Patey Rock | On rock, entrance to Saanich Inlet. 48 42 02.7 123 31 15.2 | Fl(3) W 12s | 7.0 | 5 | White cylindrical tower, green band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3441 |
| 249.1 G5346.2 | Hatch Point NE | 48 42 01.2 123 32 32 | Fl Y 4s | | | | Privately maintained. Year round. Chart:3441 |
| 249.2 G5346.22 | Hatch Point SW | 48 42 00.4 123 32 33.7 | Fl Y 4s | | | | Privately maintained. Year round. Chart:3441 |
| 249.7 | Cowichan Bay East Breakwater | NE. end of floating breakwater. 48 44 30.8 123 37 00.3 | Fl Y 4s | 0.7 | 2 | Mast. | Year round. Chart:3478 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--------------------|--|--|--------------------------|--|-----------------------|--|---|
| HARO STRAIT | | | | | | | |
| 249.8 G5347.5 | Cowichan Bay West Breakwater | W. end of floating breakwater. 48 44 31.4 123 37 06 | Fl G 4s | 0.7 | 3 | Mast. | Year round. Chart:3478 |
| 250 G5346.4 | Separation Point | Outer extremity of point. 48 44 34.2 123 34 12.4 | Fl W 4s | 6.1 | 7 | White cylindrical tower. | Radar reflector. Year round. Chart:3478 |
| 251 G5348 | Burial Islet | On NE. corner of islet. 48 46 09.9 123 33 49 | Q R 1s | 8.5 | 3 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3478 |
| 251.5 G5349.5 | Patricia Bay Breakwater | 48 39 08.6 123 27 03.6 | Fl R 4s | 5.1 | 4 | Mast, red and white triangular daymark. | Year round. Chart:3441 |
| 252 G5350 | Senanus Island | On NW. extremity of island. 48 35 34 123 29 12.8 | Fl W 4s | 8.5 | 6 | White cylindrical tower. | Radar reflector. Year round. Chart:3441 |
| 253 G5357.4 | Gowlland Point | S. of Pender Island. 48 44 09 123 10 57 | Fl W 4s | 10.7 | 7 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3477 |
| 254 G5357 | Hay Point | On point, Bedwell Harbour. 48 44 41.8 123 13 42.3 | Q R 1s | 6.3 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3477 |
| 254.3 G5340.4 | Arachne Reef | On N. side of reef. 48 41 05.2 123 17 37.6 | Fl (2+1) G 6s | 7.0 | 11 | White square tower, green band at top. | Radar reflector. Year round. Chart:3479 Edn 11/18 (P18-131) |
| 254.5 G5340.6 | Point Fairfax | S. extremity of point. 48 41 57.1 123 17 55.2 | Fl(3) W 12s | 8.8 | 7 | White cylindrical tower. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3479 |
| 255 G5340 | Turn Point (U.S.) | On NW. point of Stuart Island. 48 41 19.6 123 14 14.6 | Fl W 2.5s | 13.4 | 8 | White tower. | Flash every 2.5 s. Obscured from 260°30' to 357°. Year round. Chart:3441 |
| 255.1 | <i>Danger Shoal lighted Junction buoy A (U.S.)</i> | <i>SW. of shoal. 48 38 18 123 10 56.6</i> | <i>Fl (2+1) G 6s</i> | <i>.....</i> | <i>.....</i> | <i>Green, red and green, marked "A".</i> | <i>Year round.</i> Chart:3441 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|--------------------|-----------------------------------|--|--------------------------|--|-----------------------|---|---|
| HARO STRAIT | | | | | | | |
| 256 G5354 | Canoe Rock | On the rock. 48 44 00.7 123 20 24.2 | Fl(3) W 12s | 5.9 | 7 | White cylindrical tower, red band at top. | Flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 2 s; flash 0.5 s; eclipse 6.5 s. Radar reflector. Year round. Chart:3479 Edn 03/14 (P14-013) |
| 256.5 | Pellow Islets light buoy U15 | E. of Portlands Islands, Moresby Passage. 48 43 20.4 123 21 02.7 | Fl G 4s | | 4 | Green, marked "U15". | Year round. Chart:3479 |
| 257 G5355 | Beaver Point | On N. tip of point. 48 46 15.4 123 22 01.9 | Fl G 4s | 8.5 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. Chart:3441 |
| 257.5 G5355.4 | Mouat Point | W. side of North Pender Island. 48 46 11.3 123 18 49.5 | Fl R 4s | 6.7 | 6 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3441 |
| 257.9 | Deep Ridge light buoy UN | SE. of Channel Islands. 48 47 48.5 123 22 10.9 | Fl (2+1) G 6s | | | Green, red and green, marked "UN". | Year round. Chart:3478 |
| 258 G5356 | Channel Islands | On N. end of North Channel Islands. 48 48 06.6 123 22 55.7 | Fl W 4s | 8.8 | 7 | White cylindrical tower. | Radar reflector. Year round. Chart:3478 |
| 258.2 | Acland Islands light buoy U60 | W. of the islands, Captain Passage. 48 48 35.8 123 22 55.3 | Fl R 4s | | | Red, marked "U60". | Year round. Chart:3478 Edn 05/11 (P11-007) |
| 258.4 | Captain Passage light buoy U62 | NW. of Owl Island. 48 49 42.3 123 24 22.8 | Q R 1s | | | Red, marked "U62". | Year round. Chart:3478 |
| 258.5 | Horda Shoals light buoy UD | S. of Nose Point. 48 49 51.2 123 25 01.9 | Fl (2+1) G 6s | | | Green, red and green horizontal bands, marked "UD". | Year round. Chart:3478 |
| 259 G5370 | Nose Point | On extremity of point. 48 50 33.1 123 25 10.4 | Q W 1s | 8.5 | 6 | White cylindrical tower. | Radar reflector. Year round. Chart:3478 |
| 260 G5370.4 | Long Harbour | On rock. 48 51 05.6 123 26 31.1 | Q R 1s | 5.5 | 2 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3478 |
| 261 G5371 | Ganges Harbour | On Second Sister Island. 48 50 12.4 123 27 12.8 | Fl R 4s | 8.2 | 4 | White cylindrical tower, red band at top. | Radar reflector. Year round. Chart:3478 |

PACIFIC COAST – List of Lights, Buoys and Fog Signals

| No. | Name | Position ----- Latitude N. Longitude W. | Light Characteristics | Focal Height in m. above water | Nomi- nal Range | Description ----- Height in meters above ground | Remarks ----- Fog Signals |
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|
|-----|------|--|--------------------------|--|-----------------------|--|---------------------------------|

HARO STRAIT

| | | | | | | | | |
|----------------------|--|---|-----------------------|--------------|----------------|--|--|---------------------------------|
| 262 G5372 | Grace Islet | SE. extremity of islet. 48 51 05.4 123 29 34.9 | Fl G 4s | 8.5 | 4 | White cylindrical tower, green band at top. | Radar reflector. Year round. | Chart:3478 |
| Boundary Pass | | | | | | | | |
| 263 | <i>Rosenfeld Rock light buoy U59</i> | <i>NE. of East Point. 48 48 11.4 123 01 38.7</i> | <i>Fl G 4s</i> | <i>.....</i> | <i>.....</i> | <i>Green, marked "U59".</i> | <i>Year round.</i> | Chart:3462 |
| | Racon -- (C) X & S Bands | | | | | | | |
| 264 G5358 | Saturna Island Sector | On East Point. 48 46 58.8 123 02 45.0 | Fl W 15s F R | 36.9 31.1 | 17 8 | Red square skeleton tower. | Flash 0.15 s; eclipse 14.85 s. Red from 156° through S. to 211°30'. Operates 24 h. Year round. | Chart:3441 Edn 04/17 |
| 264.3 G5140 | Skipjack Island (U.S.) | On island. 48 43 57.7 123 02 21 | Fl W 4s | 5.9 | 6 | Tower, black and white diamond daymark. | Obscured from 261° to 347°. Year round. | Chart:3441 |
| 264.5 | <i>Boundary Pass Shoal Isolated Danger light and bell buoy DB (U.S.)</i> | <i>48 45 53.4 123 00 52.7</i> | <i>Fl(2) W 5s</i> | <i>.....</i> | <i>.....</i> | <i>Black, red and black, marked "DB".</i> | <i>Year round.</i> | Chart:3462 |
| 265 G5142 | Patos Island Sector (U.S.) | On NW. extremity of island. 48 47 20.4 122 58 16.8 | Fl W- R 6s | 16.0 | 9 | White square tower on building. | Flash every 6 s. Red 011°30' to 059°30' and red from 097° to 114°. Year round. | Chart:3462 |