

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>VANCOUVER HARBOUR</b>							
385.5	Vancouver Approach Cautionary light buoy QA	W. of Point Grey. 49 16 34.4 123 19 18.4	Fl Y 4s	.....	.....	Yellow, marked "QA".	Year round.
	<b>Racon - - (G)</b> <b>X &amp; S Bands</b>						<b>Chart:3481</b>
386 G5426	<b>Point Atkinson</b>	N. point of entrance to Burrard Inlet. 49 19 49.4 123 15 52.9	Fl(2) W 5s	32.9	15	White hexagonal tower, red band at top with 6 buttresses.	Flash 0.25 s; eclipse 0.75 s; flash 0.25 s; eclipse 3.75 s. Year round.
							<b>Chart:3481</b>
386.3 G5426.8	Spanish Banks No.2	Entrance to English Bay. 49 17 21.1 123 14 51.9	Fl(2) R 6s	6.7	5	White cylindrical tower, red band at top on 9-pile dolphin.	Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Year round.
							<b>Chart:3481</b>
387	Point Grey light and bell buoy Q62	N. of point, entrance to harbour. 49 17 20.4 123 15 58.8	Q R 1s	.....	.....	Red, marked "Q62".	Year round.
							<b>Chart:3481</b>
387.01 G5426.6	Spanish Bank	49 17 12.9 123 13 34.8	Fl W 4s	6.9	6	White cylindrical tower, red band at top on 9-pile dolphin.	Year round.
							<b>Chart:3481</b>
387.2 G5427.2	English Bay Anchorage East	Seaward end of breakwater. 49 16 31.8 123 11 18.1	Q Y 1s	4.9	8	Mast on wharf railing.	Privately maintained.
							<b>Chart:3481</b> <b>Edn 06/15 (P15-022)</b>
388	Burrard Inlet Cautionary light buoy QB	E. end of Traffic Lane Separator. 49 19 02.2 123 12 04.5	Fl Y 4s	.....	.....	Yellow, marked "QB".	Year round.
	<b>Racon - - (K)</b> <b>X &amp; S Bands</b>						<b>Chart:3481</b>
388.1	Kitsilano light buoy Q52	Entrance to False Creek. 49 16 53.4 123 08 58.7	Q R 1s	.....	.....	Red, marked "Q52".	Year round.
							<b>Chart:3493</b>
388.6	English Bay Beach light buoy Q41	Entrance to False Creek. 49 17 06.7 123 08 55.5	Q G 1s	.....	.....	Green, marked "Q41".	Year round.
							<b>Chart:3493</b>
388.9 G5429.4	Kitsilano Base West	NW. corner of Coast Guard wharf. 49 16 36 123 08 20.9	F R	.....	1.3	.....	On Coast Guard wharf. Year round.
							<b>Chart:3493</b> <b>Edn 02/18</b>
389	Kitsilano Base	SW. approach to False Creek at end of floating breakwater. 49 16 33.8 123 08 17.5	Fl R 4s	4.3	3	1-pile dolphin.	Year round.
							<b>Chart:3493</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>VANCOUVER HARBOUR</b>							
390 G5430	False Creek Sector	On N. pier of Burrard Bridge. 49 16 32.7 123 08 10.6	F R W G	.....	6.3	11	Mast.  Red from 128° to 131°; white from 131° to 132°; green from 132° to 135°. Year round.  <b>Chart:3493</b>
390.5	<i>Ferguson Point West Cardinal light buoy QC</i>	<i>W. of point, N. end of English Bay. 49 18 12.4 123 10 00.7</i>	Q(9) W	15s	.....	.....	<i>Yellow, black and yellow, marked "QC".</i>  Year round.  <b>Chart:3493</b>
392 G5434	Prospect Point	Under bluff at point. 49 18 50.4 123 08 29.1	Iso R	2s	11.5	10	White tower, red band at top.  Operates 24 h. Year round.  <b>Chart:3493</b>
392.5 G5437	Lions Gate Bridge South Sector	49 18 53.1 123 08 20.7	F R W G	.....	63.3	14	On bridge.  Green from 303° to 304°; white from 304° to 306°; red from 306° to 307°. Operates 24 h. Year round.  <b>Chart:3493</b>
393 G5438	Lions Gate Bridge North Sector	49 18 57.2 123 08 16.9	F R W G	.....	63.3	14	On bridge.  Green from 303° to 304°; white from 304° to 306°; red from 306° to 307°. Operates 24 h. Year round.  <b>Chart:3493</b>
394 G5435	First Narrows	Entrance to First Narrows. 49 19 09.1 123 08 46.7	Iso G	2s	7.5	7	White cylindrical tower, green band at top on 4-pile dolphin.  Radar reflector. Year round.  <b>Chart:3493</b>
395	Calamity Point	49 18 45.2 123 07 39.6	Fl W	4s	5.1	9	White cylindrical tower, green band at top on 16-pile dolphin.  Radar reflector. Year round.  <b>Chart:3493</b>
395.3	<i>Calamity Shoal light buoy Q65</i>	<i>49 18 40.4 123 07 36.7</i>	Fl G	4s	.....	.....	<i>Green, marked "Q65".</i>  Year round.  <b>Chart:3493</b>
403 G5448	Burnaby Shoal	On shoal. 49 17 54.4 123 06 38.4	Q R	1s	9.8	10	White cylindrical tower, red band at top.  <b>Chart:3493 Edn 07/15 (P15-063)</b>
403.3	Coal Harbour Approach	E. of Deadman Island. 49 17 43.1 123 07 03.1	Fl Y	.....	5.3	.....	Mast on top of large dolphin.  Privately maintained. Year round.  <b>Chart:3493</b>
403.5 G5455	Deadman Island	S. of island. 49 17 33.6 123 07 23.9	Q R	1s	6.7	4	White cylindrical tower, red band at top on 3-pile dolphin.  Radar reflector. Year round.  <b>Chart:3493</b>
404 G5456	Coal Harbour	49 17 36.5 123 07 32.7	Fl R	4s	6.7	4	White cylindrical tower, red band at top on 9-pile dolphin.  Radar reflector. Year round.  <b>Chart:3493 Edn 02/18 (P17-144)</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>VANCOUVER HARBOUR</b>							
408.5 G5465	Terminal Dock East	49 17 38.3 123 03 02.8	Fl R 4s	2.4	7	Mast on pilings.	Year round.  <b>Chart:3493</b>
408.51	Second Narrows West Directional	49 17 37.4 123 02 45.6	F R .....	7.9	10	White square skeleton tower on 3-pile dolphin.	Visible on a bearing of 266°. Year round.  <b>Chart:3494 Edn 12/10 (P10-121)</b>
408.53 G5468.33	Second Narrows Highway Bridge (Southeast)	On bridge. 49 17 39.3 123 01 33.8	F W .....	60.3	.....	On bridge.	Visible from E approach. Maintained by B.C. Ministry of Transportation and Highways. Year round.  <b>Chart:3494</b>
408.54 G5468.32	Second Narrows Highway Bridge (Southwest)	On bridge. 49 17 39.3 123 01 35.1	F W .....	60.3	.....	On bridge.	Visible from W approach. Maintained by B.C. Ministry of Transportation and Highways. Year round.  <b>Chart:3494</b>
408.55 G5468.31	Second Narrows Highway Bridge East	On bridge. 49 17 40.9 123 01 34.1	F W .....	.....	.....	On bridge.	Center light located on bottom of span. Floodlight pointed down. Maintained by B.C. Ministry of Transportation and Highways. Year round.  <b>Chart:3494</b>
408.6 G5468	Second Narrows Highway Bridge West	On bridge, bottom of span. 49 17 40.9 123 01 34.9	F W .....	45.2	.....	On bridge.	Indicates centre of navigation channel as visible from W. approach. Center light located on bottom of span. Floodlight pointed down. Maintained by B.C. Ministry of Transportation and Highways. Year round.  <b>Chart:3494</b>
408.7 G5468.3	Second Narrows Highway Bridge (Northeast)	On bridge, NE. at road level. 49 17 42.5 123 01 33.9	F W .....	60.3	.....	On bridge.	Visible from E. approach. Maintained by B.C. Ministry of Transportation and Highways. Year round.  <b>Chart:3494</b>
408.8 G5468.2	Second Narrows Highway Bridge (Northwest)	W. side of bridge. 49 17 42.5 123 01 35.2	F W .....	60.3	.....	On bridge.	Visible from W. approach. Maintained by B.C. Ministry of Transportation and Highways. Year round.  <b>Chart:3494</b>
409	CN Railway Bridge Northeast	On bridge abutment. 49 17 43.3 123 01 27.6	F G .....	4.9	5	On bridge.	Visible from E. approach. Year round.  <b>Chart:3494</b>
409.1	CN Railway Bridge Southeast	On bridge abutment. 49 17 38.6 123 01 27.8	F R .....	4.9	4	On bridge.	Visible from E. approach. Year round.  <b>Chart:3494</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>VANCOUVER HARBOUR</b>							
409.2	CN Railway Bridge Southwest	On bridge abutment. 49 17 38.6 123 01 28.7	F R .....	4.9	4	On bridge.	Visible from W. approach. Year round.  <b>Chart:3494</b>
409.3	CN Railway Bridge Northwest	On bridge abutment. 49 17 43.3 123 01 28.6	F G .....	4.9	5	On bridge.	Visible from W. approach. Year round.  <b>Chart:3494</b>
409.35	CN Railway Bridge Sector	Second Narrows rail bridge. 49 17 40.9 123 01 27.9	F R .....	.....	10	On bridge.	Green from 263° to 264°; AI GW from 264° to 265°; white from 265° to 267°; AI RW from 267° to 268°; red from 268° to 270°. White sector indicates preferred channel. Year round.  <b>Chart:3494 Edn 12/10 (P10-122)</b>
409.4	CN Railway Bridge Centre Span Northeast	On bridge. 49 17 41 123 01 27.9	F R .....	.....	.....	On bridge.	Visible from E. approach. Privately maintained. Characteristics of light: Fixed or flashing (Occasional). Year round.  <b>Chart:3494</b>
409.5	CN Railway Bridge Centre Span Northwest	On bridge. 49 17 41.1 123 01 28.5	F R .....	.....	.....	On bridge.	Visible from W. approach. Privately maintained. Characteristics of light: Fixed or flashing (Occasional). Year round.  <b>Chart:3494</b>
409.6	CN Railway Bridge Centre Span East	On bridge. 49 17 40.9 123 01 27.9	F G .....	.....	.....	On bridge.	Indicates that span is raised. Visible from E. approach. Privately maintained. Characteristics of light: Fixed or flashing (Occasional). Year round.  <b>Chart:3494</b>
409.7	CN Railway Bridge Centre Span West	On bridge. 49 17 41 123 01 28.5	F G .....	.....	.....	On bridge.	Indicates that span is raised. Visible from W. approach. Privately maintained. Characteristics of light: Fixed or flashing (Occasional). Year round.  <b>Chart:3494</b>
409.8	CN Railway Bridge Centre Span Southeast	On bridge. 49 17 40.8 123 01 28.9	F R .....	.....	.....	On bridge.	Visible from E. approach. Privately maintained. Characteristics of light: Fixed or flashing (Occasional). Year round.  <b>Chart:3494</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>VANCOUVER HARBOUR</b>							
409.9	CN Railway Bridge Centre Span Southwest	On bridge. 49 17 40.8 123 01 28.5	F R ..... Q R 1s .....	..... .....	..... .....	On bridge.	Visible from W. approach. Privately maintained. Characteristics of light: Fixed or flashing (Occasional). Year round.  <b>Chart:3494</b>
409.95	Riverside East	49 17 45.5 123 01 04.6	Fl G 4s	8.3	7	White square skeleton tower, green band at top on 6-pile dolphin.	Year round.  <b>Chart:3494 Edn 12/10 (P10-123)</b>
410 G5473	Second Narrows	E. of railway bridge. 49 17 46.4 123 00 36	Q G 1s	8.1	6	White square skeleton tower, green band at top on 3-pile dolphin.	Year round.  <b>Chart:3494 Edn 12/10 (P10-124)</b>
410.5 G5473.4	Second Narrows East	NW. of Berry Point. 49 17 56.1 122 59 47.7	Fl G 4s	3.3	7	On centre pile of 19-pile dolphin.	Radar reflector. Year round.  <b>Chart:3494 Edn 12/10 (P10-125)</b>
411 G5474	Berry Point	On N. extremity of point. 49 17 43.1 122 59 13.1	Fl R 4s	9.0	8	Triangular skeleton tower on 9-pile dolphin.	Year round.  <b>Chart:3494 Edn 04/11 (P11-005)</b>
412 G5476	Roche Point	On S. extremity of point. 49 18 00.5 122 57 22	Fl W 4s	7.5	4	White cylindrical tower on 3-pile dolphin.	Year round.  <b>Chart:3495</b>
412.3 G5481	Woodlands	N. side of Indian Arm. 49 20 28.2 122 55 10.1	Fl G 4s	4.2	4	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3495</b>
412.4 G5481.2	Twin Islands	49 21 03.3 122 53 26.4	Fl R 4s	8.9	5	White tower, red band at top.	Radar reflector. Year round.  <b>Chart:3495</b>
412.5 G5481.4	Best Point	On the point. 49 22 51 122 52 46.3	Fl W 4s	5.8	5	White cylindrical tower.	Radar reflector. Year round.  <b>Chart:3495</b>
412.6 G5482	Croker Island South	49 25 49.2 122 51 47.3	Fl(2) W 6s	5.5	5	White cylindrical tower.	Flash 0.5 s; eclipse 1 s; flash 0.5 s; eclipse 4 s. Radar reflector. Year round.  <b>Chart:3495 Edn 03/12 (P12-002)</b>
413 G5477	Gosse Point	Off S. shore. 49 17 32.8 122 55 30.5	Fl R 4s	8.6	5	White cylindrical tower, red band at top on 7-pile dolphin.	Radar reflector. Year round.  <b>Chart:3495 Edn 02/14 (P14-005) Edn 04/16 (P16-024)</b>

PACIFIC COAST – List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>VANCOUVER HARBOUR</b>							
414 G5478	Burns Point	On point, N. side of entrance to Port Moody. 49 17 35.7 122 55 03.9	Fl W 4s	4.6	7	White cylindrical tower, green band at top.	Radar reflector. Year round.  <b>Chart:3495</b>
415 G5479	Carraholly Point	On rock, off point. 49 17 36.7 122 54 30.7	Fl G 4s	4.8	5	White cylindrical tower, green band at top.	Year round.  <b>Chart:3495</b>
415.1 G5479.2	Carraholly range	Port Moody. 49 17 43.5 122 53 56.6	F Y .....	7.5	10	Square skeleton tower on 4-pile dolphin, white daymark, red vertical stripe.	Operates 24 h. Year round.
415.2 G5479.21		277°05' 218.0m from front.	F Y .....	14.8	10	Square skeleton tower on 4-pile dolphin, white daymark, red vertical stripe.	Operates 24 h. Year round.  <b>Chart:3495</b> <b>Edn 05/11 (P11-010, 011)</b> <b>Edn 08/17 (P17-043, 044)</b>
416 G5480	Reed Point	South shore of Port Moody Arm, Burrard Inlet. 49 17 31.8 122 52 25.5	Q R 1s	9.9	3	White square tower, red band at top on 3-pile dolphin.	Year round.  <b>Chart:3495</b> <b>Edn 02/18 (P17-145)</b>
416.5 G5480.4	Port Moody	Entrance to dredged area at Rocky Point. 49 17 04.4 122 51 07.6	Fl R 4s	2.9	2	3-pile dolphin, red, white and red triangular daymark.	Year round.  <b>Chart:3495</b> <b>Edn 10/18 (P18-127)</b>