



Canadian  
Coast Guard

Garde côtière  
canadienne

# Notices to Mariners

**Edition No. 04/2026**

**April 24, 2026**



Safety First, Service Always

## **Monthly Summary of Temporary and Preliminary Notices**

**Canada** 

Notices to Mariners – Monthly Summary of Temporary and Preliminary Notices  
Edition No. 04/2026

Aussi disponible en français :  
Avis aux navigateurs – Sommaire mensuel des avis temporaires et préliminaires  
Édition n° 04/2026

**Published under the Authority of:**

Canadian Coast Guard Programs  
Aids to Navigation and Waterways  
Montreal, QC H2Y 2E7

For more information, contact [DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca](mailto:DFO.Notmar-Notmar.MPO@dfo-mpo.gc.ca).

© His Majesty the King in Right of Canada,  
as represented by the Canadian Coast Guard, 2026.

Cat. No. Fs151-19E-PDF (Electronic PDF, English)  
ISSN 2561-5106

Cat. No. Fs151-19F-PDF (Electronic PDF, French)  
ISSN 2561-5114

A web version is available here:

<https://www.notmar.gc.ca/temp-pre-monthly> (English)

<https://www.notmar.gc.ca/temp-pre-mensuel> (French)

## Explanatory Notes

**Geographical positions** refer directly to the graduations of the largest scale Canadian Hydrographic Service chart (unless otherwise indicated).

**Bearings** refer to the true compass and are measured clockwise from 000° (North) clockwise to 359°; those relating to lights are from seaward.

**Visibility** of lights is that in clear weather.

**Depths** - The units used for soundings (metres, fathoms or feet) are stated in the title of each chart.

**Elevations** are normally given above Higher High Water, Large Tide (unless otherwise indicated).

### Explanation of Temporary and Preliminary Notices to Mariners

Certain Notices to Mariners appearing in the monthly editions have a (T) or (P) appended to the regular number. These letters indicate that the information contained in the notice is of a temporary or preliminary nature, respectively.

#### Temporary (T) Notices

If a temporary change in conditions affecting navigation exists and if the change will be effective for a period of over three months, a temporary (T) notice will be published. Temporary changes which are effective for periods of less than three months will not normally be published (unless it is of exceptional interest). Otherwise, information will be promulgated as a Navigational Warning (NAVWARN) by the Canadian Coast Guard Marine Communications and Traffic Services (MCTS) Centre(s) in the affected area. (T) notices will be cancelled as necessary.

Please note that (T) notices with an end date will be automatically cancelled once the end date has passed. In the event of a change to these notices, a new Notice to Mariners will be issued.

#### Preliminary (P) Notices

- a. When important changes affecting navigation are to take place in the near future, a Notice to Mariners describing the change will be published, so that mariners will have advance information on the change. Such notices will be designated (P).
- b. When a change in conditions affecting navigation has taken place but full information is not available, a preliminary (P) notice giving available information will be published. This notice will be followed by a regular notice when complete information becomes available. The regular notice will cancel the (P) notice.
- c. When a change has taken place which is too complex to describe in a written notice, a (P) notice giving general information will be published. This notice will explain that follow up action will be taken to update charts by publishing patch corrections, new editions or new charts.

Please note that following the expiry of the 90-day comment or objection period, (P) notices describing proposed changes or intention to discontinue will be automatically cancelled. In the event of a change to these notices, a new Notice to Mariners will be issued.

#### Action Required on Receipt Of (T) & (P) Notices

It is not customary to make permanent corrections to charts and publications from (T) & (P) notices. On receipt of such notices, the information they contain should be noted in pencil on the affected charts and/or publications.

#### Caution

Mariners are reminded that charts and publications are not corrected from (T) & (P) notices when purchased from suppliers. For the list of charts affected by (T) & (P) notices, please refer to the index on page ii of this publication.

## Table of Contents

### **Newfoundland and Labrador Coast** **1**

#### Temporary Notices

*611(T)/24	Great St. Lawrence Harbour and / et Lamaline Harbour – Aid to Navigation Temporarily Discontinued .....	1
*1208(T)/24	Lark Harbour and / et York Harbour – Marine Works: Wharf Construction .....	1
*904(T)/25	Flemish Pass / Passe Flamande – Obstruction .....	1

#### Preliminary Notices

No notices applicable for this edition. ....		1
--	--	---

### **Atlantic Coast** **2**

#### Temporary Notices

*207(T)/22	Port de Québec – Obstruction .....	2
*411(T)/22	Lac Saint-Pierre – Obstruction: Floating and Falling Debris .....	2
*809(T)/22	Port de Montréal – Waterway Information: Calculation of Under-Keel Clearance .....	2
*509(T)/23	St. Marys Bay – Obstruction : Wreck .....	2
*710(T)/23	Port de Montréal – Waterway information – Mooring prohibited .....	2
*711(T)/23	Cap des Rosiers à/to Chandler – Obstruction : Scientific Moorings .....	3
*214(T)/24	Batiscan au/to Lac Saint-Pierre – Waterway Information: Shallow Depths Reported .....	3
*1021(T)/24	Batiscan au/to Lac Saint-Pierre – Waterway Information : Shallow Depth .....	4
*1118(T)/24	Port de Montréal – Shallow Depth Reported .....	4
*1119(T)/24	Batiscan au/to Lac Saint-Pierre – Obstruction: Diving Operations .....	5
*1120(T)/24	Îles de la Madeleine – Obstruction : Submerged Object .....	5
*1121(T)/24	Îles de la Madeleine – Obstruction : Wreck .....	5
*1210(T)/24	Wedgeport and Vicinity / et les abords – Aid to Navigation Temporarily Discontinued .....	5
*410(T)/25	Chenal du Havre de la Grande Entrée – Waterway Information: Wharf Closed .....	5
*512(T)/25	Baie des Sept-Îles – Marine Works: Wharf Construction .....	6
*1011(T)/25	Plans-Péninsule de la Gaspésie – Marine Works .....	6
*1012(T)/25	Approches to / Approches à Bay of Fundy / Baie de Fundy – Obstruction: Scientific Moorings .....	6
*108(T)/26	Port de Québec – Waterway Information: Pier Closed .....	6
*213(T)/26	Sorel-Tracy à/to Otterburn-Park – Obstruction: Submerged Object .....	7
*412(T)/26	Sorel-Tracy à/to Otterburn-Park – Marine Works : Bridge Repair .....	7

#### Preliminary Notices

*214(P)/26	Cape Canso to / à Country Island – Fixed Aid to Navigation to be Discontinued .....	8
------------	---	---

### **Inland Waters** **9**

#### Temporary Notices

*814(T)/16	Main Duck Island to/à Scotch Bonnet Island – Partially Submerged Fixed Steel Barges .....	9
*1219(T)/16	Toronto to/à Hamilton – Construction Operations .....	9
*309(T)/17	Pelee Passage to/à la Detroit River – Low Water Levels Reported .....	9

*709(T)/18	Kingston Harbour and Approaches/et les approches – Information Regarding Mooring and Anchoring .....	9
*810(T)/21	Fort Frances to/à Hostess Island and/et Sandpoint Island – Aids to Navigation Temporarily Discontinued .....	10
*108(T)/22	Lower Gap to/à Adolphus Reach – Construction Operations Frontenac II Ferry Dock.....	10
*413(T)/22	Detroit River – Waterway Information: Bridge Construction .....	10
*614(T)/22	Canal de la Rive Sud – Bridge Repair Work .....	10
*617(T)/22	Lac Saint-Louis – Aids to Navigation Temporarily Established .....	11
*109(T)/23	Port Hope Harbour – Dredging Operations .....	11
*313(T)/24	Havres et Mouillages - Harbours and Anchorages - Côte-Nord/North Shore – Waterway Information: Reduction of Capacity at Mooring Bollards .....	11
*728(T)/24	Toronto Harbour – Marine Works - Overhead Construction .....	11
*814(T)/24	Hamilton Harbour – Waterway Information – Shallow Depth Reported.....	11
*815(T)/24	Port of Thunder Bay – Obstruction – Lost Anchor .....	11
*910(T)/24	Kingston Harbour and Approaches/et les approches – Construction Operations .....	12
*1212(T)/24	Nipigon Bay and Approaches/et les approches – Waterway Information: Shallow Depths Reported.....	12
*515(T)/25	Croil Islands to/à Cardinal – Obstruction: Submerged Object .....	12
*516(T)/25	Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works: Pipeline Installation .....	12
*608(T)/25	Cobourg to/à Oshawa – Waterway Information: Shoal .....	12
*710(T)/25	Hamilton Harbour – Waterway Information: Shallow Depth Reported.....	13
*711(T)/25	Port of Thunder Bay – Obstruction: Submerged Object.....	13
*712(T)/25	Whiskey Jack Island to/à Red Deer River – Waterway Information: Shallow Depth Reported .....	13
*713(T)/25	Lake Manitoba / Lac Manitoba (Southern Portion / Partie sud) – Waterway Information: Shallow Depth Reported .....	13
*811(T)/25	Lac Saint-Louis – Marine works: Construction and Drilling Operations .....	14
*812(T)/25	Carleton Island to/au Charity Shoal – Obstruction: Submerged Object.....	14
*813(T)/25	Ottawa to/à Smiths Falls – Marine Works: Bridge Construction.....	14
*1014(T)/25	Kingston Harbour and Approaches/et les approches – Obstruction: New docks .....	14
*1015(T)/25	Georgian Bay / Baie Georgienne – Obstruction: Scientific and Subsurface Moorings.....	15
*1109(T)/25	Portage-du-Fort à/to Île Marcotte – Aids to Navigation Unlit.....	15
*1110(T)/25	Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works.....	15
*1111(T)/25	Toronto Harbour – Obstruction : Turbidity Curtain.....	15
*1212(T)/25	Mouillages et Installations Portuaires/Anchors and Harbour Installations - Haute Côte-Nord – Obstruction : Submerged Object .....	16
*110(T)/26	Port of Thunder Bay – Aids to Navigation Temporarily Established .....	16
*215(T)/26	Port Maitland to/à Dunnville – Obstruction: Submerged Breakwater .....	16
*413(T)/26	Peterborough to/à Buckhorn including/y compris Stony Lake – Bridge Horizontal Clearance Change.....	16
*414(T)/26	Toronto Harbour – Marine Works: Underwater Construction .....	16

Preliminary Notices

*216(P)/26	Rapides-des-Joachims au/to Lac la Cave – Notice of Proposed Changes.....	17
------------	--	----

**Pacific Coast 19**

Temporary Notices

*1112(T)/25	Halibut Bank to/à Ballenas Channel – Waterway Information – ODAS Buoy .....	19
-------------	---	----

Preliminary Notices

*311(P)/26	Fraser River/Fleuve Fraser, Sand Heads to/à Douglas Island – Range Lights to be Discontinued .....	19
------------	--	----

**Arctic Coast 20**

Temporary Notices

*1210(T)/20	Demarcation Bay to/à Philips Bay – Mobile Offshore Drilling Unit Temporarily Established	20
*216(T)/24	Canadian Coast Guard – Obstruction : Scientific Moorings.....	20
*217(T)/24	Canadian Coast Guard – Obstruction : Scientific Mooring .....	20
*418(T)/25	Arctic Archipelago / Archipel de l'Arctique – Obstruction – Subsurface Moorings .....	20
*419(T)/25	Paallavvik to/à Kangiqtugaapik – Obstruction – Scientific Mooring.....	21
*420(T)/25	Clyde Inlet to/à Cape Jameson – Obstruction – Subsurface Mooring .....	21
*421(T)/25	Franklin Bay and/et Darnley Bay – Obstruction – Subsurface Mooring.....	21
*422(T)/25	Prince Albert Sound, Western Portion/ Partie Ouest – Obstruction – Subsurface Mooring.	21
*423(T)/25	Approches to/Approches à Cambridge Bay – Obstruction – Subsurface Buoy and Apparatus .....	21

Preliminary Notices

No notices applicable for this edition. ....		22
--	--	----

**Other (T) & (P) Notices 23**

Temporary Notices

*1105(T)/15	Canada – Safety of Offshore Exploration and Exploitation Vessels .....	23
*1027(T)/24	Canadian Coast Guard – Automatic Identification System (AIS) .....	23
*1215(T)/24	Canadian Coast Guard – Automatic Identification System Application Specific Messages (AIS ASM) Trial .....	24

Preliminary Notices

No notices applicable for this edition. ....		24
--	--	----

### List of Charts Affected by (T) & (P) Notices

Chart No.	Pages	Chart No.	Pages	Chart No.	Pages
1220	6	2060	9	4642	1
1226	16	2067	11, 13	4654	1
1230	6	2077	12, 15	4950	5
1310	2, 4	2085	11, 15, 16	4954	5
1312	2	2086	9	6108	10
1313	3, 4, 5	2123	9	6274	13
1316	2, 6	2140	16	6505	13
1350	7	2201	15	7000	20
1429	10	2261	15	7053	21
1430	11, 14	2282	15	7565	21
1434	12	2291	15	7661	20
1439	14	2312	12	7665	21
1512	14	2314	11, 13, 16	7668	21
1552	15	3456	19	7750	21
1553	15	3490	19	8005	6
1554	17,18	4011	6	8006	6
2017	9, 12, 14	4118	2	8012	1
2018	10	4233	8	14853 (U.S.)	10
2023	16	4244	5		
2024	16	4255	6		
2053	11	4452	11		
2058	12	4485	3		

## Newfoundland and Labrador Coast

### Temporary Notices

#### **\*611(T)/24 Great St. Lawrence Harbour and / et Lamaline Harbour – Aid to Navigation Temporarily Discontinued**

Reference chart: 4642

The following aid to navigation is temporarily discontinued:

Aid Name	No. LL	Position
St. Lawrence Wharf	73.1	46° 54' 59.1"N 55° 23' 20.8"W

(N2024-093T)

#### **\*1208(T)/24 Lark Harbour and / et York Harbour – Marine Works: Wharf Construction**

Reference chart: 4654

Wharf reconstruction underway in Lark Harbour in the vicinity of 49° 06.069'N 058° 21.866'W.

Caution.

(NW-N-1171-24)

#### **\*904(T)/25 Flemish Pass / Passe Flamande – Obstruction**

Reference chart: 8012

A Concrete Gravity Structure has been installed offshore in the vicinity of 46° 47.716'N 048° 03.675'W and will remain a navigational hazard until it is removed.

(NW-N-0642-25)

### Preliminary Notices

#### **Atlantic Region**

##### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,  
Aids to Navigation & Waterways  
Canadian Coast Guard, Atlantic Region  
P.O. Box 1000  
50 Discovery Drive  
Dartmouth, NS B2Y 3Z8  
Telephone: (506) 636-4708  
Email: [DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

No notices applicable for this edition.

## Atlantic Coast

### Temporary Notices

#### **\*207(T)/22 Port de Québec – Obstruction**

Reference chart: 1316

Power boat 6 metres in length reported sunk at 46° 43.830'N 071° 20.000'W.

(NW-Q-1348-21)

#### **\*411(T)/22 Lac Saint-Pierre – Obstruction: Floating and Falling Debris**

Reference chart: 1312

Floating and falling debris reported beneath the bridge located at 46° 04.783'N 073° 09.205'W. The bridge is marked with yellow buoys suspended at mid-height between the deck and the water level. Warning signs installed above.

(NW-Q-1266-19)

#### **\*809(T)/22 Port de Montréal – Waterway Information: Calculation of Under-Keel Clearance**

Reference chart: 1310

Canadian Coast Guard Marine Communications and Traffic Services has been using all Canadian Hydrographic Service water-level stations for the calculation of passage authorizations in the Sorel–Montreal sector of the navigational waterway, namely Sorel, Contrecoeur, Varennes, Montreal-Frontenac and Montreal-Jetty No. 1.

In light of the particular features of the navigational waterway in the portion between buoys M84 (downstream of the municipality of Verchères) and M157 (opposite to the Port of Montreal, section 109) as well as the No. 1 Anchorage Pointe-aux-Tremble, it was agreed to adjust upward the available water column by 10 cm in this portion.

The minimum water column in this portion of the navigational waterway as per the Varennes hydrographic station, obtained after adjustment, will be used for the calculation of under-keel clearance.

(NW-Q-0776-22)

#### **\*509(T)/23 St. Marys Bay – Obstruction : Wreck**

Reference chart: 4118

Sunken 30 by 90 feet barge with 500 feet of tow line still attached at the following position:  
44° 16' 24.9"N 066° 28' 44.9"W Caution.

(NW-M-0529-23)

#### **\*710(T)/23 Port de Montréal – Waterway information – Mooring prohibited**

Reference chart: 1310

Mooring indefinitely prohibited at section 31 of the Port of Montreal.

(NW-Q-0476-23)

**\*711(T)/23 Cap des Rosiers à/to Chandler – Obstruction : Scientific Moorings**

Reference chart: 4485

Six sub-surface scientific moorings established at:

48 37.390N 064 07.734W  
48 43.925N 064 08.099W  
48 41.868N 064 04.632W  
48 39.987N 064 00.959W  
48 38.023N 063 57.919W  
48 36.274N 063 54.923W

Top float 24 metres below the surface.

(NW-Q-0662-23)

**\*214(T)/24 Batiscan au/to Lac Saint-Pierre – Waterway Information: Shallow Depths Reported**

Reference: Notice 313(T)/23 is cancelled (Chart 1313).

Reference chart: 1313

A shallower depth of 10.4 metres is located at the following positions:

46° 19.997' N      072° 32.698' W  
46° 19.993' N      072° 32.675' W  
46° 19.983' N      072° 32.682' W  
46° 19.980' N      072° 32.703' W  
46° 19.985' N      072° 32.718' W

A shallower depth of 10.6 metres is located at the following positions:

46° 19.978' N      072° 32.731' W  
46° 19.979' N      072° 32.701' W  
46° 19.970' N      072° 32.703' W  
46° 19.971' N      072° 32.732' W

A shallower depth of 10.4 metres is located at the following positions:

46° 19.983' N      072° 32.785' W  
46° 19.982' N      072° 32.747' W  
46° 19.973' N      072° 32.752' W  
46° 19.972' N      072° 32.768' W  
46° 19.971' N      072° 32.792' W

(NW-Q-1338-23)

**\*1021(T)/24 Batiscan au/to Lac Saint-Pierre – Waterway Information : Shallow Depth**

Reference chart: 1313

Shallow depths reported in the port of Trois-Rivières at the following coordinates:

- |   |  |
|---|--|
| Shallow depth of 10.4 metres located at Section 13:   | Shallow depth of 10.0 metres located at Section 14 and a portion of Section 15:  |
| <ul style="list-style-type: none"><li>• 46° 20.027'N 072° 32.614'W</li><li>• 46° 20.025'N 072° 32.608'W</li><li>• 46° 20.034'N 072° 32.597'W</li><li>• 46° 20.037'N 072° 32.603'W</li></ul> | <ul style="list-style-type: none"><li>• 46° 19.990'N 072° 32.795'W</li><li>• 46° 19.990'N 072° 32.738'W</li><li>• 46° 20.004'N 072° 32.672'W</li><li>• 46° 20.013'N 072° 32.648'W</li><li>• 46° 20.017'N 072° 32.765'W</li></ul> |
| Shallow depth of 10.3 metres located at Section 16:   | Shallow depth of 10.2 metres located at Section 16:  |
| <ul style="list-style-type: none"><li>• 46° 19.964'N 072° 32.795'W</li><li>• 46° 19.976'N 072° 32.785'W</li><li>• 46° 19.987'N 072° 32.738'W</li><li>• 46° 19.973'N 072° 32.740'W</li></ul> | <ul style="list-style-type: none"><li>• 46° 19.997'N 072° 32.789'W</li><li>• 46° 19.996'N 072° 32.766'W</li><li>• 46° 19.964'N 072° 32.795'W</li><li>• 46° 19.965'N 072° 32.821'W</li></ul>                                      |
| Shallow depth of 10.5 metres located at Section 16:   | Shallow depth of 10.2 metres located at Section 16:  |
| <ul style="list-style-type: none"><li>• 46° 19.968'N 072° 32.704'W</li><li>• 46° 19.970'N 072° 32.745'W</li><li>• 46° 19.976'N 072° 32.741'W</li><li>• 46° 19.978'N 072° 32.695'W</li></ul> | <ul style="list-style-type: none"><li>• 46° 19.985'N 072° 32.706'W</li><li>• 46° 19.979'N 072° 32.699'W</li><li>• 46° 19.979'N 072° 32.677'W</li><li>• 46° 19.993'N 072° 32.660'W</li><li>• 46° 20.000'N 072° 32.688'W</li></ul> |
| Shallow depth of 10.2 metres located at Section 17:   | Shallow depth of 10.5 metres located at Section 19:  |
| <ul style="list-style-type: none"><li>• 46° 19.852'N 072° 32.772'W</li><li>• 46° 19.851'N 072° 32.768'W</li><li>• 46° 19.845'N 072° 32.774'W</li><li>• 46° 19.846'N 072° 32.775'W</li></ul> | <ul style="list-style-type: none"><li>• 46° 19.830'N 072° 32.785'W</li><li>• 46° 19.831'N 072° 32.787'W</li><li>• 46° 19.840'N 072° 32.780'W</li><li>• 46° 19.839'N 072° 32.778'W</li></ul>                                      |
| Shallow depth of 10.6 metres located at Section 19:   | Shallow depth of 10.5 metres located at Section 20:  |
| <ul style="list-style-type: none"><li>• 46° 19.786'N 072° 32.824'W</li><li>• 46° 19.801'N 072° 32.813'W</li><li>• 46° 19.798'N 072° 32.809'W</li><li>• 46° 19.782'N 072° 32.819'W</li></ul> | <ul style="list-style-type: none"><li>• 46° 19.728'N 072° 32.874'W</li><li>• 46° 19.727'N 072° 32.870'W</li><li>• 46° 19.738'N 072° 32.859'W</li><li>• 46° 19.739'N 072° 32.864'W</li></ul>                                      |

(NW-C-1191, 1342, 1871, 1872-24)

**\*1118(T)/24 Port de Montréal – Shallow Depth Reported**

Reference chart: 1310

Shallow depth of 10,4 metres located at the following coordinates: 45° 30' 18.9"N 073° 32' 48.3"W.

(NW-C-1866-24)

**\*1119(T)/24 Batiscan au/to Lac Saint-Pierre – Obstruction: Diving Operations**

Reference chart: 1313

Diving operations taking place in Port of Trois-Rivières Monday to Friday from 1100 UTC to 2100 UTC at wharf 17.

(NW-C-2820-24)

**\*1120(T)/24 Îles de la Madeleine – Obstruction :Submerged Object**

Reference chart: 4950

Rocks and dolosses have been located 7 metres from the pierhead of the southern breakwall at a depth of 2 metres at the following coordinates:

47° 23.304'N 061° 47.513'W

47° 23.301'N 061° 47.507'W

47° 23.308'N 061° 47.517'W

47° 23.299'N 061° 47.500'W

47° 23.298'N 061° 47.493'W

(NW-C-1877-24)

**\*1121(T)/24 Îles de la Madeleine – Obstruction :Wreck**

Reference chart: 4950

The vessel SS Corfu Island has been assessed as a hazard to public safety by Canadian Coast Guard under the *Wrecked, Abandoned or Hazardous Vessels Act*. The bow of the wreck is located on the beach at position 47° 20.813'N 061° 57.014'W and the wreck extends seaward in a southwesterly direction over 137.5 metres in length and 17.5 metres in width.

It is forbidden to access or climb it for any reason. Mariners are requested to keep a wide berth from the wreckage.

(NW-C-1861-24)

**\*1210(T)/24 Wedgeport and Vicinity / et les abords – Aid to Navigation Temporarily Discontinued**

Reference chart: 4244

The following aid to navigation is temporarily discontinued:

Aid Name	No. LL	Position
Pinkneys Point Fog Signal	278.2	43° 42' 11.6"N 066° 03' 12.1"W

(F2024-060T)

**\*410(T)/25 Chenal du Havre de la Grande Entrée – Waterway Information: Wharf Closed**

Reference chart: 4954

Wharf 406 of Grande-Entrée is closed. Pollution containment booms in place.

Stay clear. Minimum wake.

(NW-C-2172-24)

**\*512(T)/25 Baie des Sept-Îles – Marine Works: Wharf Construction**

Reference chart: 1220

Construction operations taking place daily on the Mgr-Blanche Dock. Barges, cranes and work boats on site.

Minimum wake and wide berth of 300 metres requested.

(NW-C-0623-25)

**\*1011(T)/25 Plans-Péninsule de la Gaspésie – Marine Works**

Reference chart: 1230

Construction operations taking place daily from 1100 UTC until 2300 UTC since October 27<sup>th</sup> 2025 at the Rivière-au-Renard wharf (48° 59.879'N 064° 22.887'W) and breakwall (48° 59.993'N 064° 23.030'W).

(NW-C-3292-25)

**\*1012(T)/25 Approaches to / Approches à Bay of Fundy / Baie de Fundy – Obstruction:  
Scientific Moorings**

Reference chart: 4011, 4255, 8005, 8006

Multiple subsurface scientific moorings are deployed in the Fundian channel. The scientific moorings are between five to six meters off the ocean floor at the following positions:

42° 39.358'N 066° 27.843'W	42° 29.389'N 065° 58.091'W
42° 39.576'N 066° 20.535'W	42° 29.574'N 065° 50.799'W
42° 33.965'N 066° 27.544'W	42° 23.800'N 065° 05.117'W
42° 34.181'N 066° 20.247'W	42° 23.993'N 065° 57.836'W
42° 34.390'N 066° 12.948'W	42° 24.177'N 065° 50.555'W
42° 34.592'N 066° 05.648'W	42° 24.354'N 065° 43.272'W
42° 28.787'N 066° 19.959'W	42° 18.780'N 065° 50.312'W
42° 28.995'N 066° 12.671'W	42° 18.956'N 065° 43.039'W
42° 29.196'N 066° 05.382'W	42° 13.383'N 065° 50.069'W

(NW-M-1431-25)

**\*108(T)/26 Port de Québec – Waterway Information: Pier Closed**

Reference chart: 1316

Port of Quebec pier 25 is closed. A portion of the pier has collapsed.

Minimum wake requested. Keep clear 50 metres.

For any questions or additional information contact the Port of Québec Harbour Master's Office.

(NW-C-0054-26)

**\*213(T)/26 Sorel-Tracy à/to Otterburn-Park – Obstruction: Submerged Object**

Reference chart: 1350

Anchor with 9 shackles of chain reported in the vicinity of 46° 01.87'N 073° 09.86'W.

(NW-C-1370-24)

**\*412(T)/26 Sorel-Tracy à/to Otterburn-Park – Marine Works : Bridge Repair**

Reference: Notice 808(T)/25 is cancelled.

Reference chart: 1350

Repair work taking place daily, 24 hours a day at the Turcotte Bridge. Barge and tug are on scene. Navigation channel reduced to 25 metres and is marked and lit. Air draft reduced to 12 metres. Any vessels requiring the barge be moved to make passage under the bridge are required to give a 72 hours notice by e-mailing [m.poirier@pomerleau.ca](mailto:m.poirier@pomerleau.ca) or [alexis.noel@pomerleau.ca](mailto:alexis.noel@pomerleau.ca), and provide them with:

- Date and time of requested passage;
- vessel name and type;
- estimated speed of passage;
- length, beam, and draft of the vessel;
- their contact information.

All vessels transiting the area are requested to remain 3 metres away from the barge.

Minimum wake requested.

(NW-C-0806-26)

## **Preliminary Notices**

### **Atlantic Region**

#### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,  
Aids to Navigation & Waterways  
Canadian Coast Guard, Atlantic Region  
P.O. Box 1000  
50 Discovery Drive  
Dartmouth, NS B2Y 3Z8  
Telephone: (506) 636-4708  
Email: [DFO.CCGATLaidstoNavDiscont-  
AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGATLaidstoNavDiscont-AidesalanavSupprATLGCC.MPO@dfo-mpo.gc.ca)

**\*214(P)/26 Cape Canso to / à Country Island – Fixed Aid to Navigation to be Discontinued**

Reference chart: 4233

The Canadian Coast Guard proposes to permanently discontinue the following fixed aid to navigation equipped with a fog signal:

Aid Name	LL No.	Position
Walsh Point Fog Signal	662.5	45° 16' 17.2"N 061° 01' 27.0"W

Initial publication date: Friday, February 27, 2026

[Comment submission deadline](#): Thursday, May 28, 2026

(G2026-007)

**Central Region: St. Lawrence Sector**

Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent  
Aids to Navigation & Waterways  
Canadian Coast Guard, Central Region  
1550 D'Estimauville Avenue  
Québec, QC G1J 5E9  
Telephone: (418) 648-7450  
Emails:  
St. Lawrence Region: [DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca](mailto:DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca)  
Great Lakes Region:  
[DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca)

No notices applicable for this edition.

## Inland Waters

### Temporary Notices

#### **\*814(T)/16 Main Duck Island to/à Scotch Bonnet Island – Partially Submerged Fixed Steel Barges**

Reference chart: 2060

There are 3 partially submerged fixed steel barges in North end of West Lake (43° 57' 02.3"N 077° 20' 12.8"W), which have been reported just below the water line.

Barges are marked with cautionary buoys.

(NOTSHIP C1641/14)

#### **\*1219(T)/16 Toronto to/à Hamilton – Construction Operations**

Reference chart: 2086

Construction operations taking place from November 14, 2016 until approximately 2026 at Lakeview Water Treatment Plant between Marie Curtis Park and Serson Creek. A variety of equipment will be used to expand the land mass along the shoreline. Landfill and 3 islands will be lit and marked.

(NOTSHIP C2533/16)

#### **\*309(T)/17 Pelee Passage to/à la Detroit River – Low Water Levels Reported**

Reference chart: 2123

Low water levels have been reported from the south end of the entrance to Sturgeon Creek Harbour northward.

Annette Winter  
Project and Divestiture Officer  
Small Craft Harbours  
Fisheries and Oceans Canada

Canada Centre for Inland Waters (CCIW)  
867 Lakeshore Road  
Burlington, ON L7S 1A1  
Telephone: (905) 315-5286  
Email: [annette.winter@dfo-mpo.gc.ca](mailto:annette.winter@dfo-mpo.gc.ca)

(NOTSHIP C58/13)

#### **\*709(T)/18 Kingston Harbour and Approaches/et les approches – Information Regarding Mooring and Anchoring**

Reference: Notice 309(T)/14 is cancelled.

Reference chart: 2017

All mooring or anchoring within the public port of Kingston is prohibited outside of designated marina areas until further notice without authorization from the port official.

Inquiries are to be directed to Transport Canada at (416) 952-0475.

**\*810(T)/21 Fort Frances to/à Hostess Island and/et Sandpoint Island – Aids to Navigation  
Temporarily Discontinued**

Reference chart: 6108

The following aids to navigation are temporarily discontinued:

Aid Name	No. LL	Position
Noden Causeway East	1465	48° 39' 08.5"N 093° 18' 47.6"W
Noden Causeway West	1466	48° 39' 08.5"N 093° 18' 49.1"W

(D2021-026T, 027T)

**\*108(T)/22 Lower Gap to/à Adolphus Reach – Construction Operations Frontenac II Ferry  
Dock**

Reference chart: 2018

Construction operations are taking place daily during daylight hours at the Millhaven and Stella ferry docks. Temporary docks will be installed in the vicinity of the ferry docks. Docks will be marked with buoys and lit with amber lights.

(NW-C-2916-17)

**\*413(T)/22 Detroit River – Waterway Information: Bridge Construction**

Reference chart: 14853 (U.S.)

Bridge construction operations taking place in an area bounded by:

42° 17.200'N 083° 05.633'W  
42° 17.183'N 083° 05.600'W  
42° 17.067'N 083° 05.667'W  
42° 17.000'N 083° 05.717'W  
42° 17.017'N 083° 05.750'W  
42° 17.100'N 083° 05.667'W

Unauthorized entry prohibited.

(NW-C-0151-22)

**\*614(T)/22 Canal de la Rive Sud – Bridge Repair Work**

Reference chart: 1429

Repair work in progress at the Honoré-Mercier Bridge (upstream) between Lasalle and Kahnawake. Bridge deck installed under the bridge span.

(NW-Q-1810-19)

**\*617(T)/22 Lac Saint-Louis – Aids to Navigation Temporarily Established**

Reference chart: 1430

Six yellow lighted buoys marking a 400 metres breakwater awash temporarily established at the following coordinates:

45° 20' 44.5"N 073° 50' 32.9"W	45° 21' 00.3"N 073° 50' 11.6"W
45° 20' 47.7"N 073° 50' 29.4"W	45° 21' 05.4"N 073° 50' 07.6"W
45° 20' 50.0"N 073° 50' 24.1"W	45° 21' 11.8"N 073° 50' 04.6"W

(NW-Q-0579-22)

**\*109(T)/23 Port Hope Harbour – Dredging Operations**

Reference: Notice 809(T)/18 is cancelled.

Reference chart: 2053

Dredging and wall repair operations in Port Hope Harbour. Entrance to the western basin is blocked. Caution.

**\*313(T)/24 Havres et Mouillages - Harbours and Anchorages - Côte-Nord/North Shore –  
Waterway Information: Reduction of Capacity at Mooring Bollards**

Reference chart: 4452

Capacity reduced to 10 metric tons for bollards B01, B10, B12, B14 and B17 and 20 metric tons for bollards B03 to B09, B11, B13, B15, B16 and B18 at Natashquan public wharf. Bollard B02 is still out of order.

(NW-C-0292-24)

**\*728(T)/24 Toronto Harbour – Marine Works - Overhead Construction**

Reference: Notice 415(T)/23 is cancelled (Chart 2085).

Position : 43° 37' 44.3"N 079° 25' 04.3"W

Overhead construction taking place in the North Marina of Ontario Place between West Island and East Island. Waterway closed to marine traffic.

**\*814(T)/24 Hamilton Harbour – Waterway Information – Shallow Depth Reported**

Reference chart: 2067

The southern section of the Pier 10 slip south of 43° 16' 26.1"N 079° 51' 01.9"W does not have the minimum seaway draft.

Mariners are to contact the Hamilton Harbour Master's office at 1 (905) 525-3412 to obtain soundings.

(NW-C-2395-23)

**\*815(T)/24 Port of Thunder Bay – Obstruction – Lost Anchor**

Reference chart: 2314

Anchor and chain lost at the following coordinates:

48° 19' 24.0"N 089° 09' 30.0"W

(NW-C-1623-24)

**\*910(T)/24 Kingston Harbour and Approaches/et les approches – Construction Operations**

Reference: Notice 1012(T)/20 is cancelled (Chart 2017).

Reference chart: 2017

Wharf construction is taking place daily from 1100 UTC to 2300 UTC at the Kingston-Wolfe Island ferry terminal. The ferry remains operational. Vessels are not permitted to dock on the south side. The construction area is marked by yellow buoys equipped with yellow flashing lights.

**\*1212(T)/24 Nipigon Bay and Approaches/et les approches – Waterway Information:  
Shallow Depths Reported**

Reference chart: 2312

Shallow depths reported at the following coordinates:

48° 55.084'N 088° 12.705'W : 34.41 metres  
48° 50.163'N 088° 07.517'W : 47.39 metres  
48° 47.846'N 088° 05.353'W : 40.96 metres  
48° 46.635'N 088° 05.030'W : 33.89 metres  
48° 45.630'N 088° 05.071'W : 8.72 metres  
48° 44.243'N 088° 05.666'W : 20.05 metres

(NW-C-1969-24)

**\*515(T)/25 Croil Islands to/à Cardinal – Obstruction: Submerged Object**

Reference chart: 1434

Lost anchor reported in the vicinity of 44° 56.391'N 075° 02.670'W.

(NW-C-0892-25)

**\*516(T)/25 Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works:  
Pipeline Installation**

Reference chart: 2077

Pipeline installation taking place daily until November 2025 during daylight hours south of RC Harris Water Treatment Plant. Barges and workboats on scene marked and lit at night.

(NW-C-0721-25)

**\*608(T)/25 Cobourg to/à Oshawa – Waterway Information: Shoal**

Reference chart: 2058

Increased silting reported in the area. Mariners are to call the Harbour Masters Office at 1 (905) 525-3412 to obtain up-to-date soundings of navigational channel.

(NW-C-3326-24)

**\*710(T)/25 Hamilton Harbour – Waterway Information: Shallow Depth Reported**

Reference chart: 2067

Vessels transiting the East end of Hamilton Harbour are to use caution as the following area is not seaway draft.

43° 16.315'N 079° 47.353'W

43° 16.323'N 079° 47.324'W

43° 16.297'N 079° 47.263'W

43° 16.278'N 079° 47.336'W

Mariners are to call the harbour masters office at 1 (905) 525-3412 for the most recent soundings.

(NW-C-3449-24)

**\*711(T)/25 Port of Thunder Bay – Obstruction: Submerged Object**

Reference chart: 2314

Lost anchor reported in the vicinity of 48° 25.817'N 089° 09.633'W.

(NW-C-0603-25)

**\*712(T)/25 Whiskey Jack Island to/à Red Deer River – Waterway Information: Shallow Depth Reported**

Reference chart: 6274

Shallower depth of 90 centimetres located at 52° 58.444'N 100° 58.654'W.

(NW-C-1757-23)

**\*713(T)/25 Lake Manitoba / Lac Manitoba (Southern Portion / Partie sud) – Waterway Information: Shallow Depth Reported**

Reference chart: 6505

Shallower depth of 78 centimetres located at 50° 41.927'N 098° 42.258'W.

(NW-C-1756-23)

**\*811(T)/25 Lac Saint-Louis – Marine works: Construction and Drilling Operations**

Reference: Notice 413(T)/24 is cancelled (Chart 1430).

Reference chart: 1430

Ongoing construction and drilling operations are taking place in the vicinity of the Île-aux-Tourtes bridge. Barges and boats are on site.

Yellow cautionary buoys temporarily established under the bridge. The areas are delimited by the following coordinates:

Area 1:		Area 2:	
Pt 1:	45° 25.215'N 73° 59.337'W	Pt 1:	45° 25.258'N 73° 58.831'W
Pt 2:	45° 25.236'N 73° 59.094'W	Pt 2:	45° 25.266'N 73° 58.750'W
Pt 3:	45° 25.187'N 73° 59.081'W	Pt 3:	45° 25.216'N 73° 58.733'W
Pt 4:	45° 25.160'N 73° 59.426'W	Pt 4:	45° 25.211'N 73° 58.820'W

Lit steel pile installed at 45° 25' 15.4"N 73° 58' 58.0"W showing 2 metres above the surface.

Suspended platform installed at 45° 25' 14.0"N 73° 58' 44.0"W, reducing bridge clearance by 4 metres.

Minimum wake.

(NW-C-0336-24, 3106-24)

**\*812(T)/25 Carleton Island to/au Charity Shoal – Obstruction: Submerged Object**

Reference chart: 1439

Anchor fluke reported lost at 44° 05.110'N 076° 23.880'W.

(NW-C-2383-25)

**\*813(T)/25 Ottawa to/à Smiths Falls – Marine Works: Bridge Construction**

Reference chart: 1512

Construction operations taking place daily, 24 hours a day at the Patterson Creek Bridge. Buoys temporarily established between Pretoria Avenue Bridge and Bank Street Bridge.

(NW-C-1827-25)

**\*1014(T)/25 Kingston Harbour and Approaches/et les approches – Obstruction: New docks**

Reference chart: 2017

New floating docks with lights permanently installed at the Kingston Yacht Club.

(NW-C-2930-25)

**\*1015(T)/25 Georgian Bay / Baie Georgienne – Obstruction: Scientific and Subsurface Moorings**

Reference: Notice 610(T)/25 is cancelled.

Reference chart: 2201, 2261, 2282, 2291

Sixteen subsurface moorings and one surface mooring temporarily established along the shoreline near Bruce Power at the following coordinates:

Subsurface Moorings			
(1)	44° 26.017'N 081° 30.857'W	(41)	44° 19.801'N 081° 36.649'W
(7)	44° 22.858'N 081° 34.021'W	(43)	44° 15.846'N 081° 37.043'W
(8)	44° 22.052'N 081° 35.001'W	(45)	44° 25.244'N 081° 29.423'W
(9)	44° 22.779'N 081° 32.357'W	(46)	44° 20.833'N 081° 33.944'W
(12)	44° 21.698'N 081° 34.509'W	(47)	44° 20.568'N 081° 34.039'W
(29)	44° 15.833'N 081° 38.578'W	(ol3)	44° 45.321'N 081° 18.556'W
(30)	44° 15.837'N 081° 36.701'W	(B)	44° 13.890'N 081° 37.395'W
(39)	44° 25.559'N 081° 30.119'W	(F)	44° 34.028'N 081° 21.425'W
Surface Mooring			
(SPOT- 32256C)	44° 23.404'N 081° 32.310'W		

(NW-C-3250-25)

**\*1109(T)/25 Portage-du-Fort à/to Île Marcotte – Aids to Navigation Unlit**

Reference chart: 1552, 1553

The following aid to navigation is currently unlit:

Aid Name	No. LL	Position
Desjardinsville	1307	45° 50' 42.4"N 077° 06' 52.4"W

(NW-C-1381-22)

**\*1110(T)/25 Lake Ontario/Lac Ontario (Western Portion/Partie Ouest) – Marine Works**

Reference: Notice 815(T)/25 is cancelled.

Reference chart: 2077

Construction operations taking place daily 24 hours a day until September 30, 2026 at the Toronto Hunt course. Dredges, barges, tug boats, construction equipment and sedimentation control structures will be on scene.

(NW-C-3380-25)

**\*1111(T)/25 Toronto Harbour – Obstruction : Turbidity Curtain**

Reference chart: 2085

Lit turbidity curtains installed on both sides of the sewer outflow pipes.

(NW-C-3420-24)

**\*1212(T)/25 Mouillages et Installations Portuaires/Anchorages and Harbour Installations - Haute Côte-Nord – Obstruction : Submerged Object**

Reference chart: 1226

Lost anchor reported in the vicinity of 49° 15.410'N 068° 07.260'W.

(NW-C-3650-25)

**\*110(T)/26 Port of Thunder Bay – Aids to Navigation Temporarily Established**

Reference chart: 2314

Red spar buoy D8 temporarily established at 48° 23.644'N 089° 12.809'W. Buoy is FI R 5s.

(NW-C-0928-24)

**\*215(T)/26 Port Maitland to/à Dunnville – Obstruction: Submerged Breakwater**

Reference chart: 2140

Partially submerged section of the breakwater reported in the vicinity of 42° 51.25'N 079° 34.67'W.

(NW-C-0101-26)

**\*413(T)/26 Peterborough to/à Buckhorn including/y compris Stony Lake – Bridge Horizontal Clearance Change**

Reference chart: 2023, 2024

The horizontal clearance of the Faryon Bridge at 44° 21.495'N 078° 17.394'W is reduced to 10.67 metres from November 1<sup>st</sup> to April 30<sup>th</sup> and 21.34 metres from May 1<sup>st</sup> to October 31<sup>st</sup> for bridge work.

Scaffolding are present on both sides of the bridge marked with flashing markers and yellow buoys.

Lit barges 9 metres by 9 metres are on site.

(NW-C-0687-26)

**\*414(T)/26 Toronto Harbour – Marine Works: Underwater Construction**

Reference: Notice 609(T)/25 is cancelled.

Reference chart: 2085

Underwater construction operations taking place in the vicinity of Ashbridge Bay from April 13<sup>th</sup> to December 1<sup>st</sup>. Barges on site.

## Preliminary Notices

### Central Region

#### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent  
Aids to Navigation & Waterways  
Canadian Coast Guard, Central Region  
1550 D'Estimauville Avenue  
Québec, QC G1J 5E9  
Telephone: (418) 648-7450  
Emails:  
St. Lawrence Region: [DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca](mailto:DFO.AtoNStLawrence-StLaurentAalaN.MPO@dfo-mpo.gc.ca)  
Great Lakes Region:  
[DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca](mailto:DFO.CCGCentralAtoNGreatLakes-GrandsLacsAalaNCentreGCC.MPO@dfo-mpo.gc.ca)

### **\*216(P)/26 Rapides-des-Joachims au/to Lac la Cave – Notice of Proposed Changes**

Reference chart: 1554

The Canadian Coast Guard proposes to permanently change the following aids to navigation:

Aid Name	LL No.	Position	Proposed Changes
<b>Fixed Aids</b>			
Marsh Lake Point	1314	46° 11' 32.2"N 077° 45' 07.1"W	Discontinue aid to navigation.
Mackey Point	1315	46° 12' 06.2"N 077° 49' 41.1"W	Discontinue aid to navigation.
Stonecliffe	1316	46° 13' 08.2"N 077° 54' 05.1"W	Discontinue aid to navigation.
Bissett Bay Point	1317	46° 14' 37.7"N 078° 01' 16.1"W	Discontinue aid to navigation.
Powell Creek	1318	46° 14' 06.4"N 078° 01' 35.5"W	Discontinue aid to navigation.
Deerhorn Rock	1319	46° 16' 28.8"N 078° 09' 12.2"W	Discontinue aid to navigation.
Deux Rivières	1320	46° 15' 44.9"N 078° 16' 55.1"W	Discontinue aid to navigation.
Bear Point	1321	46° 15' 18.3"N 078° 19' 10.1"W	Discontinue aid to navigation.
Bald Rock	1322	46° 17' 02.4"N 078° 22' 19.2"W	Discontinue aid to navigation.
Mattawa Bridge East Starboard Daybeacon	7000.002	46° 19' 31.1"N 078° 42' 17.1"W	Increase daybeacon size.
Mattawa Bridge West Starboard Daybeacon	7000.003	46° 19' 28.5"N 078° 42' 17.1"W	Increase daybeacon size.
Mattawa Bridge East Port Daybeacon	7000.004	46° 19' 28.6"N 078° 42' 16.8"W	Increase daybeacon size.

Notices to Mariners – Monthly Summary of Temporary and Preliminary Notices  
Inland Waters

Aid Name	LL No.	Position	Proposed Changes
Mattawa Bridge West Port Daybeacon	7000.005	46° 19' 27.0"N 078° 42' 17.3"W	Increase daybeacon size.
<b>Floating Aids</b>			
Buoy K76	7643	46° 11' 57.1"N 077° 47' 08.6"W	Discontinue buoy.
Buoy K77	7644	46° 12' 04.7"N 077° 49' 25.6"W	Discontinue buoy.
Buoy K79	7645	46° 13' 11.0"N 077° 54' 00.2"W	Discontinue buoy.
Maraboo Buoy K72	7645.5	46° 14' 29.0"N 078° 01' 45.2"W	Establish an unlit starboard buoy.
Buoy K82	7647	46° 14' 23.3"N 078° 02' 05.8"W	Change the buoy designator from K82 to K74.
Buoy K84	7648	46° 13' 57.2"N 078° 03' 49.2"W	Discontinue buoy.
Buoy K89	7650	46° 16' 30.7"N 078° 09' 04.1"W	Change the buoy designator from K89 to K75.
Buoy K90	7651	46° 14' 24.4"N 078° 13' 42.1"W	Change the buoy designator from K90 to K76.
Deux Rivières Buoy K78	7651.5	46° 15' 53.7"N 078° 16' 53.6"W	Establish an unlit starboard buoy.
Buoy K93	7652	46° 15' 19.7"N 078° 17' 49.1"W	Change the buoy designator from K93 to K79.
Bear Point Buoy K80	7652.5	46° 15' 24.1"N 078° 19' 06.3"W	Establish an unlit starboard buoy.
Buoy K94	7653	46° 17' 00.2"N 078° 22' 21.7"W	Change the buoy designator from K94 to K82.
Buoy K95	7654	46° 17' 59.9"N 078° 31' 30.5"W	Discontinue buoy.
Buoy K98	7656	46° 18' 54.6"N 078° 34' 45.8"W	Discontinue buoy.
Buoy K100	7657	46° 19' 05.6"N 078° 40' 47.3"W	Change the buoy designator from K100 to K84.
Buoy K101	7658	46° 19' 10.0"N 078° 41' 40.6"W	Change the buoy designator from K101 to K85.
Buoy K103	7660	46° 19' 17.1"N 078° 42' 05.9"W	Change the buoy designator from K103 to K87.
Buoy K107	7663	46° 19' 20.0"N 078° 42' 24.4"W	Change the buoy designator from K107 to K93.
Buoy K108	7664	46° 19' 31.6"N 078° 42' 36.9"W	Change the buoy designator from K108 to K94.
Buoy K96	7664.5	46° 20' 46.1"N 078° 43' 42.1"W	Establish an unlit starboard buoy.

Initial publication date: Friday, February 27, 2026

[Comment submission deadline](#): Thursday, May 28, 2026

(B2026-004)

## Pacific Coast

### Temporary Notices

#### \*1112(T)/25 Halibut Bank to à Ballenas Channel – Waterway Information – ODAS Buoy

Reference chart: 3456

An ODAS buoy has been deployed north of Ballenas Islands at 49° 21.212'N 124° 09.737'W displaying FI (Y) 5 20s.

(NW-P-1483-25)

### Preliminary Notices

#### Western Region

##### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

A/Superintendent, Marc Jourdenais  
Aids to Navigation & Waterways  
Canadian Coast Guard, Western Region  
25 Huron Street  
Victoria, BC V8V 4V9  
Telephone: (250) 480-2602  
Fax: (250) 480-2702  
Email: [marc.jourdenais@dfo-mpo.gc.ca](mailto:marc.jourdenais@dfo-mpo.gc.ca)

#### \*311(P)/26 Fraser River/Fleuve Fraser, Sand Heads to à Douglas Island – Range Lights to be Discontinued

Reference chart: 3490

The Canadian Coast Guard proposes to permanently discontinue the following aids to navigation:

Aid Name	LL No.	Position
Sea Reach front range	5233.1	49° 06' 07.8"N 123° 09' 32.5"W
Sea Reach rear range	5233.2	49° 06' 06.1"N 123° 09' 30.0"W

Initial publication date: Friday, March 27, 2026

[Comment submission deadline](#): Thursday, June 25, 2026

(P2026-013)

## Arctic Coast

### Temporary Notices

#### **\*1210(T)/20 Demarcation Bay to/à Philips Bay – Mobile Offshore Drilling Unit Temporarily Established**

Reference: Notice 616(T)/07 is cancelled.

Reference chart: 7661

The unmanned mobile offshore drilling unit “SDC” continues to be temporarily established at 69° 24.71'N 138° 53.76'W. The structure is 202.4 metres long and 53 metres wide.

For information, contact Captain Connelly at 1-250-598-4513 or 1-250-744-9818 or e-mail at [doncon@islandnet.com](mailto:doncon@islandnet.com) or [dcmarine@shaw.ca](mailto:dcmarine@shaw.ca).

#### **\*216(T)/24 Canadian Coast Guard – Obstruction : Scientific Moorings**

Scientific moorings established at position 71° 58' 01.2"N 095° 03' 52.8"W. Least depth 122.8 metres.

(NAVAREA XVIII 32/2011)

#### **\*217(T)/24 Canadian Coast Guard – Obstruction : Scientific Mooring**

Scientific mooring established at position 75° 06' 01.1"N 168° 00' 02.5"W. Top float 42 metres.

(NAVAREA XVII 30/2011)

#### **\*418(T)/25 Arctic Archipelago / Archipel de l'Arctique – Obstruction – Subsurface Moorings**

Reference chart: 7000

Scientific subsurface moorings at the following coordinates:

Mooring A:	71° 37.87' N 157° 19.58'W	Top float 65 metres.
Mooring B:	71° 25.33'N 152° 44.10'W	Top float 77 metres.
Mooring C:	70° 50.09'N 146° 23.56'W	Top float 58 metres.
Mooring BGOS-A	75° 00.01'N 150° 00.00'W	Top float 30 metres. Depth of 3826 metres.
Mooring BGOS-D	73° 59.64'N 139° 58.95'W	Top float 30 metres. Depth of 3504 metres.
Mooring BGOS-B	77° 59.99'N 150° 00.00'W	Top float 30 metres. Depth of 3824 metres.

(NAVAREA XVII 77/2016, 4/2022)

**\*419(T)/25 Paallavik to/à Kangiqtugaapik – Obstruction – Scientific Mooring**

Reference chart: 7053

Scientific subsurface mooring at position 69° 54.66' N 066° 48.42'W. Top float 221 metres.

(NAVAREA XVIII 56/2021)

**\*420(T)/25 Clyde Inlet to/à Cape Jameson – Obstruction – Subsurface Mooring**

Reference chart: 7565

Scientific subsurface mooring at position 71° 08.07' N 070° 49.51'W. Top float 248 metres.

(NAVAREA XVIII 113/2022)

**\*421(T)/25 Franklin Bay and/et Darnley Bay – Obstruction – Subsurface Mooring**

Reference chart: 7665

Scientific subsurface mooring at position 70° 02.434' N 126° 18.404'W. Top float 223 metres.

(NAVAREA XVII 92/2019)

**\*422(T)/25 Prince Albert Sound, Western Portion/ Partie Ouest – Obstruction – Subsurface Mooring**

Reference chart: 7668

Subsurface mooring at position 70° 42.59' N 117° 51.21'W. Top float 37 metres.

(NAVAREA XVIII 112/2021)

**\*423(T)/25 Approaches to/Approches à Cambridge Bay – Obstruction – Subsurface Buoy and Apparatus**

Reference chart: 7750

Oceanographic observatory installed. Cable on the sea floor at 69° 06.83' N 105° 03.58' W extends at a depth of 8 metres to an instrument platform at 69° 06.79' N 105° 03.86' W, then to a secondary hydrophone platform at 69° 06.75' N 105° 03.88' W, at a depth of 13 metres. The cable extends at a depth of 8 metres from the primary instrument platform to a secondary instrument tripod at 69° 06.78' N 105° 03.83' W. A rope with floats and weights extends approximately 42 metres southeast of the secondary hydrophone platform to an end point at 69° 06.73' N 105° 03.86' W.

(NAVAREA XVIII 127/2021, NW-A-0202-21)

## **Preliminary Notices**

---

### **Arctic Region**

#### Comment Submission

Comments on proposed changes in preliminary (P) notices are solicited from mariners and other interested parties within three months of the initial publication date. Following this date, the notices will be cancelled. Any objections raised must state the facts on which they are based and should include supporting information on safety, commerce and public benefit.

Comments should be directed to the following:

Superintendent,  
Aids to Navigation & Waterways  
Canadian Coast Guard, Arctic Region  
5120 49th Street  
Yellowknife NT. X1A 1P8  
Telephone: (867) 444-0109  
Email: [DFO.CCGArcticAidstoNavigation-  
AidesalanavigationArctiqueGCC.MPO@dfo-  
mpo.gc.ca](mailto:DFO.CCGArcticAidstoNavigation-AidesalanavigationArctiqueGCC.MPO@dfo-mpo.gc.ca)

No notices applicable for this edition.

## Other (T) & (P) Notices

### Temporary Notices

#### **\*1105(T)/15 Canada – Safety of Offshore Exploration and Exploitation Vessels**

Reference: Notice 410(T)/2007 is cancelled.

2015 Annual Edition of Notices to Mariners, Notice No. 20, pages A20-1 to A20-4.

Mariners are advised that offshore exploration and exploitation vessels may be conducting drilling operations in the following areas:

Gulf of St. Lawrence

NIL

Mainland NWT

NIL

Mackenzie Delta NWT/Beaufort Sea

NIL

Arctic Islands of the NWT/Arctic Islands of Nunavut

NIL

Eastern Arctic Offshore

NIL

Davis Strait

NIL

**NOTE:** Mariners are advised to obtain up-to-date position reports on drilling vessels and production installations before entering an area of exploration and exploitation. This information is available by contacting, as appropriate, ECAREG CANADA, NORDREG CANADA or CVTS OFFSHORE via any Marine Communications and Traffic Services Centre (MCTS).

(NOTSHIP M2215/15) (NEB)

#### **\*1027(T)/24 Canadian Coast Guard – Automatic Identification System (AIS)**

Reference: Notice \*111(T)/23 is cancelled.

Mariners are advised that the Canadian Coast Guard (CCG) has brought AIS aids to navigation (AIS AtoN) to full operational capability.

Some AIS AtoN that were deployed in a testing capacity may either be maintained or discontinued at the discretion of CCG Regions, while those deployed outside established CCG levels of service may continue to be maintained in an experimental capacity. Changes to CCG aids to navigation are communicated via Notices to Mariners.

General information on AIS and AIS AtoN is available on the [CCG e-Navigation Maritime Information Portal](#) and in the [Canadian Aids to Navigation System](#). Specific information on deployed AIS AtoN is available on the [e-Navigation](#) website.

**\*1215(T)/24 Canadian Coast Guard – Automatic Identification System Application  
Specific Messages (AIS ASM) Trial**

The Canadian Coast Guard (CCG) is testing Automatic Identification System Application Specific Messages (AIS ASM) nationwide. These broadcasts provide mariners on vessels with properly configured shipborne equipment with dynamic information such as water levels, weather, air gap, and a specific area or line displayed as a digitalized signal. A detailed listing of currently broadcasted Coast Guard AIS ASM is contained in the [interactive map](#) on the Canadian e-Navigation Portal. Additional information on AIS ASM may be found in IMO SN.1 Circ 289 [Guidance on the Use of AIS Application-Specific-Messages](#).

Please contact the manufacturer of your specific equipment for instructions on how to receive AIS ASM. Any questions or concerns related to the broadcast may be directed to the Coast Guard [e-Navigation Team](#) or any Canadian Coast Guard Marine Communications and Traffic Services (MCTS) Centre.

---

**Preliminary Notices**

No notices applicable for this edition.