

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>PRINCE EDWARD ISLAND</b>								
942	<i>East Point Reef East Cardinal light and whistle buoy NDN</i>	<i>Off East reef. 46 28 04.2 61 56 14.6</i>	<i>Q(3) W</i>	<i>10s</i>	<i>.....</i>	<i>.....</i>	<i>Black, yellow and black, marked "NDN".</i>	<i>Seasonal.</i>
							<b>Chart:4023</b>	
943 H920	East Point	Near S. shore of point. 46 27 09.1 61 58 18.6	Fl W	5s	27.1	11	White octagonal tower, red upper portion. 19.5	Flash 2 s; eclipse 3 s.
							<b>Chart:4403 Edn 12/10(G10-182)</b>	
946	<i>Souris Harbour light and whistle buoy NA</i>	<i>Entrance to Colville Bay. 46 19 46.1 62 15 23.7</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "NA- Souris Harbour".</i>	<i>Seasonal.</i>
							<b>Chart:4419</b>	
947 H922	Souris East	On Knight Point, SE. of breakwater. 46 20 45.1 62 14 50.9	Iso W	4s	27.2	13	White square tower, red upper portion. 14.4	Operates at night only. Year round.
							<b>Chart:4419</b>	
948 H924	Souris East Breakwater	On outer end of breakwater. 46 20 51.0 062 15 17.4	Fl R	4s	10.5	8	Square skeleton tower. 9.1	Flash 1 s; eclipse 3 s.
							<b>Chart:4419 Edn 07/16</b>	
948.05	<i>Rollo Bay light buoy NC1</i>	<i>46 19 24.2 62 19 27.7</i>	<i>Q G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "NC1".</i>	<i>Seasonal.</i>
							<b>Chart:4403</b>	
948.1	<i>Fortune Bay Entrance light buoy NC6</i>	<i>46 19 42 62 20 24</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NC6".</i>	<i>Seasonal.</i>
							<b>Chart:4403</b>	
948.2	<i>Fortune Bay Entrance light buoy NC8</i>	<i>46 19 42 62 20 42</i>	<i>Q R</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Red spar, marked "NC8".</i>	<i>Seasonal.</i>
							<b>Chart: N/A</b>	
948.3 H0925	Fortune Bay North Sector	SW. corner of N. wharf. 46 19 44 62 21 00.9	F R W G	.....	6.9	9	Square skeleton tower, red and white rectangular daymark. 5.4	Red from 265° through W. to 280°; white from 280° to 282°; green from 282° to 291°. White sector indicates preferred channel. Seasonal.
							<b>Chart:4403</b>	
948.5	<i>Annandale light buoy NE</i>	<i>In Boughton Bay. 46 14 31.2 62 23 00.7</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "NE".</i>	<i>Seasonal.</i>
							<b>Chart:4421</b>	
948.6	<i>Grand River East light buoy NE2</i>	<i>46 14 55.8 62 24 54.1</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "NE6".</i>	<i>Seasonal.</i>
							<b>Chart:4421 Edn 09/14(G14-040)</b>	
949.5	Annandale Sector light	On Banks Point 46 15 32.9 62 25 19.7	F R W G	.....	9.1	13	White Square tower, red upper portion.	Green from 304° 30'00 to 303° 30'00 White from 303° 30'00 to 302° 30'00 Red From 302° 30'00 To 301° 30'00 White sector indicate preferred channel. Operates 24h.
							<b>Chart:4421 Edn 02/15 (G14-208)</b>	

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
950.1	Annandale light buoy NE5	Boughton Bay. 46 15 09.7 62 24 30.8	Fl G	4s	.....	Green, marked "NE5".	Seasonal.  Chart:4421 Edn 09/14(G14-044)
950.12	Annandale light buoy NE7	46 15 17 62 24 50.9	Q G	1s	.....	Green, marked "NE7".	Seasonal.  Chart:4421 Edn 09/14 (G14-046)
950.15	Annandale light buoy NE9	Grand River East 46 15 24.3 062 25 19.9	Fl G	4s	.....	Green spar marked "NE9".	Seasonal.  Chart:4421 Edn 05/16 (G16-041)
950.2	Banks Point light buoy NE10	SE. of Annandale wharf. 46 15 25.2 62 25 15.9	Fl R	4s	.....	Red spar, marked "NE10".	Seasonal.  Chart:4421 Edn 09/14 (G14-049)
950.3 H0928.15	Annandale West Breakwater	46 15 29 62 25 29	Q G	1s	3.9	1 Pipe swing pole, green and white square daymark, green square in centre. 3.3	Seasonal.  Chart:4421 Edn 02/13 (G12-217)
951 H0930	Launching Pond Breakwater	On outer end of N. breakwater. 46 13 13.3 062 24 32.6	Fl R	3s	5.4	4 Cylindrical mast. 3.7	Flash 1 s; eclipse 2 s. Privately maintained. Seasonal.  Chart:4421 Edn 08/09 (G09-043) Edn 04/15 (G15-017) Edn 06/15 (G15-037)
951.2 H0931	Launching Pond South Breakwater	46 13 12.3 62 24 33.6	Fl G	4s	4.5	4 Cylindrical mast. 3.6	Privately maintained. Seasonal.  Chart:4421 Edn 08/09 (G09-044) Edn 04/15 (G15-018)
951.5	Launching Pond light buoy NY2	46 13 06.2 62 24 05.8	Fl R	4s	.....	Red spar, marked "NY2".	Seasonal.  Chart:4421
951.6	Cardigan River light buoy NJ2	46 12 03.2 62 29 51.2	Fl R	4s	.....	Red, marked "NJ2".	Seasonal.  Chart:4422
951.7	Upper Cardigan (MacPhee Shoal) light buoy NJ3	46 12 02.7 62 30 20.6	Fl G	4s	.....	Green spar, marked "NJ3".	Seasonal.  Chart:4422
951.75	Cardigan river(Morrison's Beach) light buoy NJ7	46 12 52.5 62 32 07.1	Fl G	4s	.....	Green ,marked "NJ7".	Seasonal  Carte:4422 Edn. 03/14 (G13-142) Edn. 04/14 (G13-142)
951.8	Cardigan River light Buoy NJ14	Green's Point 46 13 24.2 62 33 48.6	Fl R	4s	.....	Red, marked "NJ14".	Seasonal.  Carte:4422 Edn. 03/14 (G14-008)
951.85	Cardigan River (Wilson's Point) light buoy NJ15	46 13 23.7 62 34 16.6	Q G	1s	.....	Green,marked"NJ15".	Seasonal.  Carte:4422 Edn. 03/14 (G14-009)

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>PRINCE EDWARD ISLAND</b>								
951.9	Cardigan River (Crawford's Point) light buoy NJ18	46 13 24.2 62 34 52.6	Q R	1s	.....	Red, marked "NJ18".	Seasonal.  Carte:4422 Edn. 03/14 (G14-011)	
951.91	Cardigan River light buoy (Owen's Flats) NJ23	46 13 56.2 62 36 25.6	Q G	1s	.....	Green, marked "NJ23".	Seasonal.  Chart:4422 Edn 08/14	
951.95	Cardigan River light buoy NJ25	46 13 59.2 62 36 33.6	Fl G	4s	.....	Green, marked "NJ25".	Seasonal.  Chart:4422 Edn 02/14 (G14-012)	
952	Cardigan River light buoy NJ30	46 13 55 62 36 44.1	Q R	1s	.....	Red, marked "NJ30".	Seasonal.  Chart:4422 Edn 02/14 (G14-010)	
952.5	Georgetown light buoy NH	In Cardigan Bay. 46 09 15.2 62 27 01.6	Mo(A) W	6s	.....	Red and white vertical stripes, marked "NH".	Seasonal.  Chart:4422	
953 H932	<b>Panmure Head</b>	SE. extremity of Cardigan Bay. 46 08 39.2 62 27 59.6	Fl W	4s	25.0	19 White octagonal tower, red upper portion. 18.6	Year round.  Chart:4422 Edn 04/10 (G10-018)	
953.4	Cardigan Shoal light buoy NH4	46 09 41.6 062 29 53.9	Fl R	4s	.....	Red spar, marked "NH4".	Seasonal. (In place year round). Operates 24h.  Carte: 4422 Éd. 08/16 (G16-113)	
953.5	Wheeler Bar light buoy NH3	46 09 31.1 062 29 34.5	Fl G	4s	.....	Green spar, marked "NH3".	Winter spar. Seasonal. (In place year round).  Chart: 4422 Edn 07/15 (G15-041)	
953.7	Georgetown Range light buoy NH9	46 09 45.3 62 31 00.7	Q G	1s	.....	Green spar, marked "NH9".	Chart: 4422 Edn 08/15 (G15-054)	
954	St. Andrews Point light buoy NH10	46 09 55.2 062 31 13.7	Q R	1s	.....	Red spar, marked "NH10".	Seasonal (in place year round).  Chart:4422 Edn 03/17 (G17-007)	
955 H936	On St. Andrew Point, SW. side of entrance. 46 09 50.6 62 31 44.5	F W	.....	11.3	11	Cylindrical tower, white and red bands. 7.1	Year round.	
	Georgetown range	280°03' 617.6m from front.	F W	.....	17.5	11	White square tower, red upper portion, red vertical stripe. 13.4	Visible in line of range. Year round.  Chart:4422
956 H936.1								
956.15	Gaudin Point light buoy NH14	46 10 32.2 62 32 26.6	Fl R	4s	.....	Red spar, marked "NH14".	Seasonal.  Chart:4422	

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
956.2	Thrumcap Spit light buoy NH12	Off Spit. 46 10 08.7 62 31 33.6	Fl R	4s	.....	Red, marked "NH12".	Seasonal.  <b>Chart:4422</b>
956.3	Aitken Point light buoy NH15	Montague River entrance. 46 10 34.2 62 33 03.6	Q G	1s	.....	Green, marked "NH15".	Seasonal.  <b>Chart:4422</b>
956.4	Brudenell Point light buoy NH18	46 10 34.2 62 33 36.7	Q R	1s	.....	Red spar, marked "NH18".	Seasonal.  <b>Chart:4422</b>
957 H0939	Lower Montague Wharf	NE. corner of wharf. 46 10 14.2 62 33 46.5	Fl G	4s	6.0	5 Cylindrical mast. 5.1	Flash 1 s; eclipse 3 s. Seasonal.  <b>Chart:4422</b>
957.3	Montague River light buoy NH22	46 10 30.2 62 35 58.6	Fl R	4s	.....	Red, marked "NH22".	Seasonal.  <b>Chart:4422</b>
957.4	Montague River light buoy NH23	46 10 30.2 62 36 21.6	Q G	1s	.....	Green, marked "NH23".	Seasonal.  <b>Chart:4422</b>
957.41	Montague River light buoy NH27	46 10 16.2 62 36 57.6	Fl G	4s	.....	Green spar, marked "NH27".	Seasonal.  <b>Chart:4422</b>
957.5	Montague River light buoy NH30	46 10 06.2 62 37 13.6	Q R	1s	.....	Red, marked "NH30".	Seasonal  <b>Chart:4422</b>
957.7	Montague River light buoy NH38	46 10 00.7 62 37 57.6	Fl R	4s	.....	Red, marked "NH38".	Seasonal.  <b>Chart:4422</b>
957.8	Montague River light buoy NH43	46 10 01.2 62 38 19.6	Q G	1s	.....	Green, marked "NH43".	Seasonal.  <b>Chart:4422</b>
958.5	Graham Ledge light buoy NP	46 05 45.2 62 25 57.7	Mo(A) W	6s	.....	Red and white vertical stripes, marked "NP".	Seasonal.  <b>Chart:4403</b>
959 H0949	Graham Pond	On outer end of N. breakwater. 46 05 46.7 62 27 04.5	Iso R	4s	6.0	6 Square skeleton tower. 5.1	Seasonal.  <b>Chart:4403 Edn 09/10 (G10-145)</b>
960 H0949.2	Graham Pond South Breakwater	46 05 46.1 62 27 06.2	Fl G	6s	4.3	4 Square skeleton tower. 3.6	Flash 1 s; eclipse 5 s. Seasonal.  <b>Chart:4403 Edn 06/10 (G10-089)</b>
960.1 H0949.3	Graham Pond West Breakwater	46 05 47.7 62 27 03.4	Fl Y	4s	3.6	2 Cylindrical mast. 2.6	Privately maintained. Seasonal.  <b>Chart:4403</b>
960.2 H0949.4	Graham Pond East Breakwater	46 05 46.8 62 27 01.6	Fl R	4s	3.2	2 Cylindrical mast. 2.6	Flash 1 s; eclipse 3 s. Privately maintained. Seasonal.  <b>Chart:4403</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
961	Murray Harbour light buoy NM	Off harbour entrance. 46 02 05.2 62 27 08.2	Mo(A) W	4s	.....	.....	Red and white vertical stripes spar, marked "NM".  <b>Chart:4420</b>
963	Murray Harbour Entrance light buoy NM3	E. of Oldstore Point. 46 01 40.2 62 27 46.2	Fl G	4s	.....	.....	Green marked "NM3". <b>Seasonal.</b>  <b>Chart:4420</b> <b>Edn 08/13 (G13-092)</b> <b>Edn 09/14 (G14-082)</b>
963.5	Murray Harbour light buoy NM6	Off Oldstore Point. 46 01 31.6 62 28 18.8	Fl R	4s	.....	.....	Red, marked "NM6". <b>Seasonal.</b>  <b>Chart:4420</b> <b>Edn 09/10 (G10-115)</b>
963.6	Murray Harbour light buoy NM7	46 01 21.6 62 28 39	Q G	1s	.....	.....	Green, marked "NM7". <b>Seasonal.</b>  <b>Chart:4420</b> <b>Edn 10/10(G10-120)</b> <b>Edn 08/11(G11-219)</b> <b>Edn 09/14 (G14-080)</b>
964 H0954	Murray Harbour range	On Oldstore Point, S. side of harbour. 46 01 17.5 62 28 41.7	F R	.....	6.3	10	White square tower, red upper portion, red vertical stripe.  7.2 <b>Visible in line of range.</b> <b>Seasonal.</b>
965 H0954.1		234°04' 1360.9m from front.	F R	.....	17.8	10	White square tower, red upper portion, red vertical stripe.  13.6 <b>Visible in line of range.</b> <b>Seasonal.</b>  <b>Chart:4420</b>
966	Sable Point light buoy NM8	Off Point. 46 01 13.1 62 28 56.4	Fl R	4s	.....	.....	Red, marked "NM8". <b>Seasonal.</b>  <b>Chart:4420</b> <b>Edn 08/11 (G11-220)</b>
966.5	Beach Point light buoy NM11	46 01 07.2 62 29 13.6	Fl G	4s	.....	.....	Green, marked "NM11". <b>Seasonal.</b>  <b>Chart:4420</b> <b>Edn 08/11 (G11-221)</b>
966.6	Murray Harbour light buoy NM12	46 01 09.5 62 29 12.7	Q R	1s	.....	.....	Red, marked "NM12". <b>Seasonal.</b>  <b>Chart:4420</b> <b>Edn 09/10 (G10-119)</b>
967 H0958	Beach Point Breakwater	On outer end, E. breakwater. 46 01 00.3 62 29 12.9	Fl G	4s	4.7	4	Square skeleton tower.  3.7 <b>Operates at night only.</b> <b>Seasonal.</b>  <b>Chart:4420</b>
968	Penny Point light buoy NM13	On S. side of dredged cut. 46 01 04.9 62 29 37.9	Fl G	4s	.....	.....	Green, marked "NM13". <b>Seasonal.</b>  <b>Chart:4420</b> <b>Edn 08/11 (G11-213)</b>
968.1	Murray Harbour light buoy NM14	46 01 07.4 62 29 42.6	Fl R	4s	.....	.....	Red, marked "NM14". <b>Seasonal.</b>  <b>Chart:4420</b> <b>Edn 08/11 (G11-214)</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
968.3	Murray Harbour light buoy NM16	46 01 07.7 62 29 59.2	Fl R	4s	.....	Red, marked "NM16".	Seasonal.  <b>Chart:4420 Edn 08/11 (G11-216)</b>
969	Machons Point light buoy NM15	SE. of point. 46 01 06 62 30 03	Q G	1s	.....	Green, marked "NM15".	Seasonal.  <b>Chart:4420 Edn 14/14 (G14-083)</b>
969.5 H0958	Murray Harbour Village range	On shore line. 46 00 23.6 62 31 25.6	Iso R	1s	6.1	13 Square skeleton tower, white daymark, red vertical stripe. 6.0	Visible in line of range. Seasonal.
969.6 H0958.1		233°44' 100.9m from front.	Iso R	4s	9.0	14 Square skeleton tower, white daymark, red vertical stripe. 6.7	Visible in line of range. Seasonal.  <b>Chart:4420 Edn 12/10 (G10-139)</b>
969.7	Sharams Point light buoy NM24	N. of point. 46 01 30.7 62 31 12.6	Q R	1s	.....	Red boat type, marked "NM24".	Seasonal.  <b>Chart:4420</b>
969.8	Reynolds Island light buoy NM30	W. of island. 46 02 04.2 62 31 41.4	Q R	1s	.....	Red, marked "NM30".	Seasonal.  <b>Chart:4420 Edn 10/14 (G14-081)</b>
969.9	Fairchild Point light buoy NM33	NE. of point. 46 02 34.7 62 31 46.6	Q G	1s	.....	Green boat type, marked "NM33".	Seasonal.  <b>Chart:4420</b>
970.4	Bear Reef East Cardinal light buoy NN	46 00 44.2 62 26 17.2	Q(3) W	10s	.....	Black, yellow and black spar, marked "NN".	Flash 0.3 s; eclipse 0.7 s; flash 0.3 s; eclipse 0.7 s; flash 0.3 s; eclipse 7.7 s. Seasonal.  <b>Chart:4420 Edn 07/13(G13-085)</b>
971 H950	Cape Bear	On the headland. 46 00 11.0 62 27 34	LFI Y	6s	16.7	10 Square skeleton tower, two red and white rectangular daymarks. 8.3	One daymark facing due South and one facing due East. Flash 2 s; eclipse 4 s. Year round.  <b>Chart:4420 Edn 07/11 (G11-165) Edn 10/11 Edn 12/11 (G11-309)</b>
972.5	Wood Islands Harbour Entrance light buoy NS2	45 56 46.4 62 44 59.3	Q R	1s	.....	Red spar, marked "NS2".	Seasonal.  <b>Chart:4405</b>
975 H0964.5	Wood Islands Harbour West Breakwater	On W. breakwater. 45 56 54 62 45 08.1	Fl G	3s	6.0	5 Square skeleton tower, red and white rectangular daymark, green square in centre. 5.2	Flash 1 s; eclipse 2 s. Seasonal.  <b>Chart:4483</b>
975.1 H0964	Wood Islands Harbour East Breakwater	On E. breakwater. 45 56 54.2 62 45 04.8	Fl R	3s	6.0	5 Square skeleton tower, red and white rectangular daymark, red triangle in centre. 5.2	Flash 1 s; eclipse 2 s. Seasonal.  <b>Chart:4483</b>

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
976 H962	Wood Islands	On S. side of E. portion. 45 56 59.5 62 44 46.1	Iso W	10s	21.8	12	White square tower, red upper portion. 15.3  <b>Chart:4405</b> <b>Edn 11/10 (G10-183)</b>
977	Indian Rocks light and whistle buoy N8	SW. of rocks. 45 54 54.2 62 49 11.7	Fl R	4s	.....	.....	Red, marked "Indian Rocks "N8".  <b>Chart:4405</b>
980.5	Pinette Harbour light buoy NV4	46 02 42.2 62 57 15.5	Q R	1s	.....	.....	Red spar, marked "NV4".  <b>Chart:4466</b> <b>Edn 08/14 (G14-055)</b>
983 H982	<b>Prim Point</b>	SE. extremity of Hillsborough Bay, near point. 46 03 00.7 63 02 20.5	Fl W	5s	20.7	18	White cylindrical tower, red upper portion. 18.6 Flash 0.2 s; eclipse 4.8 s. Year round. Operates at night only.  <b>Chart:4466</b> <b>Edn 04/10 (G10-017)</b>
983.4	St. Peters Island light buoy C1	46 05 00.2 63 13 45.7	Fl G	4s	.....	.....	Green, marked "C1".  <b>Chart:4466</b>
984	Prim Reefs light and whistle buoy C2	Off Western extremity of reefs. 46 02 40.2 63 06 47.7	Q R	1s	.....	.....	Red, marked "Prim Reefs C2".  <b>Chart:4466</b>
<b>Hillsborough Bay</b>							
989	Fitzroy Rock light and bell buoy C4	SW. of rock. 46 07 05.7 63 06 39.7	Fl R	4s	.....	.....	Red, marked "Fitzroy Rock C4".  <b>Chart:4466</b>
990	Spithead light buoy C5	E. of Governors Island. 46 08 54.2 63 06 01.7	Q G	1s	.....	.....	Green, marked "C5".  <b>Chart:4466</b>
991 H1006	Haszard Point range	E. side of entrance to Charlottetown Harbour. 46 11 39.7 63 04 25.2	F Y	.....	18.3	13	Red square tower, black vertical stripe. 17.3 Visible in line of range. Year round.
992 H1006.1		019°19' 650.1m from front.	F Y	.....	46.3	13	Red square tower, black vertical stripe. 14.0 Visible in line of range. Year round,  <b>Chart:4466</b>
<b>Charlottetown Harbour</b>							
993 H1008	Blockhouse Point	W. side of entrance to harbour. 46 11 26.1 63 07 45.7	Oc W	4s	18.3	12	White square tower, red upper portion. 12.6 Flash 3 s; eclipse 1 s. Year round.  <b>Chart:4460</b>
993.5	Blockhouse Point light buoy C7	46 11 36.2 63 07 33.7	Fl G	4s	.....	.....	Green, marked "C7".  <b>Chart:4460</b>

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
994 H1012	<b>Brighton Beach range</b>	On crib on E. side of Yorke River. 46 13 50.5 63 08 51.2	F Y	.....	11.0	19 White square tower, red upper portion, red vertical stripe. 12.4	Visible in line of range. Year round.
995 H1012.1		336°56' 398m from front.	F Y	.....	26.3	19 White hexagonal tower, red vertical stripe. 18.4	Visible in line of range. Year round.
995.1 H1013	Peakes Quay Marina	Entrance to Peakes Quay Marina. 46 13 51.4 63 07 15.4	Q G	1s	.....	3 Cylindrical mast. 2.2	Flash 0.3 s; eclipse 0.7 s. Privately maintained. Operates at night only. Seasonal.
996 H1016	Warren Cove range	W. side of harbour, N. of Blockhouse Point. 46 11 56.4 63 08 17.6	F Y	.....	17.3	12 White square tower, red upper portion, red vertical stripe. 11.2	Year round.
997 H1016.1		197°39' 327.4m from front.	F Y	.....	21.4	12 White square tower, red upper portion, red vertical stripe. 7.7	Year round.
998	Battery Point light buoy C8	W. of point. 46 12 14.7 63 07 51.7	Fl R	4s	.....	..... Red, marked "Battery Point C8".	Winter spar. Seasonal.
998.5	Canceaux Spit light buoy C9	E. of spit. 46 12 37.7 63 08 06.7	Fl G	4s	.....	..... Green, marked "C9".	Seasonal.
999	Rosebank Point Outer light buoy C12	46 12 54.2 63 07 48.7	Fl R	4s	.....	..... Red, marked "C12".	Winter spar. Seasonal.
999.2	Old Battery Point light buoy C13	SE. of point. 46 13 17.2 63 07 51.7	Fl G	4s	.....	..... Green, marked "C13".	Seasonal.
999.5	Rosebank Point Centre light buoy C14	NW. of point. 46 13 28.2 63 07 23.2	Fl R	4s	.....	..... Red, marked "C14".	Seasonal.
1001	Charlottetown Harbour light buoy C15	Off outer S. corner of wharf. 46 13 40.2 63 07 30.2	Q G	1s	.....	..... Green spar, marked "C15".	Seasonal.
1003	Charlottetown Railway Wharf Turning light buoy C18	Off S. corner of railway wharf. 46 13 46.7 63 06 44.7	Q R	1s	.....	..... Red, marked "Turning C18".	Winter spar. Seasonal.

**Chart:4460  
Edn 12/12 (G12-211, 212)**

**Chart:4460**

**Chart:4460**

**Chart:4460**

**Chart:4460**

**Chart:4460**

**Chart:4460**

**Chart:4460**

**Chart:4460  
Edn 08/09 (G09-083)**

**Chart:4460**



## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1006 H0998	Nine Mile Creek Wharf	On outer S. corner of wharf. 46 08 53.0 063 13 03.7	Fl R	4s	5.4	5  Pipe swing pole, red and white rectangular daymark, red triangle in center.  5.0	Flash 1 s; eclipse 3 s. Seasonal.  <b>Chart:4466</b> <b>Edn 05/12 (G12-047)</b> <b>Edn 03/16</b> <b>Edn 07/16 (G16-075)</b>
1007 H996	St. Peters Island	On SE. side of island. 46 07 01.1 63 10 49.5	Fl W	4s	20.6	10  White square tower, red upper portion.  9.1	Flash 1 s; eclipse 3 s. Operates at night only. Year round.  <b>Chart:4466</b>
<b>Victoria Harbour</b>							
1008.1 H1036	<b>Victoria Harbour</b>	W. end of bridge at head of harbour. 46 12 50.8 63 29 19.7	Fl W	4s	.....	17  White square tower, red upper portion, red vertical stripe.  10.7	Flash 0.1 s; eclipse 3.9 s. Operates at night only. Seasonal.  <b>Chart:4405</b> <b>Edn 02/12 (G12-001)</b>
1009.11	Victoria Harbour Fairway light buoy NX	46 10 35.2 63 28 00.6	Mo(A) W	6s	.....	.....  Spar, red and white vertical stripes, marked "NX".	Seasonal.  <b>Chart:4405</b> <b>Edn 05/11 (G11-114)</b>
1009.12	Cameron Point Shoal light buoy NX4	46 11 26.2 63 28 31.9	Fl R	4s	.....	.....  Red, marked "NX4".	Seasonal.  <b>Chart:4405</b> <b>Edn 05/11 (G11-116)</b>
1009.13	Victoria Harbour light buoy NX5	46 11 39 63 28 36.9	Fl G	4s	.....	.....  Green, marked "NX5".	Seasonal.  <b>Chart:4405</b> <b>Edn 06/12 (G12-058)</b>
1009.17	Victoria Harbour light buoy NX9	46 11 50.9 63 28 41	Fl G	4s	.....	.....  Green, marked "NX9".	Seasonal.  <b>Chart:4405</b> <b>Edn 06/12 (G12-057)</b>
1009.2	Victoria Harbour light buoy NX12	46 12 15.7 63 29 19.9	Q R	1s	.....	.....  Red, marked "NX12".	Seasonal.  <b>Chart:4405</b> <b>Edn 07/09 (G09-069)</b> <b>Edn 07/11 (G11-164)</b> <b>Edn 06/12 (G12-054)</b>
1011.1	Victoria Harbour light buoy NX11	46 11 56.2 63 28 47.7	Q G	1s	.....	.....  Green, marked "NX11".	Seasonal.  <b>Chart:4405</b> <b>Edn 07/09 (G09-070)</b>
1011.14	Victoria Harbour light buoy NX17	46 12 25.4 63 29 22.4	Fl G	4s	.....	.....  Green, marked "NX17".	Seasonal.  <b>Chart:4405</b> <b>Edn 12/09 (G09-071)</b> <b>Edn 06/12 (G12-053)</b>
1011.15	Victoria Harbour light buoy NX18	46 12 25.4 63 29 21.8	Fl R	4s	.....	.....  Red, marked "NX18".	Seasonal.  <b>Chart:4405</b> <b>Edn 06/12 (G12-052)</b>

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1011.18	Victoria Harbour light buoy NX19/5	46 12 34 63 29 21.2	Fl G	4s	.....	Green, marked "NX19/5".	Seasonal.  <b>Chart:4405 Edn 06/12 (G12-067)</b>
1011.19	Victoria Harbour light buoy NX20	46 12 33.9 63 29 20.3	Fl R	4s	.....	Red, marked "NX20".	Seasonal.  <b>Chart:4405 Edn 12/09 (G09-155)</b>
1011.21	Victoria Harbour light buoy NX21	46 12 40.9 63 29 20.4	Fl G	4s	.....	Green, marked "NX21".	Seasonal.  <b>Chart:4405 Edn 06/12 (G12-060)</b>
1011.22	Victoria Harbour light buoy NX22	46 12 40.9 63 29 19.7	Fl R	4s	.....	Red, marked "NX22".	Seasonal.  <b>Chart:4405 Edn 06/12 (G12-051)</b>
1014	Tryon Shoals light and bell buoy N14	Off S. extremity of shoal. 46 09 39.2 63 31 42.7	Fl R	4s	.....	Red spar, marked "N14".	Seasonal.  <b>Chart:4405</b>
1015 H1044	Port Borden Breakwater	SW. end of breakwater. 46 14 38.9 63 41 50.3	Fl R	4s	4.5	3 Cylindrical mast 2.8	Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  <b>Chart:4905</b>
1017.5 H1039	Port Borden Pier	On outer end of Ferry Pier. 46 14 42.5 63 41 58	Iso G	4s	10.0	7 White square tower, red upper portion. 8.5	Operates at night only. Seasonal.  <b>Chart:4905 Edn 10/10(G10-163)</b>
1017.69 H1039	Confederation Bridge	Mid span on each side of navigation span. 46 12 35.9 63 45 07.8	Iso 2W	6s	50.5	13 On bridge.	Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.7	Strait Crossing light and whistle buoy XF	46 17 00.3 63 52 15.7	Mo(A) W	6s	.....	Red and white vertical stripes, marked "XF".	Seasonal.  <b>Chart:4406</b>
1017.71	Strait Crossing light buoy XB2	46 11 03.3 63 42 27.7	Fl R	4s	.....	Red, marked "XB2".	Seasonal.  <b>Chart:4406</b>
1017.72	Strait Crossing light buoy XB3	46 11 00.2 63 42 36.7	Fl G	4s	.....	Green, marked "XB3".	Seasonal.  <b>Chart:4406</b>
1017.73	Strait Crossing light buoy XB4	46 14 24.2 63 47 54.7	Fl R	4s	.....	Red, marked "XB4".	Seasonal.  <b>Chart:4406</b>
1017.74	Strait Crossing light buoy XB5	46 14 18.2 63 48 00.7	Fl G	4s	.....	Green, marked "XB5".	Seasonal.  <b>Chart:4406</b>

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1017.75	Strait Crossing light and whistle buoy XB	46 09 24.2 63 39 51.7	Mo(A) W	6s	.....	Red and white vertical stripes, marked "XB".	Seasonal.  <b>Chart:4406</b>
1017.76 H1039.5	Confederation Bridge S.E.	46 12 35.8 63 45 07.7	F R W G	.....	64.0	.....	On bridge.  Red from 308°39' to 310°39'; white from 310°39' to 311°39'; green from 311°39' to 313°39'. White sector indicates preferred channel. Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.77 H1039.6	Confederation Bridge N.W.	46 12 36 63 45 08	F R W G	.....	64.0	.....	On bridge.  Green from 129°08' to 131°08'; white from 131°08' to 132°08'; red from 132°08' to 134°08'. White R indicates preferred channel. Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.78 H1039.7	Confederation Bridge  <b>Racon -... (B) X &amp; S Band</b>	On either side of pier 22. 46 12 33.8 63 45 13.1	F G	.....	16.5	11	On bridge.  Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.781 H1039.75	Confederation Bridge	On either side of pier 22. 46 12 32 63 45 10.1	F G	.....	16.5	11	On bridge.  Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.79 H1039.8	Confederaton Bridge  <b>Racon - (T) X &amp; S Band</b>	On each side of pier 21. 46 12 39.9 63 45 05.5	F R	.....	16.5	11	On bridge.  Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.791 H1039.85	Confederaton Bridge	On each side of pier 21. 46 12 38.1 63 45 02.5	F R	.....	16.5	11	On bridge.  Privately maintained by Strait Crossing Bridge Ltd. Year round.  <b>Chart:4406</b>
1017.8	Seacow Head Information light buoy DC	46 18 21.2 063 49 57.7	Fl Y	4s	.....	.....	Orange and white spar, marked "DC". Seasonal (in place year round).  <b>Chart:4406 Edn 10/12 Edn 03/17 (G17-007)</b>
1017.9	Seacow Head Information light buoy DD	46 18 45.2 063 49 25.7	Fl Y	4s	.....	.....	Orange and white spar, marked "DD". Seasonal (in place year round).  <b>Chart:4406 Edn 10/12 Edn 03/17 (G17-007)</b>
1018 H1046	Seacow Head	On outer end of point. 46 18 57.7 63 48 35.9	Fl(2) W	12s	26.8	12	White octagonal tower, red upper portion. 18.3 Flash 2 s; eclipse 2 s; flash 2 s; eclipse 6 s. Year round.  <b>Chart:4406</b>

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>								
1018.1 H1049	<b>Summerside Outer range</b>	W. side of Summerside River. 46 23 43.1 63 48 35	F	R	.....	9.3	<b>18</b> White square tower, white daymark, red vertical stripe. 9.0	Visible in line of range. Year round.
1018.2 H1049.1		028°57' 430.3m from front.	F	R	.....	14.8	<b>18</b> White square tower, white daymark, red vertical stripe. 10.1	Visible in line of range. Year round. <b>Chart:4459</b>
1018.5	Summerside Harbour light buoy DE3	46 21 58.2 63 50 01.7	Fl	G	4s	.....	.....	Green, marked "DE3". Seasonal. <b>Chart:4459</b>
1018.6	Summerside Harbour light buoy DE4	46 22 20.2 63 49 39.2	Fl	R	4s	.....	.....	Red, marked "DE4". Seasonal. <b>Chart:4459</b>
1019	Indian Point light buoy DE6	46 22 42.2 063 49 21.7	Q	R	1s	.....	.....	Red, marked "DE6". Seasonal (in place year round). <b>Chart:4459</b> <b>Edn 03/17 (G17-007)</b>
1019.1	Summerside Harbour light buoy DE7	46 22 49.2 63 49 20.2	Q	G	1s	.....	.....	Green, marked "DE7". Seasonal. <b>Chart:4459</b>
1020 H1048	Indian Head	On outer end of breakwater. 46 22 47 63 49 01.1	Iso	W	10s	14.0	10 White octagonal tower, red upper portion. 12.9	Year round. Operates at night only. <b>Chart:4459</b> <b>Edn 12/10 (G10-189)</b>
1020.1	Summerside Harbour light buoy DE8	46 22 49.2 63 49 08.7	Fl	R	4s	.....	.....	Red spar, marked "DE8". Seasonal. <b>Chart:4459</b>
1020.2	Summerside Harbour light buoy DE10	46 22 56.2 63 48 36.7	Fl	R	4s	.....	.....	Red spar, marked "DE10". Winter spar. Seasonal. <b>Chart:4459</b>
1020.3	Summerside Harbour light buoy DE11	46 23 03.7 63 48 15.7	Fl	G	4s	.....	.....	Green, marked "DE11". Winter spar. Seasonal. <b>Chart:4459</b>
1020.4	Summerside Harbour light buoy DE14	46 23 08.2 63 47 43.7	Q	R	1s	.....	.....	Red, marked "DE14". Winter spar. Seasonal. <b>Chart:4459</b>
1021 H1050	<b>Summerside range</b>	Near outer end of wharf. 46 23 14.4 63 47 21.2	F	G	.....	10.8	<b>18</b> Square skeleton tower, white daymark, red vertical stripe. 9.4	Visible in line of range.
1022 H1050.1		072°04' 1436.3m from front.	F	G	.....	24.8	<b>18</b> White square tower, red upper portion, red vertical stripe. 20.1	Visible in line of range. <b>Chart:4459</b>
1022.5 H1054	Summerside Marina	On outer end of breakwater. 46 23 18.2 63 47 14.6	Fl	R	4s	5.3	7 Square skeleton tower, red and white rectangular daymark, red triangle in centre. 3.5	Visible from 269° through W. and N. to 029°. Seasonal. <b>Chart:4459</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1023	Miscouche Shoal light and bell buoy DE	W. of Graham Head 46 19 50.2 63 51 18.7	Mo(A) W	6s	.....	Red and white, vertical stripes, marked "DE".	Seasonal.  Chart:4459
1023.1	Abrams Village light buoy DH2	46 27 08.8 64 07 44	Fl R	4s	.....	Red spar, marked "DH2".	Seasonal.  Chart:4905 Edn 03/13
1023.2	Abrams Village light buoy DH6	46 27 05.1 64 07 18	Fl R	4s	.....	Red spar, marked "DH6".	Seasonal.  Chart:4905 Edn 12/10 (G10-168) Edn 10/11 (G11-288) Edn 03/13
1023.3	Abrams Village light buoy DH8	Egmont Bay South. 46 27 02.7 64 07 13	Q R	1s	.....	Red spar, marked "DH8".	Seasonal.  Chart:4905 Edn 03/13 (G12-195)
1023.4	Abrams Village light buoy DH9	46 27 05.1 64 07 14.6	Fl G	4s	.....	Green spar, marked "DH9".	Seasonal.  Chart:4905 Edn 03/13 (G12-196)
1023.5	Abrams Village light buoy DH10	46 26 59.6 64 07 09.2	Fl R	4s	.....	Red spar, marked "DH10".	Seasonal.  Chart:4905 Edn 03/13 (G12-197)
1023.6	Abrams Village light buoy DH14	Egmont Bay South. 46 26 47.9 64 06 55.5	Q R	1s	.....	Red spar, marked "DH14".	Seasonal.  Chart:4905 Edn 03/13 (G12-198)
1024 H1056	Cape Egmont	On point. 46 24 06.6 64 08 02.4	Fl W	5s	19.8	12 White square tower, red upper portion. 12.4	Flash 2 s; eclipse 3 s.  Chart:4406
1024.5	Fishing Cove light buoy DG2	46 24 06.2 64 08 30.7	Q R	1s	.....	Red, marked "DG2".	Seasonal.  Chart:4406
1025 H1057	Fishing Cove	On outer end of breakwater. 46 24 26.2 64 08 04.9	Fl R	3s	7.5	5 Pipe swing pole. 6.9	Flash 1 s; eclipse 2 s. Seasonal.  Chart:4905
1025.5 H1057.5	Fishing Cove West Breakwater	On S. end of W. breakwater. 46 24 26.1 064 08 06.7	Q G	1s	3.2	4 Cylindrical mast. 2.8	Operates at night only. Seasonal.  Chart:4905 Edn 06/15(G15-038)
1026 H1058	Canoe Gully Outer range	N. of Cape Egmont. 46 26 53.5 64 06 20.5	F Y	.....	5.7	13 Square skeleton tower, white daymark, red vertical stripe. 5.2	Visible in line of range. Seasonal.
1027 H1058.1		105°49' 175.6m from front.	F Y	.....	9.9	13 Square skeleton tower, white daymark, red vertical stripe. 8.3	Visible in line of range. Seasonal.  Chart:4905

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.			Light Characteristics		Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground		Remarks ----- Fog Signals	
<b>PRINCE EDWARD ISLAND</b>												
1027.31 H1060	Abrams Village Wharf	46 26 25.9 64 06 48.4	Fl	G	4s	.....	2	Pipe swing pole, green and white square daymark.	Seasonal.			<b>Chart:4905 Edn 07/12(G12-112)</b>
1027.42	Egmont Bay North light buoy DJ12	46 33 28 64 05 18	Q	R	1s	.....	.....	Red, marked "DJ12".	Seasonal.			<b>Chart:4905</b>
1027.425	Egmont Bay North light buoy DJ15	46 33 21.2 64 05 38.5	Fl	G	4s	.....	.....	Green, marked "DJ15".	Seasonal.			<b>Chart:4905 Edn 05/12 (G10-179)</b>
1027.43	Egmont Bay North light buoy DJ20	46 33 16.8 64 05 10.2	Fl	R	4s	.....	.....	Red, marked "DJ20".	Seasonal.			<b>Chart:4905</b>
1027.45	Egmont Bay light buoy DJ	46 33 21 64 07 28	Mo(A)	W	6s	.....	.....	Red and white vertical stripes, marked "DJ".	Seasonal.			<b>Chart:4905</b>
1027.6	Howards Cove light buoy DN2	46 44 28 64 23 26	Q	R	1s	.....	.....	Red spar, marked "DN2".	Seasonal.			<b>Chart:4906</b>
1027.7	West Point light buoy DM1	46 36 30 64 22 50	Fl	G	4s	.....	.....	Green spar, marked "DM1".	Seasonal.			<b>Chart:4905</b>
1027.8	West Point light buoy DM2	46 36 30 64 22 15	Fl	R	4s	.....	.....	Red spar, marked "DM2".	Seasonal.			<b>Chart:4905</b>
1028.2 H1062.1	West Point Wharf	End of wharf. 46 37 04.1 064 22 17.7	Fl	G	4s	6.6	4	Square skeleton tower, red rectangular daymark, white band, green square in centre.  5.3	Flash 1 s; eclipse 3 s. Seasonal.			<b>Chart:4905 Edn 12/16 (G16-134)</b>
1029 H1062	West Point	On Sand Beach. 46 37 13.1 64 23 12.3	Iso	W	12s	20.1	12	White square tower, red upper portion, black horizontal bands.  20.7	Privately maintained by West Point Development Corp. Year round.			<b>Chart:4905</b>
1030	West Point light and whistle buoy D8	N. of point. 46 40 06 64 30 01	Fl	R	4s	.....	.....	Red, marked "D8".	Seasonal.			<b>Chart:4905</b>
1031 H1068	Seal Point (Howards Cove) Wharf	On wharf. 46 44 22.9 64 22 46.3	Iso	R	2s	8.3	4	Square skeleton tower, red and white rectangular daymark, red triangle in centre.  6.4	Operates at night only. Year round.			<b>Chart:4906</b>
1031.5 H1068.5	Howards Cove Breakwater	On the outermost extremity of the port hand breakwater. 46 44 25.5 64 22 46	Q	G	1s	5.9	2	Cylindrical mast.  2.6	Operates at night only. Seasonal.			<b>Chart:4906</b>
1032 H1068.1	Howards Cove	Near Seal Point. 46 44 25.1 64 22 36.5	LFI	W	6s	14.2	12	White square tower, red upper portion.  5.8	Flash 2 s; eclipse 4 s. Seasonal.			<b>Chart:4906</b>

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1032.05	Miminegash light buoy DP	NE. of reef. 46 54 03 64 14 20	Mo(A) W	6s	.....	.....	Red and white vertical stripes, marked "DP".  Seasonal.  <b>Chart:4906</b>
1035 H1074	Skinners Pond	N. end of S. breakwater. 46 57 58 64 07 33.5	Fl R	4s	4.4	3	Cylindrical mast. 2.8  Flash 1 s; eclipse 3 s. Operates at night only. Seasonal.  <b>Chart:4906 Edn 03/11 (G10-232)</b>
1035.5 H10784.4	Skinners Pond North Breakwater	On outer end of N. breakwater. 46 57 59.2 64 07 33.1	Fl G	4s	4.2	4	Cylindrical mast. 3.2  Flash 0.5 s; eclipse 3.5 s. Seasonal.  <b>Chart:4906 Edn 03/11</b>
1036 H1076	<b>North Cape</b>	On cape. 47 03 27.7 63 59 48.8	Fl Y	5s	23.7	18	White octagonal tower, red upper portion. 19.5  Flash 1 s; eclipse 4 s. Year round.  <b>Chart:4906</b>
1036.1	Seacow Pond North	47 01. 45.7 063 59 19.8	Fl R	4s	.....	.....	Privately maintained. Seasonal. Operates at night only. Position is approximate. Owned by Small Craft Harbours  <b>Chart :4906 Edn 06/16 (G16-033)</b>
1037	North Cape Reef North Cardinal light and bell buoy DS	N. of North Cape. 47 05 00 64 00 03	Q W	1s	.....	.....	Black and yellow, marked "DS".  Seasonal.  <b>Chart:4906 Edn. 03/13(G12-201)</b>
1037.5	ODAS light buoy IML-5	47 24 12 63 23 31.8	Fl(5) Y	20s	.....	.....	Yellow, marked "IML-5".  Seasonal.  <b>Chart:4024</b>
1037.6	ODAS light buoy IML-6	E. of Shippegan Island. 47 47 00 64 02 00	Fl(5) Y	20s	.....	.....	Yellow, marked "IML-6".  Seasonal.  <b>Chart:4024</b>
1038.5	North Lake Harbour Fairway light buoy JA	N. of harbour. 46 28 56.2 62 03 27.6	Mo(A) W	6s	.....	.....	Red and white vertical stripes, marked "JA".  Seasonal.  <b>Chart:4023</b>
1039 H1173	<b>North Lake Harbour range</b>	On outer end of E. breakwater. 46 28 06.9 62 04 05.1	Iso G	1s	7.5	11	Square skeleton tower, white daymark, red vertical stripe. 5.0  Visible in line of range. Operates at night only. Seasonal.
1039.1 H1173.1		204°34' 328.5m from front.	Iso G	4s	14.5	15	Square skeleton tower, white daymark, red vertical stripe. 11.0  Visible in line of range. Operates at night only. Seasonal.  <b>Chart:4023 Edn 03/11 (G11-012)</b>

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>PRINCE EDWARD ISLAND</b>								
1039.5 <i>H1174</i>	North Lake Harbour West	On outer end of W. breakwater. 46 28 08.8 62 04 04.9	Iso R	2s	7.1	5	Pipe swing pole, two red and white triangular daymarks, red triangle in center of each. 5.2	Operates at night only. Seasonal.  <b>Chart:4023 Edn 09/10 (G10-150) Edn 02/12 (G12-008)</b>
1040.05	<i>Naufrage Harbour Fairway light buoy JC</i>	<i>N. of Shipwreck Point. 46 29 00.2 62 24 40.6</i>	<i>Mo(A) W</i>	6s	.....	.....	<i>Red and white vertical stripes, marked "JC".</i>	<i>Seasonal.</i>  <b>Chart:4023</b>
1040.2 <i>H1170.3</i>	Naufrage Harbour East Breakwater	On outer end of E. breakwater. 46 28 08.2 62 25 00.3	Fl G	4s	5.0	7	Square skeleton tower. 3.6	Operates at night only. Seasonal.  <b>Chart:4023 Edn 07/09 (G09-081)</b>
1040.5 <i>H1170.4</i>	Naufrage West Breakwater	Outer end of W. breakwater. 46 28 11.3 62 24 59.7	Fl R	4s	5.1	4	Square skeleton tower. 3.6	Operates at night only. Seasonal.  <b>Chart:4023</b>
1041.1 <i>H1170.5</i>	Naufrage Harbour Bridge	On the bridge. 46 28 04 62 25 02.5	F W	.....	6.0	6	On bridge, red and white rectangular daymark. 6.0	Operates at night only. Seasonal.  <b>Chart:4023 Edn 09/11</b>
1042 <i>H1168</i>	Shipwreck Point	On the point. 46 28 07.2 62 25 22.6	Oc W	5s	25.6	12	White octagonal tower, red upper portion. 13.4	Flash 3 s; eclipse 2 s.  <b>Chart:4023</b>
1043.1	<i>St. Peters Harbour Fairway light buoy JD</i>	<i>46 27 09.2 62 44 21.6</i>	<i>Mo(A) W</i>	6s	.....	.....	<i>Red and white vertical stripes, marked "JD".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>  <b>Chart:4023 Edn 04/15 (G15-001)</b>
1044.1	<i>St. Peters Harbour light buoy JD5</i>	<i>46 27 00.2 62 44 10.6</i>	<i>Fl G</i>	4s	.....	.....	<i>Green, marked "JD5".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1044.2	<i>St. Peters Harbour light buoy JD6</i>	<i>46 26 58.2 62 44 24.6</i>	<i>Fl R</i>	4s	.....	.....	<i>Red, marked "JD6".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1044.3	<i>St. Peters Harbour light buoy JD8</i>	<i>46 26 51.7 62 44 18.6</i>	<i>Fl R</i>	4s	.....	.....	<i>Red, marked "JD8".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1044.4	<i>St. Peters Harbour light buoy JD9</i>	<i>46 26 48.2 62 44 17.6</i>	<i>Fl G</i>	4s	.....	.....	<i>Green, marked "JD9".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>  <b>Chart:4425 Edn 05/11 (G11-113) Edn 11/12 (G12-194)</b>



### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1044.5	St. Peters Harbour light buoy JD10	46 26 45.2 62 44 18.6	Fl R	4s	.....	Red, marked "JD10".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113) Edn 01/14 (G13-021)
1046.04	St. Peters Harbour light buoy JD9.5	46 26 42.2 62 44 14.6	Fl G	4s	.....	Green, marked "JD9.5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119) Edn 04/15 (G15-001)
1046.05	St. Peters Harbour light buoy JD11	At harbour entrance. 46 26 39.2 62 44 12.1	Q G	1s	.....	Green, marked "JD11".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.06	St. Peters Harbour light buoy JD12	46 26 24.6 62 44 07.8	Fl R	4s	.....	Red, marked "JD12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 06/09 (G09-057) Edn 05/11 (G11-113)
1046.1	St. Peters Bay light buoy JD13	46 26 35.2 62 43 52.6	Q G	1s	.....	Green, marked "JD13".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.15	St. Peters Harbour light buoy JD16	46 26 31.2 62 43 29.6	Q R	1s	.....	Red, marked "JD16".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.2	St. Peters Bay light buoy JD18	46 26 26.7 62 43 17.6	Q R	1s	.....	Red, marked "JD18".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.3	St. Peters Bay light buoy JD21	46 26 07.2 62 42 50.6	Fl G	4s	.....	Green, marked "JD21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-119)
1046.4	St. Peters Harbour light buoy JD23	46 26 06.6 62 42 37.8	Q G	1s	.....	Green, marked "JD23"	Buoy may be repositioned due to shifting channel. Operates at night only. Seasonal.  Chart: N/A Edn 09/14 (G14-079)
1046.5 H1164	Red Head Wharf	46 25 59.7 62 42 46.5	Q G	1s	3.5	2 Cylindrical mast. 2.6	Seasonal.  Chart:4425

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1046.81	Savage Harbour Fairway light buoy JE	Off harbour. 46 26 46.2 62 49 29.6	Mo(A) W	6s	.....	.....	Red and white vertical stripes, marked "JE".  Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 04/15 (G15-001)</b>
1047 H1160	Savage Harbour	46 26 00.9 62 49 56.1	Fl W	4s	4.9	3	Pipe Swing Pole. 3.3  Operates at night only. Seasonal.  <b>Chart:4425 Edn 02/11 (G10-233)</b>
1047.01	Savage Harbour light buoy JE6	46 26 10.2 62 49 53.6	Fl R	4s	.....	.....	Red spar, marked "JE6".  Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1047.011	Savage Harbour light buoy JE7/1	46 25 49.6 62 50 00.6	Q G	1s	.....	.....	Green, marked "JE7/1".  Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 06/11 (G11-124) Edn 09/11</b>
1047.02	Savage Harbour light buoy JE8	46 25 58.4 62 49 58.9	Fl R	4s	.....	.....	Red, marked "JE8".  Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1047.021	Savage Harbour light buoy JE8/2	46 25 47.4 62 50 01.4	Q R	1s	.....	.....	Red, marked "JE8/2".  Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1047.028	Savage Harbour light buoy JE9	46 25 44.5 62 50 05	Fl G	4s	.....	.....	Green, marked "JE9".  Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 11/10 (G10-176) Edn 05/11 (G11-113)</b>
1047.03	Savage Harbour Entrance light buoy JE10	46 25 46.1 62 50 03.3	Q R	1s	.....	.....	Red, marked "JE10".  Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113)</b>
1047.04	Savage Harbour light buoy JE12	46 25 49.7 62 50 12.5	Fl R	4s	.....	.....	Red spar, marked "JE12".  Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 05/11 (G11-113)</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1047.051	Savage Harbour light buoy JE14	46 25 50 62 50 04.4	Fl R	4s	.....	Red, marked "JE14".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113) Edn 04/15 (G15-001)
1047.06	Savage Harbour light buoy JE17	46 25 45.2 62 50 13.4	Fl G	4s	.....	Green spar, marked "JE17".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.1	Savage Harbour light buoy JE15	46 25 49.2 62 50 08.6	Q G	1s	.....	Green, marked "JE15".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.2	Savage Harbour light buoy JE16	46 25 39.2 62 50 15.6	Q R	1s	.....	Red, marked "JE16".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 05/11 (G11-113)
1047.51	North Tracadie Fairway light buoy JH	N. of harbour entrance. 46 26 03.2 63 02 01.6	Mo(A) W	6s	.....	Red and white vertical stripes, marked "JH".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425
1049.09	Grand Tracadie light buoy JH5	46 24 58.8 063 00 47.4	Fl G	4s	.....	Green, marked "JH5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 11/12 (G12-206) Edn 07/16 (G16-061)
1049.1	Grand Tracadie light buoy JH6	46 24 58.2 063 00 51.6	Fl R	4s	.....	Red, marked "JH6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart: N/A Edn 05/11 (G11-113) Edn 11/12 (G12-202) Edn 07/16 (G16-056)
1049.11	Grand Tracadie light buoy JH1	46 25 10.2 063 00 58.2	Fl G	4s	.....	Green, marked "JH1".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-071)
1049.121	Grand Tracadie light buoy JH2	46 25 09.6 063 01 01.8	Fl R	4s	.....	Red, marked "JH2".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-054)

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1049.131	Grand Tracadie light buoy JH3	46 25 04.2 063 00 51.6	Fl G	4s	.....	Green, marked "JH3".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 07/16 (G16-068)</b>
1049.14	Grand Tracadie light buoy JH4	46 25 03.6 063 00 55.8	Fl R	4s	.....	Red, marked "JH4".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 07/16 (G16-069)</b>
1049.15	Grand Tracadie light buoy JH7	46 24 52.8 063 00 41.4	Fl G	4s	....	Green, marked "JH7".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 07/16 (G16-065)</b>
1049.16	Grand Tracadie light buoy JH8	46 24 51.6 063 00 45.0	Fl R	4s	.....	Red, marked "JH8".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 07/16 (G16-064)</b>
1049.2	Grand Tracadie light buoy JH9	46 24 50.4 063 00 39.0	Fl G	4s	.....	Green, marked "JH9".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:N/A Edn 10/09 (G09-140) Edn 05/11 (G11-113) Edn 07/16 (G16-057)</b>
1049.21	Grand Tracadie light buoy JH10	46 24 45.6 063 00 38.4	Fl R	4s	.....	Red, marked "JH10".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:N/A Edn 05/11 (G11-113) Edn 11/12 (G12-203) Edn 07/16 (G16-058)</b>
1049.211	Grand Tracadie light buoy JH11	46 24 47.4 063 00 37.8	Fl G	4s	.....	Green, marked "JH11".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 07/16 (G16-067)</b>
1049.22	Grand Tracadie light buoy JH12	46 24 38.4 063 00 24.0	Q R	1s	.....	Red, marked "JH12".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 07/16 (G16-062)</b>
1049.24	Grand Tracadie light buoy JH19	46 24 22.2 062 59 58.2	Fl G	4s	.....	Green spar, marked "JH19".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425 Edn 07/16 (G16-055)</b>

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1049.26	Grand Tracadie light buoy JH22	46 24 05.0 063 00 17.0	Q R	1s	.....	Red, marked "JH22".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-070)
1049.27	Grand Tracadie light buoy JH26	46 24 06.1 063 01 11.7	Fl R	4s	....	Red, marked "JH26".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-066)
1049.28	Grand Tracadie light buoy JH30	46 24 08.1 063 01 42.4	Q R	1s	.....	Red spar, marked "JH30".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 07/16 (G16-063)
1049.4	Grand Tracadie light buoy JH16	46 24 18.6 062 00 00.0	Q R	1s	.....	Red spar, marked "JH16".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 05/11 (G11-113) Edn 07/16 (G16-059)
1049.6	Grand Tracadie light buoy JH21	46 24 02.6 063 00 23.6	Fl G	4s	.....	Green spar, marked "JH21".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 05/11 (G11-113) Edn 07/16 (G16-060)
1050.05	Covehead Fairway light buoy JJ	N. of Cape Stanhope. 46 26 54.2 63 08 18.6	Mo(A) W	6s	.....	Red and white vertical stripes, marked "JJ".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 04/15 (G15-001)
1050.1	Covehead Harbour light buoy JJ3	46 26 07.9 63 08 36.7	Q G	1s	.....	Green, marked "JJ3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-122) Edn 05/11 (G11-113)
1050.12	Covehead Harbour light buoy JJ4	46 26 08.5 63 08 39.2	Fl R	4s	.....	Red, marked "JJ4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-158) Edn 05/11 (G11-113)
1050.13	Covehead Harbour light buoy JJ5	46 26 02.9 63 08 39	Fl G	4s	.....	Green, marked "JJ5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4425 Edn 10/10 (G10-159) Edn 05/11 (G11-113)

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1050.2	Covehead Harbour light buoy JJ6	46 26 02 63 08 43.1	Q R	1s	.....	Red spar, marked "JJ6".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425</b> <b>Edn 03/12 (G10-161)</b> <b>Edn 04/15 (G15-001)</b>
1050.3	Covehead Harbour light buoy JJ7	46 25 55.3 63 08 44.3	Q G	1s	.....	Green, marked "JJ7".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425</b> <b>Edn 10/10 (G10-129)</b> <b>Edn 05/11 (G11-113)</b>
1050.5	Covehead Harbour light buoy JJ8	46 25 55.7 63 08 45.4	Fl R	4s	.....	Red, marked "JJ8".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425</b> <b>Edn 10/10 (G10-131)</b> <b>Edn 05/11 (G11-113)</b>
1050.9	Covehead Harbour light buoy JJ9	46 25 51 63 08 45.8	Fl G	4s	.....	Green, marked "JJ9".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425</b> <b>Edn 10/10 (G10-132)</b> <b>Edn 05/11 (G11-113)</b>
1050.91	Covehead Harbour light buoy JJ10	46 25 50.8 63 08 47.1	Fl R	4s	.....	Red, marked "JJ10".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4425</b> <b>Edn 03/12 (G10-162)</b> <b>Edn 04/15 (G15-001)</b>
1051 H1150	Covehead Harbour	On Cape Stanhope. 46 25 48.2 63 08 35.3	Fl W	5s	11.0	11 White square tower, red upper portion. 8.2	Flash 0.5 s; eclipse 4.5 s. Seasonal.  <b>Horn</b> - Blast 3 s; sil. 27 s. Horn points 005°. Privately maintained by Local Harbour Authority.  <b>Chart:4425</b>
1053.5 H1149	Covehead Bridge	46 25 46.2 63 08 47.4	Fl W	4s	8.5	5 Cylindrical mast. 2.8	Operates at night only. Seasonal.  <b>Chart:4425</b> <b>Edn 11/10 (G10-174)</b>
1054	North Rustico Fairway light buoy JK	NE. entrance to harbour. 46 27 54 63 16 30	Mo(A) W	6s	.....	Red and white vertical stripes, marked "JK".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467</b> <b>Edn 04/15 (G15-001)</b>

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1054.1	North Rustico light buoy JK3	46 27 24.8 63 17 06.4	Fl G	4s	.....	Green spar, marked "JK3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 07/09 (G09-067) Edn 06/10 (G10-076) Edn 05/11 (G11-113)
1054.11	North Rustico light buoy JK4	46 27 24.2 63 17 12.6	Fl R	4s	.....	Red spar, marked "JK4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 07/09 (G09-068) Edn 06/10 (G10-077) Edn 05/11 (G11-113)
1054.3	Rustico Harbour light buoy JK7	46 27 25 63 17 18	Fl G	4s	.....	Green, marked "JK7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:N/A Edn 05/11 (G11-113)
1054.4	Rustico light buoy JK9	46 27 24.2 63 17 11.8	Fl G	4s	.....	Green, marked "JK9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 05/11 (G11-113)
1054.6	Rustico light buoy JK12	46 27 17.2 63 17 26.1	Q R	1s	.....	Red, marked "JK12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 05/11 (G11-113)
1054.9	Rustico Harbour light buoy JK13	46 27 20.2 63 17 54.8	Fl G	4s	.....	Green, marked "JK13".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4467 Edn 05/11 (G11-113)
1055 H1140	Rustico Harbour Northern Breakwater	On outer end of N. breakwater. 46 27 25.2 63 17 16.9	Fl R	3s	2.7	3 Cylindrical mast. 1.8	Flash 1 s; eclipse 2 s. Seasonal.  Chart:4467 Edn 02/11 (G10-234) Edn 06/12 (G12-106)
1056 H1141	North Rustico Harbour	46 27 19.1 63 17 31.7	Iso Y	10s	12.4	13 White square tower, red upper portion. 10.4	Year round.  Chart:4467
1057 H1142	North Rustico Inner Breakwater	On SE. corner of inner breakwater. 46 27 14 63 17 29.1	Iso R	4s	7.5	4 Pipe swing pole. 6.8	Seasonal.  Chart:4467 Edn 09/10 (G10-143)
1057.5	North Rustico Landing Wharf	On outer end of wharf. 46 27 22.3 63 18 27.9	Iso R	4s	6.0	3 Square skeleton tower. 5.3	Seasonal.  Chart:4467

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
-----	------	--	--------------------------	--	-----------------------	--	---------------------------------

### PRINCE EDWARD ISLAND

1058	<i>New London Fairway light buoy JM</i>	<i>N. of entrance to New London Bay. 46 31 41.1 63 28 18</i>	<i>Mo(A) W</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red and white vertical stripes, marked "JM".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
<b>Chart:4467 Edn 04/15 (G15-001)</b>								
1060.01 <i>H1130.05</i>	<i>New London</i>	<i>46 30 37.4 63 29 13.9</i>	<i>Iso W</i>	<i>4s</i>	<i>13</i>	<i>7</i>	<i>White square tower, red upper portion. 13.3</i>	<i>Seasonal.</i>
<b>Chart:4467 Edn 02/11 (G10-235)</b>								
1060.1 <i>H1129</i>	<i>Southwest River Outer light buoy JM7</i>	<i>46 30 59.2 63 28 54.8</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JM7".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
<b>Chart:4467 Edn 04/15 (G15-001)</b>								
1060.15	<i>New London light buoy JM11</i>	<i>46 30 37.6 063 28 56.5</i>	<i>Q G</i>	<i>1s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JM11".</i>	<i>Buoy may be repositioned due to shifting channel. Operates 24 hrs. Seasonal.</i>
<b>Chart: 4467 Edn 07/15(G15-058)</b>								
1060.2	<i>Southwest River light buoy JN</i>	<i>46 30 42.1 63 28 57.9</i>	<i>Fl G (2+1)</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Green, red and green, marked "JN".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
<b>Chart:4467 Edn 04/15 (G15-001)</b>								
1060.3	<i>Southwest River light buoy JMA</i>	<i>46 30 23 63 29 24.8</i>	<i>Fl R (2+1)</i>	<i>6s</i>	<i>.....</i>	<i>.....</i>	<i>Red, green and red, marked "JMA".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
<b>Chart:4467 Edn 04/15 (G15-001)</b>								
1060.4	<i>Southwest River light buoy JM20</i>	<i>46 29 50.7 63 29 25.5</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red boat type, marked "JM20".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
<b>Chart:4467 Edn 04/15 (G15-001)</b>								
1060.45	<i>New London Harbour light buoy JM6</i>	<i>46 30 59.7 63 28 55.8</i>	<i>Fl R</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Red, marked "JM6".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
<b>Chart:4467 Edn 05/11 (G11-113)</b>								
1060.5	<i>Southwest River light buoy JM25</i>	<i>46 29 03.2 63 29 52.8</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green boat type, marked "JM25".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
<b>Chart:4467 Edn 04/15 (G15-001)</b>								
1060.55	<i>Southwest River light buoy JN1</i>	<i>46 30 36.7 63 28 58.6</i>	<i>Fl G</i>	<i>4s</i>	<i>.....</i>	<i>.....</i>	<i>Green, marked "JN1".</i>	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>
<b>Chart:4467 Edn 05/11 (G11-113)</b>								



## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1060.57	New London light buoy JN3	46 30 24.5 063 28 43.8	Fl G	4s	.....	Green spar, marked "JN3".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:N/A</b> <b>Edn 10/09 (G09-125)</b> <b>Edn 05/11 (G11-113)</b> <b>Edn 08/16 (G16-115)</b>
1060.6	Southwest River light buoy JN4	46 30 24.9 063 28 16.2	Q R	1s	.....	Red spar, marked "JN4".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:N/A</b> <b>Edn 05/11 (G11-119)</b> <b>Edn 08/16 (G16-114)</b>
1060.8	Stanley Bridge Channel light buoy JN7	46 29 50.7 63 27 46.8	Q G	1s	.....	Green boat type, marked "JN7".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467</b> <b>Edn 04/15 (G15-001)</b>
1060.9	Stanley Bridge Channel light buoy JN15	46 28 55.7 63 27 29.8	Fl G	4s	.....	Green boat type, marked "JN15".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4467</b> <b>Edn 04/15 (G15-001)</b>
1061 H1129	Cape Tryon	On extremity of cape. 46 32 02.3 63 30 21.9	LFl W	6s	33.4	8 White square tower, red upper portion. 12.4	Flash 2 s; eclipse 4 s. Year round.  <b>Chart:4467</b>
1062 H1116	Malpeque Outer range	Near shore line. 46 33 50.5 63 39 05.1	F R	.....	12.6	16 White square tower, red upper portion, red vertical stripe. 7.8	Visible in line of range. Seasonal.
1063 H1116.1		233° 515.3m from front.	F R	.....	21.0	16 White square tower, red upper portion, red vertical stripe. 7.7	Visible in line of range. Seasonal.  <b>Chart:4491</b>
1065.05	Malpeque Harbour Fairway light buoy JP	N.E. of McKay Point. 46 35 00.2 63 37 07.7	Mo(A) W	6s	.....	Red and white vertical stripe, marked "JP".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 04/15 (G15-001)</b>
1065.5	Malpeque West Entrance light buoy JP6	46 34 30.7 63 39 09.6	Fl R	4s	.....	Red spar, marked "JP6".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 04/15 (G15-001)</b>
1065.6	Royalty Point light buoy JP9	46 33 48.2 63 43 00.7	Fl G	4s	.....	Green spar, marked "JP9".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 04/15 (G15-001)</b>

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1069.5	Darnley Basin Outer light buoy JU3	Basin entrance. 46 33 46.3 063 41 37.6	Q G	1s	.....	Green spar, marked "JU3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 04/15 (G15-001) Edn 07/15(G15-057)
1069.65	Darnley Basin light buoy JU5	46 33 28.2 63 40 57.7	Q G	1s	.....	Green, marked "JU5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113)
1069.66	Darnley Basin light buoy JU6	46 33 20 63 41 15.1	Fl R	4s	.....	Red, marked "JU6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113) Edn 08/11 (G11-226) Edn 10/11
1069.7	Darnley Basin light buoy JU7	46 33 20.2 63 41 16.7	Fl G	4s	.....	Green, marked "JU7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113)
1069.8	Darnley Basin light buoy JU8	46 33 19.2 63 41 42.7	Q R	1s	.....	Red, marked "JU8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113)
1069.9	Darnley Basin light buoy JU9	46 33 21.2 63 41 57.7	Q G	1s	.....	Green, marked "JU9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 05/11 (G11-113)
1071.1	Darnley Basin light buoy JT4	46 32 18.2 63 40 12.7	Fl R	4s	.....	Red spar, marked "JT4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 04/15 (G15-001)
1071.2 H1123	Darnley Bridge	On center span of bridge. 46 32 02.8 63 40 17.7	F W	.....	3.5	6	On bridge.  Seasonal.  Chart:4491 Edn 03/12
1071.35	Conway Inlet Fairway light buoy JS	E. of inlet. 46 39 08.2 63 50 51.3	Mo(A) W	6s	.....	Red and white vertical striped spar, marked "JS".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-025) Edn 07/10 (G10-090) Edn 04/15 (G15-001)

## Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1071.39	Conway Inlet light buoy JS2	46 39 10.2 63 51 19.7	Fl R	4s	.....	Red spar, marked "JS2".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-027) Edn 05/11 (G11-113)
1071.41	Conway Inlet light buoy JS3	46 39 09.3 63 51 18.7	Q G	1s	.....	Green spar, marked "JS3".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-028) Edn 05/11 (G11-113)
1071.42	Conway Inlet light buoy JS4	46 39 09.5 63 51 34.7	Fl R	4s	.....	Red spar, marked "JS4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-034) Edn 05/11 (G11-113)
1071.45	Conway Inlet light buoy JS5	46 39 08.2 63 51 34.5	Fl G	4s	.....	Green spar, marked "JS5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-029) Edn 05/11 (G11-113)
1071.5	Conway Inlet light buoy JS7	46 39 05.9 63 51 48.2	Fl G	4s	.....	Green spar, marked "JS7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-035) Edn 05/11 (G11-113)
1071.52	Conway Inlet light buoy JS8	46 39 06.5 63 51 56.8	Fl R	4s	.....	Red spar, marked "JS8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-080) Edn 05/11 (G11-113)
1071.89	Conway Inlet light buoy JS12	46 39 05.2 63 52 07.8	Fl R	4s	.....	Red, marked "JS12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-041) Edn 05/11 (G11-113) Edn 07/12 (G12-130)
1071.9	Conway Inlet light buoy JS13	46 39 03.9 63 52 16	Fl G	4s	.....	Green spar, marked "JS13".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-042) Edn 05/11 (G11-113)

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1071.95	Conway Inlet light buoy JS14	46 39 05.3 63 52 16.8	Q R	1s	.....	Red spar, marked "JS14".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 06/10 (G10-052)</b> <b>Edn 05/11 (G11-113)</b>
1071.96	Conway Inlet light buoy JS21	46 39 28.3 63 52 34.4	Q G	1s	.....	Green, marked "JS21".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 06/10 (G10-053)</b> <b>Edn 05/11 (G11-113)</b>
1071.961	Conway Inlet light buoy JS22	46 39 29.6 63 52 49.7	Q R	1s	.....	Red, marked "JS22".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 06/10 (G10-054)</b> <b>Edn 05/11 (G11-113)</b>
1071.962	Conway Inlet light buoy JS23	46 39 36.2 63 52 57.3	Q G	1s	.....	Green, marked "JS23".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 06/10 (G10-055)</b> <b>Edn 05/11 (G11-113)</b>
1071.963	Conway Inlet light buoy JS24	46 39 37.3 63 52 55.6	Fl R	4s	.....	Red, marked "JS24".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 06/10 (G10-056)</b> <b>Edn 05/11 (G11-113)</b>
1071.977	Conway Inlet light buoy JS27	46 39 43.8 63 53 05.7	Q G	1s	.....	Green, marked "JS27".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 06/10 (G10-059)</b> <b>Edn 05/11 (G11-113)</b>
1071.98	Conway Inlet light buoy JS32	46 39 37.7 63 53 29.3	Q R	1s	.....	Red, marked "JS32".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 06/10 (G10-060)</b> <b>Edn 05/11 (G11-113)</b>
1071.99	Conway Inlet light buoy JS33	46 39 36.7 63 53 44.5	Q G	1s	.....	Green, marked "JS33".	Buoy may be repositioned due to shifting channel. Seasonal.  <b>Chart:4491</b> <b>Edn 06/10 (G10-061)</b> <b>Edn 05/11 (G11-113)</b>

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1072.1	Conway Inlet light buoy JS39	46 39 24.5 63 53 46.3	Q G	1s	.....	Green, marked "JS39".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-062) Edn 05/11 (G11-113)
1072.4	Conway Inlet light buoy JS42	46 39 22.4 63 53 59	Fl R	4s	.....	Red, marked "JS42".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-064) Edn 05/11 (G11-113)
1072.5	Conway Inlet light buoy JS43	46 39 20.9 63 54 26.6	Q G	1s	.....	Green, marked "JS43".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-065) Edn 05/11 (G11-113)
1072.59	Conway Inlet light buoy JS40	46 39 25.4 065 53 47.4	Fl R	4s	.....	Red, marked "JS40".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 07/15 (G15-052)
1072.6	Conway Inlet light buoy JS44	46 39 21.5 63 54 26.6	Fl R	4s	.....	Red, marked "JS44".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4491 Edn 06/10 (G10-066) Edn 05/11 (G11-113)
1074 H1124	Port Hill Wharf	On SE. corner of wharf. 46 35 36.6 63 51 58.8	Fl W	4s	4.5	2 Square skeleton tower. 4.3	Flash 1 s; eclipse 3 s. Seasonal.  Chart:4491
1075.05	Cascumpeque Harbour Fairway light buoy JV	E. of harbour entrance. 46 47 44.3 63 59 38.2	Mo(A) W	6s	.....	Red and white vertical stripes, marked "JV".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 04/15 (G15-001)
1075.2	Cascumpeque light buoy JV4	46 48 12.4 64 00 47	Fl R	4s	.....	Red spar, marked "JV4".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)
1075.3	Cascumpeque light buoy JV5	46 48 07.6 64 00 51.6	Fl G	4s	.....	Green, marked "JV5".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)

**Atlantic Coast - List of Lights, Buoys and Fog Signals**

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals	
<b>PRINCE EDWARD ISLAND</b>								
1075.32	Cascumpeque light buoy JV8	46 48 15.7 64 01 20.7	Fl R	4s	.....	Red spar, marked "JV8".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)	
1075.33	Cascumpeque light buoy JV6	46 48 13.2 64 01 05.7	Q R	1s	.....	Red spar, marked "JV6".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)	
1075.34	Cascumpeque light buoy JV7	46 48 07.8 64 01 08.2	Q G	1s	.....	Green spar, marked "JV7".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)	
1075.4	Cascumpeque light buoy JV9	46 48 08.5 64 01 37.6	Fl G	4s	.....	Green spar, marked "JV9".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)	
1075.5	Alberton Harbour light buoy JV10	46 48 12.9 64 01 55.4	Q R	1s	.....	Red spar, marked "JV10".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)	
1075.6	Alberton Harbour light buoy JV15	46 48 00.6 64 02 31.8	Fl G	4s	.....	Green spar, marked "JV15".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)	
1075.7	Alberton Harbour light buoy JV12	46 47 47.2 64 03 17.8	Q R	1s	.....	Red, marked "JV12".	Buoy may be repositioned due to shifting channel. Seasonal.  Chart:4492 Edn 05/11 (G11-113)	
1081 H1094	Northport range	Near outer end of railway wharf. 46 47 42.2 64 03 32.5	Iso G	1s	9.2	15	Square skeleton tower, white rectangular daymark, red vertical stripe. 8.2	Visible in line of range. Seasonal.
1082 H1094.1		244°54' 277.3m from front.	Iso G	4s	12.8	15	White square tower, red vertical stripe. 11.8	Visible in line of range. Seasonal.  Chart:4492 Edn 02/11 (G10-230-231)
1082.1 H1095	Alberton Breakwater	Outer end of breakwater. 46 47 38.9 064 03 35.2	Fl W	3s	6	2	Cylindrical mast. 2.6	Privately maintained. Operates at night only. Seasonal.  Chart:4492 Edn 03/11 (G10-204) Edn 06/16 (G16-034)

### Atlantic Coast - List of Lights, Buoys and Fog Signals

No.	Name	Position ----- Latitude N. Longitude W.	Light Characteristics	Focal Height in m. above water	Nomi- nal Range	Description ----- Height in meters above ground	Remarks ----- Fog Signals
<b>PRINCE EDWARD ISLAND</b>							
1083 <i>H1081.4</i>	Big Tignish Breakwater	46 57 01.9 63 59 28.9	Iso R	1s	7.0	5 Cylindrical mast. 5.4	Operates at night only. Seasonal.  <b>Chart:4023</b>
1083.5 <i>H1081.5</i>	Big Tignish South Breakwater	46 57 01.8 63 59 33.9	Iso G	1s	3.1	2 Cylindrical mast. 2.6	Operates at night only. Seasonal.  <b>Chart:4023</b>
1084.52	<i>Tignish Inner light buoy JX5</i>	46 57 09.3 63 59 55.1	<i>Fl G</i>	4s	.....	..... Green, marked "JX5".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>  <b>Chart:4023 Edn 05/11 (G11-113)</b>
1084.53	<i>Tignish Inner light buoy JX7</i>	46 57 12.6 63 59 58.3	<i>Fl G</i>	4s	.....	..... Green, marked "JX7".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>  <b>Chart:4023 Edn 05/11 (G11-113)</b>
1084.54	<i>Tignish Inner light buoy JX9</i>	46 57 12 64 00 09.2	<i>Fl G</i>	4s	.....	..... Green, marked "JX9".	<i>Buoy may be repositioned due to shifting channel. Seasonal.</i>  <b>Chart:4023 Edn 05/11 (G11-113)</b>
1084.7 <i>H1078</i>	North Point East	On outer end of S. breakwater. 47 01 45.6 63 59 22	Fl G	3s	6.5	4 Pipe swing pole, green and white square daymark. 4.6	Flash 1 s; eclipse 2 s. Seasonal.  <b>Chart:4023 Edn 09/11 (G11-258)</b>